

NAME OF CONTRACTOR: \_\_\_\_\_

**PROPOSAL AND SPECIFICATIONS**  
**FOR**  
**COUNTY LOCAL HOT MIX ASPHALT PAVING**  
**MARCH 20, 2019**

**Do Not Separate  
or Remove Sheets  
From This Proposal**

1. LH 4971 – CASCO TOWNSHIP – On 107<sup>th</sup> Avenue, 66<sup>th</sup> to 64<sup>th</sup> Street – 1.00 mile
2. LH 4973 – CASCO TOWNSHIP – On 107<sup>th</sup> Avenue, 64<sup>th</sup> to 62<sup>nd</sup> Street – 1.00 mile
3. LH 4000 – DORR TOWNSHIP – On Century Drive, 142<sup>nd</sup> Avenue north to dead end – 0.41 miles
4. LH 4001 – DORR TOWNSHIP – Prairie Court, 18<sup>th</sup> Street to dead end – 0.15 miles
5. LH 4988 – DORR TOWNSHIP – On 143<sup>rd</sup> Avenue, 18<sup>th</sup> to 17<sup>th</sup> Street, & 17<sup>th</sup> Street, 143<sup>rd</sup> to 144<sup>th</sup> Avenue – 1.00 mile
6. LH 4989 – DORR TOWNSHIP – On Joan Drive, Joan Court to 142<sup>nd</sup> Avenue, & Janet Drive, Joan Drive south to dead end – 1.15 miles
7. LH 4996 – FILLMORE TOWNSHIP – On 50<sup>th</sup> Street, 136<sup>th</sup> to 144<sup>th</sup> Avenue – 4.00 miles
8. LH 4997 – FILLMORE TOWNSHIP – On Church Street, 60<sup>th</sup> Street to 146<sup>th</sup> Avenue – 0.30 miles
9. LH 4980 – HEATH TOWNSHIP – On 41<sup>st</sup> Street, 134<sup>th</sup> to 136<sup>th</sup> Avenue – 1.33 miles
10. LH 4981 - HEATH TOWNSHIP – On Pine Trail Lane, 41<sup>st</sup> Street east to dead end – 0.20 miles
11. LH 4982 - HEATH TOWNSHIP – On 126<sup>th</sup> Avenue, 43<sup>rd</sup> Street to M-40 – 0.92 miles
12. LH 4007 - HOPKINS TOWNSHIP – On 13<sup>th</sup> Street, 133<sup>rd</sup> to 135<sup>th</sup> Avenue – 0.74 miles
13. LH 4002 – LAKETOWN TOWNSHIP – On 144<sup>th</sup> Avenue, 60<sup>th</sup> to 64<sup>th</sup> Street – 2.06 miles
14. LH 4003 – LAKETOWN TOWNSHIP – On State Park Drive, 138<sup>th</sup> Avenue northwest to park entrance – 0.28 miles
15. LH 4004 – LAKETOWN TOWNSHIP – On 138<sup>th</sup> Avenue, State Park Drive west to dead end – 0.22 miles
16. LH 4005 – LAKETOWN TOWNSHIP - On 139<sup>th</sup> Avenue, 62<sup>nd</sup> Street west to dead end – 0.32 miles

17. LH 4011 – LEE TOWNSHIP – On 58<sup>th</sup> Street, 106<sup>th</sup> to 109<sup>th</sup> Avenue – 1.50 mile
18. LH 4010 – LEIGHTON TOWNSHIP – On West Shore Drive, 145<sup>th</sup> Avenue to 6<sup>th</sup> Street – 0.55 miles
19. LH 4991 – MONTEREY TOWNSHIP – On 127<sup>th</sup> Avenue, 32<sup>nd</sup> to 30<sup>th</sup> Street – 0.94 miles
20. LH 4022 – OTSEGO TOWNSHIP – On 104<sup>th</sup> Avenue, 19<sup>th</sup> to 18<sup>th</sup> Street; 18<sup>th</sup> Street, 104<sup>th</sup> Avenue to Jefferson Road, & 104<sup>th</sup> Avenue, 18<sup>th</sup> Street to Otsego City Limits – 1.27 miles
21. LH 4023 – OTSEGO TOWNSHIP – On 102<sup>nd</sup> Avenue, 19<sup>th</sup> Street, & 103<sup>rd</sup> Avenue, from 21<sup>st</sup> Street to Jefferson Road – 2.44 miles
22. LH 4994 – OVERISEL TOWNSHIP – On 45<sup>th</sup> Street, 140<sup>th</sup> to 142<sup>nd</sup> Avenue – 1.00 mile
23. LH 4995 – OVERISEL TOWNSHIP – On 44<sup>th</sup> Street, 0.5 miles south of 147<sup>th</sup> Avenue to Ottogan Street – 1.02 miles
24. LH 4976 – SAUGATUCK TOWNSHIP – On 63<sup>rd</sup> Street, Old Allegan Road to 136<sup>th</sup> Avenue – 1.65 miles
25. LH 4977 – SAUGATUCK TOWNSHIP – On Ototeman Trail & Wakama Way, 64<sup>th</sup> Street east to dead end – 0.30 miles
26. LH 4978 – SAUGATUCK TOWNSHIP – On Riverside Drive, Holland Street north to dead end – 0.17 miles
27. LH 4979 – SAUGATUCK TOWNSHIP – On Lorrimar Lane, Old Allegan Road south to dead end – 0.37 miles
28. LH 4006 – TROWBRIDGE TOWNSHIP – On 104<sup>th</sup> Avenue, 32<sup>nd</sup> to 30<sup>th</sup> Street – 1.26 miles

ALLEGAN COUNTY ROAD COMMISSION

ADVERTISEMENT FOR BIDS

COUNTY LOCAL HOT MIX ASPHALT PAVING

Sealed bids will be received by the Allegan County Road Commission at their office at 1308 Lincoln Road (M89), Allegan, Michigan until 11:00 A.M., E.S.T., Wednesday, March 20, 2019, and at such time be publicly opened and read aloud for the following:

I. HOT MIX ASPHALT PAVEMENT

Construct Hot Mix Asphalt (Michigan Department of Transportation Specification No. 13A, 4E1, & 5E1) in Casco, Dorr, Fillmore, Heath, Hopkins, Laketown, Lee, Leighton, Monterey, Otsego, Overisel, Saugatuck, and Trowbridge Townships.

Complete specifications and bid forms are available at the Road Commission office and the Road Commission website [www.alleganroads.org](http://www.alleganroads.org) under the Projects link.

Bidders must be prequalified by the Michigan Department of Transportation to perform Paving Construction.

All bids must be submitted on forms furnished by the Road Commission and sealed in envelopes with the name and address of the bidder, and the item bid upon clearly marked thereon.

BID DEPOSIT of at least 5% of the bid amount will be required for each project bid upon. A single bid check may be submitted to cover all projects bid. The Bid Deposit may be in the form of Certified Check, Cashier's Check, or Bid Bond.

The Commission reserves the right to reject any or all bids, to waive minor technicalities, and to accept the bid that is deemed to be in the best interest of the County of Allegan.

BOARD OF COUNTY ROAD COMMISSIONERS  
OF ALLEGAN COUNTY, MICHIGAN

John Kleinheksel, Chairman  
James Rybicki, Vice-Chairman  
Larry Brown, Member

THE CONTRACT

The Contract Documents consist of the bid documents, this Agreement, Conditions of the Contract (General, Supplementary, Special and other Conditions), Drawings, Specifications, Addenda issued prior to execution of this Agreement, other documents listed in this Agreement and Modifications issued after execution of this Agreement; these form the Contract, and are as fully a part of the Contract as if attached to this Agreement or repeated herein. The Contract represents the entire and integrated agreement between the parties hereto and supersedes prior negotiations, representations or agreements, either written or oral. If anything in the other Contract Documents is inconsistent with this Agreement, this Agreement will govern.

The undersigned bidder agrees that the following is a complete and accurate list of all sub-contractors to be utilized if awarded this contract and any change from this list will be permitted only with the consent of the Board of County Road Commissioners of Allegan County. **LIST THE NAME OF EACH SUB-CONTRACTOR WITH A BRIEF DESCRIPTION OF WORK TO BE DONE.**

---

---

---

I hereby state that all of the information I have provided is true, accurate and complete. I hereby state that I have the authority to submit this bid which will become a binding contract if accepted by the Board of County Road Commissioners of Allegan County. I hereby state that I have not communicated with nor otherwise colluded with any other bidder, nor have I made any agreement with nor offered or accepted anything of value from an official or employee of the Board of County Road Commissioners of Allegan County that would tend to destroy or hinder free competition.

In case the bidder is a co-partnership, each member must sign this proposal.

In case the bidder is a Corporation, this proposal must be executed by its duly authorized officials in accordance with its articles of incorporation and a certified copy of such articles must be attached hereto.

I hereby state that I have read, understand and agree to be bound by all the terms of this bid document.

Signed: \_\_\_\_\_ Name: \_\_\_\_\_  
(Please Print)

Title: \_\_\_\_\_ Date: \_\_\_\_\_

Firm Name: \_\_\_\_\_ Phone: \_\_\_\_\_

Address: \_\_\_\_\_  
(Street Address) (State) (Zip)

---

**FOR COUNTY USE ONLY – DO NOT WRITE BELOW**

ACCEPTED BY: BOARD OF COUNTY ROAD COMMISSIONERS  
OF THE COUNTY OF ALLEGAN, MICHIGAN

\_\_\_\_\_  
Chairman

\_\_\_\_\_  
Vice-Chairman

\_\_\_\_\_  
Commissioner

\_\_\_\_\_  
Date

## ALLEGAN COUNTY ROAD COMMISSION

### STANDARD PROVISIONS

#### SCOPE OF THE WORK

The work consists of furnishing and placing HMA and related items at twenty-eight (28) locations throughout the county. **The contractor may bid on all or any number of the townships. The projects will be awarded for each township, not by each individual project.** The Board of Allegan County Road Commissioners reserves the right to make the award of projects to different contractors if it is in the best interest of the Road Commission. All work will comply with the Michigan Occupational Safety and Health Act.

#### STANDARD SPECIFICATIONS

The Standard Specification for Construction of the Michigan Department of transportation, 2012 Edition, hereinafter described as “Standard Specifications”, will apply unless noted otherwise in these Standard and Special Provisions.

#### HMA

This item includes furnishing, hauling, and placing the required HMA mixture as indicated below. This work will also include cleaning and sweeping as required and placing mixes around catch basins and downspouts. No additional payment will be made for HMA valley curb. HMA material used on driveways, side roads, and intersections will also be included in this item and paid for as the HMA mixture used, no additional payment will be made. Driveway construction may be single course over HMA drives and will be two courses where the concrete approach is removed. The work will also include furnishing and applying Bond Coat (included in HMA items), MDOT Standard Specifications MS-2a or SS-1h before placing the HMA. Bond Coat will be placed at the rate of 0.05 – 0.10 gallons per square yard prior to placing HMA.

Performance Grade Asphaltic Cement Bituminous Material will be PG 64-22 unless specified on the individual bid sheets as PG 64-28.

#### MIX DESIGNS

##### HMA ULTRA-THIN, \_\_\_\_\_ VOLUME

1. The Contractor will submit a mix design and test results of the aggregates to be used at least two weeks before commencing paving. The mix design will be submitted to an approved testing laboratory for design compliance tests. The Road Commission will require a mix design in accordance with the MDOT “HMA Production Manual”.
2. All mix designs must be approved by the Engineer.

#### HMA 13A, MOD / LVSP

1. The Contractor will submit a mix design with a range of 5.0 to 8.0 percent (effective bitumen) of bitumen content. Target air voids of 3.0% through regression.
2. The Limits for the bitumen content of Range 1 will be  $\pm 0.30\%$  from the optimum mix design.
3. The Contractor will submit a mix design and test results of the aggregates to be used at least two weeks before commencing paving. The mix design will be submitted to an approved testing laboratory for design compliance tests. The Road Commission will require a 1 point Marshall Test Mix Design.
4. All mix designs must be approved by the Engineer.
5. The contractor may substitute LVSP meeting MDOT specifications in place of HMA13A, Mod.

#### HMA 4E1 & 5E1, MOD

1. The Contractor will submit a mix design with a range of 5.0 to 8.0 percent (effective bitumen) of bitumen content. Target air voids of 3.0% through regression.
2. The limits for the bitumen content of range 1 will be  $\pm 0.30\%$  from the optimum mix design.
3. The Contractor will submit a mix design and test results of the aggregates to be used at least two weeks before commencing paving. The mix design will be submitted to an approved testing laboratory for design compliance tests. The Road Commission will require a mix design in accordance with the MDOT "HMA Production Manual".
4. All mix designs must be approved by the Engineer.

SPECIAL PROVISION

FOR

**MARSHALL HOT MIX ASPHALT MIXTURE**

1 of 2

1. **Description.** Furnish hot mix asphalt (HMA) mixture, designed using Marshall Mixture Design Methods, according to the requirements of the Standard Specifications for Construction except as modified by this special provision.

**b. Mix Design.** Submit the mix design for evaluation according to the Department’s Hot Mix Asphalt Procedures Manual. Use a 50 blow Marshall hammer when compacting mixtures for developing Marshall mix designs.

**c. Recycled Mixtures.** Substituting reclaimed asphalt pavement (RAP) for a portion of the new material required to produce HMA mixture is allowed provided that the mixture is designed and produced to meet all criteria specified herein. RAP materials must conform to the Standard Specifications for Construction.

**d. Materials.** Table 1 provides the mix design criteria and volumetric properties. Table 2 provides the required aggregate properties. Use aggregates of the highest quality available to meet the minimum specifications. Use the mixture designation number shown in the contract item name when determining mix design properties from Tables 1 and 2.

**e. Measurement and Payment.** The completed work as described will be paid for at the contract unit price for the following contract item (pay item):

**Contract Item (Pay Item)**  
HMA (type)

**Pay Unit**  
Ton

**Table 1: Mix Design Criteria and Volumetric Properties**

	Mixture No.				
	2C	3C	4C	13A	36A
Target Air Void, % (a)	3.00	3.00	3.00	3.00	4.00
VMA (min) (b)	11.00	13.00	14.00	14.00	15.00
VFA	65-78	65-78	65-78	65-78	65-78
Fines to Binder Ratio (max) ©	1.2	1.2	1.2	1.2	1.2
Flow (0.01 inch)	8 -16	8 -16	8 -16	8 -16	8 -16
Stability (min), lbs	1200	1200	1200	900	900
a. Lower target air voids by 1.00% if used in a separate shoulder paving operation. Consider reducing air void targets to 3.00% for lower traffic volume roadways when designing 13A and 36A mixtures for local agency use. b. VMA calculated using Gsb of the combined aggregates. c. Ratio of the weight of aggregate passing the No. 200 sieve to total asphalt binder content by weight; including fines and binder contributed by RAP.					



**Table 2: Aggregate Properties**

	Mixture No.				
	2C	3C	4C	13A	36A
	Percent Passing Indicated Sieve or Property Limit				
1 ½ inch	100				
1 inch	91-100	100			
¾ inch	90 max.	91-100	100	100	
½ inch	78 max.	90 max.	91-100	75-95	100
⅜ inch	70 max.	77 max.	90 max.	60-90	92-100
No. 4	52 max.	57 max.	67 max.	45-80	65-90
No. 8	15-40	15-45	15-52	30-65	55-75
No. 16	30 max.	33 max.	37 max.	20-50	
No. 30	22 max.	25 max.	27 max.	15-40	25-45
No. 50	17 max.	19 max.	20 max.	10-25	
No. 100	15 max.	15 max.	15 max.	5-15	
No. 200	3-6	3-6	3-6	3-6	3-10
Crushed (min), % (MTM 117)	90	90	90	25	60
Soft Particle (max), % (a)	12.0	12.0	8.0	8.0	8.0
Angularity Index (min) (b)	4.0	4.0	4.0	2.5	3.0
L.A. Abrasion (max), % loss (c)	40	40	40	40	40
Sand Ratio (max) (d)	-	-	-	50	50
<p>a. The sum of the shale, siltstone, structurally weak, and clay-ironstone particles must not exceed 8.0 percent for aggregates used in top course. The sum of the shale, siltstone, structurally weak, and clay-ironstone particles must not exceed 12.0 percent for aggregates used in base and leveling courses.</p> <p>b. The fine aggregate angularity of blended aggregates, determined by MTM 118, must meet the minimum requirement. In mixtures containing RAP, the required minimum fine aggregate angularity must be met by the virgin material. NAA fine aggregate angularity must be reported for information only and must include the fine material contributed by RAP if present in the mixture.</p> <p>c. Los Angeles abrasion maximum loss must be met for the composite mixture, however, each individual aggregate must be less than 50.</p> <p>d. Sand ratio for 13A and 36A no more than 50% of the material passing the No. 4 sieve is allowed to pass the No. 30 Sieve.</p>					

SPECIAL PROVISION  
FOR  
**ACCEPTANCE OF HMA MIXTURE**

1 of 2

**a. Description.** This special provision provides acceptance testing requirements for use on local agency projects that do not include the QC/QA special provision. The HMA mixture will be provided to meet the requirements of the standard specifications for construction except where modified herein.

**b. Materials.** Aggregates, mineral filler (if required), and asphalt binder will be combined as necessary to produce a mixture proportioned within the master gradation limits shown in the project documents and meeting the uniformity tolerances listed in Table 1. The master gradation range is to be used for establishing mix design only. Topsoil, clay, or loam will not be added to aggregates which are to be used in plant mixed HMA mixtures.

**c. Construction.** After the job-mix-formula is established, the aggregate gradation and the binder content of the HMA mixture furnished for the work will be maintained within the Range 1 uniformity tolerance limits permitted for the job-mix-formula specified in Table 1. However, if deviations are predominantly either below or above the job-mix-formula, the Engineer may order alterations in the plant to bring the mixture to the job-mix-formula. If two consecutive aggregate gradations on one sieve, or binder contents as determined by the field tests, are outside Range 1 but within Range 2 tolerance limits, the Contractor will suspend all operations. Contract time will continue during these times when the plant is down. Before resuming any production, the Contractor will propose, for the Engineer's approval, all necessary alterations to the materials or plant so that the job-mix-formula can be maintained. The Engineer, after evaluating for effects on AWI and mix design properties, will approve or disapprove such alterations.

Acceptance sampling and testing will be performed by the Engineer using the sampling method and testing option selected by the Engineer. Each day of production, a minimum of two samples will be obtained for each mix type. Acceptance testing will be performed at the frequency specified by the Engineer. No less than three samples will be obtained for each mix type. Quality control measures to insure job control are the responsibility of the Contractor.

The crushed particle content of the aggregate used in the HMA mixture will not be more than 10 percentage points above or below the crushed particle content used in the job-mix-formula nor less than the minimum specified for the aggregate in the project documents.

Pavement density will be measured by the Engineer with a Nuclear Density Gauge using the Gmm from the Job Mix Formula (JMF) for the density control target. The required in place density of the HMA mixture will be 92.0 - 96.0% of the density control target. The Contractor is responsible for establishing a rolling pattern that will achieve the required in place density.

**Table 1: Uniformity Tolerance Limits for HMA Mixtures**

PARAMETER	TOP & LEVELING COURSE		BASE COURSE	
	* Range 1	Range 2	* Range 1	Range 2
Binder Content	± 0.40	± 0.50	± 0.40	± 0.50
% Passing # 8 and Larger Sieves	± 5.0	± 8.0	± 7.0	± 9.0
% Passing # 30 Sieve	± 4.0	± 6.0	± 6.0	± 9.0
% Passing # 200 Sieve	± 1.0	± 2.0	± 2.0	± 3.0
*This range allows for normal mixture and testing variations. The mixture will be proportioned to test as closely as possible to the Job-Mix-Formula.				

**d. Rejected Mixtures.** If for any one mixture, two consecutive aggregate gradations on one sieve or binder contents as determined by field tests exceed the uniformity tolerance of Range 2 under Table 1, or do not meet the minimum requirements for crushed particle content specified in the project documents, the mixture will be rejected. If such mixtures are placed in a pavement, the remaining portions of the failing field samples (split sample) will be sent to the MDOT Central Laboratory to confirm the field test results. If the Laboratory's results do not confirm the field test results and there are no price adjustments required due to test failures on the asphalt binder, then no price adjustments will be made for the mixture involved. If the Laboratory's results confirm the field test results and if, in the Engineer's judgment, the defective mixture can remain in place and there are no price adjustments required due to test failures on the asphalt binder, the contract unit price for the defective mixture involved, as determined from field tests, will be decreased on the following basis:

The contract unit price for material outside of Range 2 or with crushed particle content below that specified in the project documents will be decreased 25 percent.

If three consecutive aggregate gradations on one sieve, or bitumen contents as determined by field tests are outside Range 1 but within Range 2 tolerance limits, the mixture produced from the time the third sample was taken until the gradation, or bitumen content is corrected back into Range 1 will be decreased in contract unit price by 10 percent. Field tests indicating that mixtures are subject to the 10 percent penalty will be confirmed in the same manner as mixtures subject to the 25 percent penalty as described herein.

## **ROLLING OF THE HMA MIXTURE**

Nuclear gauge testing requirements will be waived; the rolling operation will be controlled by the "Number of Rollers Method" shown below.

Average Laydown Rate, Square Yards per Hour	Number of Rollers Required	
	Compaction Rollers	Finish Rollers
Less than 800	1	*1
800-1800	1	1
1800-4000	2	1
4000-7000	3	1

\* The compaction roller may also be used as the finish roller.

## **METHOD OF PAYMENT FOR HMA MIXTURES**

The item of "HMA Mixtures" will be paid for by the Ton.

<u>PAY ITEM</u>	<u>PAY UNIT</u>
HMA Ultra-Thin, _____ Volume	Ton
HMA 13A Mod / LVSP	Ton
HMA 4E1, Mod	Ton
HMA 5E1, Mod	Ton

## **SHOULDER, CI II, LM**

This item will include all labor, material, and equipment to place and compact the material according to Section 307 of the Standard Specifications.

Dumping of material on the road metal or the shoulders and blading it onto the shoulder will not be permitted. A mechanical shouldering machine, power broom, and double drum roller will be required for this project. All equipment used is subject to the approval of the Engineer.

Any approach gravel required when shoulder gravel is specified will be paid for as Shoulder, CI II, LM.

Shoulder material must be placed within 14 calendar days of paving completion. After 14 days, liquidated damages will be assessed in accordance with section 108.10 of the 2012 Standard Specifications for Construction.

SHOULDER, CI II, LM (CON'T)

METHOD OF PAYMENT FOR SHOULDER, CI II, LM

The item of "Shoulder, CI II, LM" will be paid for by the cubic yard, loose measure. If scales are available, the material will be weighed, and a conversion based on 3,000 lbs per cubic yard loose measure will be used.

<u>PAY ITEM</u>	<u>PAY UNIT</u>
Shoulder, CI II, LM	Cubic Yard

**PAVEMENT FOR BUTT JOINTS, REM**

When a butt joint is specified, the Contractor will mill the existing bituminous surface to the thickness of the proposed overlay. The material will be removed for the full width of the joint. The removal will be tapered up to the original surface over a distance specified by the Engineer. This item will also include disposing of the material milled.

METHOD OF PAYMENT FOR PAVEMENT FOR BUTT JOINTS, REM

The item of "Pavement for Butt Joints, Rem" will be paid for by the square yard.

<u>PAY ITEM</u>	<u>PAY UNIT</u>
Pavement for butt Joints, Rem	Square Yard

**COLD MILLING HMA SURFACE**

This item will include all equipment, material, and labor required to achieve a smooth surface over the area specified.

The HMA surface will be removed to the depth, width, grade, and cross-section specified. Backfill and compact according to Subsection 501.03.C.9, all depressions left by removal of material below the specified grade. All costs associated with this backfill and compaction will be borne by the contractor.

Immediately after cold-milling, clean the surface. Dispose of the material removed from the surface according to Subsections 204.03.B. Do not incorporate it into the HMA.

Cold-Milling Machines. Equipment must consistently remove the HMA surface, in one or more passes, to the required grade and cross section producing a uniformly textured surface. Machines must be equipped with all of the following:

- a. automatically controlled and activated cutting drums
- b. grade reference and transverse slope control capabilities
- c. an approved grade referencing attachment, not less than 30 feet in length. An alternate grade referencing attachment may be used if approved by the Engineer prior to use.

COLD MILLING HMA SURFACE (CON'T)

METHOD OF PAYMENT FOR COLD MILLING HMA SURFACE

The item of "Cold Milling HMA Surface" will be paid for by the square yard.

<u>PAY ITEM</u>	<u>PAY UNIT</u>
Cold Milling HMA Surface	Square Yard

**WATER VALVE BOX, ADJ**

This item includes all equipment, labor, and material required to remove existing water valve boxes and reset them to match the final surface elevation of the HMA.

METHOD OF PAYMENT FOR WATER VALVE BOX, ADJ

The item of "Water Valve Box, Adj" will be paid for by the individual unit.

<u>PAY ITEM</u>	<u>PAY UNIT</u>
Water Valve Box, Adj	Each

**PAVEMENT MARKING, WATERBORNE, 4-INCH, YELLOW**

This item will include all equipment, labor, and material required to place the pavement marking according to Section 811 of the Standard Specifications.

Pavement Markings must be placed within 14 calendar days of shoulder completion. After this time, liquidated damages will be assessed in accordance with section 108.10 of the 2012 Standard Specifications for Construction.

METHOD OF PAYMENT FOR PAVEMENT MARKING, WATERBORNE, 4-INCH, YELLOW

The item of "Pavement Marking, Waterborne, 4-inch, Yellow" will be paid for by the linear foot.

<u>PAY ITEM</u>	<u>PAY UNIT</u>
Pavement Marking, Waterborne, 4-inch, Yellow	Foot

**PAVEMENT MARKING, WATERBORNE, 4-INCH, WHITE**

This item will include all equipment, labor, and material required to place the pavement marking according to Section 811 of the Standard Specifications.

Pavement Markings must be placed within 14 calendar days of shoulder completion. After this time, liquidated damages will be assessed in accordance with section 108.10 of the 2012 Standard Specifications for Construction.

**METHOD OF PAYMENT FOR PAVEMENT MARKING, WATERBORNE, 4-INCH, WHITE**

The item of "Pavement Marking, Waterborne, 4-inch, White" will be paid for by the linear foot.

<u>PAY ITEM</u>	<u>PAY UNIT</u>
Pavement Marking, Waterborne, 4-inch, White	Foot

**MONUMENT BOX, ADJ**

This item includes all equipment, labor, and material required to remove existing monument boxes and reset them to match the final surface elevation of the HMA. If a new monument box is required it will be supplied by the Allegan County Road Commission.

**METHOD OF PAYMENT FOR MONUMENT BOX, ADJ**

The item of "Monument Box, Adj" will be paid for by the individual unit.

<u>PAY ITEM</u>	<u>PAY UNIT</u>
Monument Box, Adj	Each

**PAVEMENT MARKING, TEMPORARY**

This item includes furnishing all equipment, labor, and material required to place temporary pavement marking tape four (4) inches wide of the appropriate color. Marks will be four (4) foot long and placed every 50 feet.

**METHOD OF PAYMENT FOR PAVEMENT MARKING, TEMPORARY**

The item of "Pavement Marking, Temporary" will be paid for by the 100' station.

<u>PAY ITEM</u>	<u>PAY UNIT</u>
Pavement Marking, Temporary	Station

**FLAG CONTROL**

This item will include all equipment, labor, and material to provide traffic control in the construction influence area. This item also includes all signing required for the flagger sequence as described in the Standard Specifications.

**METHOD OF PAYMENT FOR FLAG CONTROL**

The item of “Flag Control” will be paid for as a lump sum.

<u>PAY ITEM</u>	<u>PAY UNIT</u>
Flag Control	Lump Sum

**TRAFFIC CONTROL DEVICES**

This item will include all equipment, labor, and material to provide lighted arrows, cones, plastic drums, or any other traffic control devices required. This item will also include placing and maintaining “low shoulder” signs throughout the project until shoulder placement is complete. Traffic control will be done in accordance with Standard Specifications and the Michigan Manual of Uniform Traffic Control Devices.

**METHOD OF PAYMENT FOR TRAFFIC CONTROL DEVICES**

The item of “Traffic Control Devices” will be paid for as a lump sum.

<u>PAY ITEM</u>	<u>PAY UNIT</u>
Traffic Control Devices	Lump Sum

**SIGN, TYPE B, TEMP, MODIFIED**

The item of “Sign, Type B, Temp, Modified” will include supplying all materials, equipment and labor required to erect and maintain construction signs as designated by the Engineer. Materials and placement will conform to the MDOT Standard Specifications for Construction and the Michigan Manual of Uniform Traffic Control Devices. Signs will be placed as noted in the detour route detail or as instructed by the Engineer. Steady burn light and posts are included in the Sign, Type B, Temp, Modified item.

**METHOD OF PAYMENT FOR SIGN, TYPE B, TEMP, MODIFIED:** The item of “Sign, Type B, Temp, Modified” will be paid for by the square foot of sign face.

<u>PAY ITEM</u>	<u>PAY UNIT</u>
Sign, Type B, Temp, Modified	Square Foot



**BARRICADE ,TYPE III, HIGH INTENSITY, DOUBLE SIDED, LIGHTED, MODIFIED**

The item of “Barricade, Type III, High Intensity, Double Sided, Lighted, Modified” will include all labor, equipment and material to furnish, set up, move and maintain the barricades.

The Contractor will furnish and maintain Barricades, Type III with three lights and an R-11-4 Sign (ROAD CLOSED TO THRU TRAFFIC) mounted above the barricade. The R-11-4 sign will comply with and be paid as “Sign, Type B, Temp, Modified”.

Section 812 of the Standard Specifications for Construction will apply.

METHOD OF PAYMENT FOR BARRICADE, TYPE III, HIGH INTENSITY, DOUBLE SIDED, LIGHTED, MODIFIED: The item of “Barricade, Type III, Double Sided, Lighted” will be paid for as individual units.

<u>PAY ITEM</u>	<u>PAY UNIT</u>
Barricade, Type III, High Intensity, Double Sided, Lighted, Modified	Each

**TOPSOIL SHOULDER, LM**

This item will include all labor, material, and equipment to place and strike off the material. Dumping of material on the road metal or the shoulder and blading it onto the shoulder will not be permitted. A mechanical shouldering machine and power broom will be required for this project.

All equipment used is subject to the approval of the Engineer. Topsoil will be clean, free of debris, stones, and sod. Topsoil will be subject to the approval of the Project Engineer. Topsoil shoulders will be raked and compacted.

Shoulder material must be placed within 14 calendar days of paving completion. After this time, liquidated damages will be assessed in accordance with section 108.10 of the 2012 Standard Specifications for Construction.

METHOD OF PAYMENT FOR TOPSOIL SHOULDER, LM

The item of “Topsoil Shoulder, LM” will be paid for by the cubic yard, loose measure.

<u>PAY ITEM</u>	<u>PAY UNIT</u>
Topsoil Shoulder, LM	Cubic Yard

**RESTORATION**

This item will include all labor, material, and equipment required to seed with TDS mixture at the rate of 220 lb/acre, mulch, and mulch anchoring according to Section 816.03 of the Standard Specifications. The contractor will be required to re-seed if less than 75% of the restored area does not get established.

**METHOD OF PAYMENT FOR RESTORATION**

The item of "Restoration" will be paid for by the square yard.

<u>PAY ITEM</u>	<u>PAY UNIT</u>
Restoration	Square Yard

**MANHOLE, ADJ**

This item includes all equipment, labor, and material required to adjust existing manholes, catch basins and drainage structures to match the final surface elevation of the HMA.

**METHOD OF PAYMENT FOR MANHOLE, ADJ**

The item of "Manhole, Adj" will be paid for by the individual unit.

<u>PAY ITEM</u>	<u>PAY UNIT</u>
Manhole, Adj	Each

**TRENCHING**

This item will include all labor, material, and equipment required to trench the existing shoulder according to Section 307.03 of the Standard Specifications. This item will also include any mailbox relocations required for the work to be completed.

**METHOD OF PAYMENT FOR TRENCHING**

The item of "Trenching" will be paid for by the station.

<u>PAY ITEM</u>	<u>PAY UNIT</u>
Trenching	Station

**CONDITIONING AGGREGATE BASE, MOD**

Shape the existing Aggregate Base Course to a 2% cross-slope (or as directed by the Engineer) within a tolerance of ±1/2 inch. The existing surface will be cut and compacted to a minimum depth of 2 inches. A minimum compaction of 98% will be required. Wetting and rolling will be required. Density testing will be run at the discretion of the Engineer. This item will also include shaping and compacting driveways and approach roads to be paved.

**METHOD OF PAYMENT FOR CONDITIONING AGGREGATE BASE, MOD**

The item of "Conditioning Aggregate Base, Mod" will be paid for by the Station.

<u>PAY ITEM</u>	<u>PAY UNIT</u>
Conditioning Aggregate Base, Mod	Station

**HMA BASE CRUSHING AND SHAPING**

Crush and shape the existing HMA base in accordance with Section 305 of the Standard Specifications. Commence the crushing operation after placement of the Aggregate Surface Cse item, if applicable, to provide a uniformly mixed material of aggregate and crushed HMA.

**METHOD OF PAYMENT FOR HMA BASE CRUSHING AND SHAPING**

The item of "HMA Base Crushing and Shaping" will be paid for by the square yard.

<u>PAY ITEM</u>	<u>PAY UNIT</u>
HMA Base Crushing and Shaping	Square Yard

**AGGREGATE SURFACE CSE**

This item will include all labor, material, and equipment required to add MDOT 22A gravel to the HMA surface prior to pulverizing and mixed thoroughly with the existing material. Place gravel 2-3" thick or as directed by the Engineer. This item may also be used to add additional aggregate after pulverizing.

**METHOD OF PAYMENT FOR AGGREGATE SURFACE CSE**

The item of "Aggregate Surface Cse" will be paid for by the ton.

<u>PAY ITEM</u>	<u>PAY UNIT</u>
Aggregate Surface Cse	Ton

**HAND PATCHING**

This item includes all equipment, labor, and materials required to hand patch and compact HMA 4C in the “Concrete Pavement Repair” areas in accordance with Section 502.03 of the Michigan Department of Transportation 2012 Standard Specifications for Construction and these specifications.

**METHOD OF PAYMENT FOR HAND PATCHING**

The item of “Hand Patching” will be paid by the ton.

<u>PAY ITEM</u>	<u>PAY UNIT</u>
Hand Patching	Ton

**PAVEMENT REM, MOD**

This item includes all equipment, labor and materials required to remove and dispose of the pavement or curb and gutter in accordance with Section 204 of the Standard Specifications and as modified in this specification. When a concrete driveway approach is specified to be removed, the Contractor will sawcut and remove the existing concrete surface where marked by the Engineer. Aggregate base will be required to maintain access to the driveway and allow for 3” of HMA. The aggregate base will be HMA millings or crushed concrete and included in this item.

**METHOD OF PAYMENT FOR PAVEMENT FOR PAVEMENT REM, MOD**

The item of “Pavement Rem, Mod” will be paid for by the square yard.

<u>PAY ITEM</u>	<u>PAY UNIT</u>
Pavement Rem, Mod	Square Yard

**APPROACH, CI II, LM**

This item will include all labor, material, and equipment to place and compact the material according to Section 307 of the Standard Specifications.

**METHOD OF PAYMENT FOR APPROACH, CI II, LM**

The item of “Approach, CI II, LM” will be paid for by the cubic yard, loose measure. If scales are available, the material will be weighed, and a conversion based on 3,000 lbs per cubic yard loose measure will be used.

<u>PAY ITEM</u>	<u>PAY UNIT</u>
Approach, CI II, LM	Cubic Yard

**SHOULDER PREP**

This item will include all labor, material, and equipment required to prepare the shoulders along the existing surface for paving or gravel resurfacing. The shoulder will be entirely stripped of vegetation between the existing asphalt edge and the beginning of the ditch fore slope. Any excess material will be removed and disposed outside the road right-of-way as part of this item. This item also includes relocating mailboxes if they conflict with construction. The shoulder preparation may require mowing and/or spraying to kill vegetation if completed more than one week prior to paving.

**METHOD OF PAYMENT FOR SHOULDER PREP**

The item of "Shoulder Prep" will be paid for by the lump sum.

<u>PAY ITEM</u>	<u>PAY UNIT</u>
Shoulder Prep	LS

**CLEARING**

This item includes all equipment, labor, and materials required to remove the trees and brush in accordance with Section 201 of the Michigan Department of Transportation 2012 Standard Specifications for Construction and these specifications.

**METHOD OF PAYMENT FOR CLEARING**

The item of "Clearing" will be paid by the lump sum.

<u>PAY ITEM</u>	<u>PAY UNIT</u>
Clearing	LS

ALLEGAN COUNTY ROAD COMMISSION

ALLEGAN, MICHIGAN

GENERAL SPECIFICATIONS

MICHIGAN DEPARTMENT OF TRANSPORTATION – STANDARD SPECIFICATIONS

The work covered by the plans and specifications will be done in accordance with the 2012 Michigan Department of Transportation Standard Specifications for Construction, except as qualified in supplemental specifications and special provisions of the Allegan County Road Commission or as agreed to in writing at the time of the award of the contract.

DEFINITION OF TERMS

See Section 101.03 of Michigan Department of Transportation Specifications.

SPECIAL CONDITIONS

Special requirements, regulations or directions applying to a particular project may be made a part of these specifications.

THE WORK

The work consists of the completed services, construction and/or paving required by the Contract Documents and includes all materials and labor incorporated or to be incorporated therein.

RESPONSIBILITIES OF CONTRACTOR

A. Responsibility for and Supervision of Construction. Unless otherwise stated herein, Contractor will be solely responsible for all construction under this Contract, including the methods, techniques, sequences, procedures, and means, and for coordination of all work. Contractor will supervise and direct the work to the best of Contractor's ability and give it all attention necessary for such proper supervision and direction.

B. Discipline and Employment. Contractor will maintain at all times strict discipline among Contractor's employees, and contractor agrees not to employ for work on the project any person unfit or without sufficient skill to perform the job for which he or she was employed.

C. Furnishing of Labor, Materials, etc. Unless otherwise stated herein, Contractor will provide and pay for all labor, materials, and equipment, including tools, construction equipment, and machinery, utilities, including water, transportation, and all other facilities and services necessary for the proper completion of work on the project in accordance with the Contract Documents.

D. Payment of Taxes; Procurement of Licenses and Permits. Contractor will pay all taxes required by law in connection with work on the project in accordance with this agreement including sales, use, and similar taxes, and will secure all licenses and permits necessary for proper completion of the work, paying the fees for such licenses and permits.

E. Compliance with Laws and Regulations. Contractor will comply with all laws and ordinances, and the rules, regulations or orders of all public authorities relating to the performance of the work under and pursuant to this Agreement including, but not limited to, the Occupational Safety and Health Act of 1970, the Michigan Occupational Safety and Health Act, and the rules and regulations of the Michigan Construction Safety Commission.

F. Responsibility for Negligence of Employees and Subcontractors. Contractor assumes full responsibility for acts, negligence or omissions of all of Contractor's employees on the project, for those of Contractor's subcontractors and their employees, and for those of all other persons doing work under a contract with Contractor.

G. Responsibility for Safety. Unless otherwise stated herein, at Contractor's expense, Contractor will take all necessary precautions (including, without limitation, the furnishing of traffic control, barricades, traffic control devices, flaggers, warning lights, signs, warning signs, safety channels, channelization devices, guards, fences, walks, flags, cables and lights) for the safety of, and the prevention of injury, loss and damage to, persons and property (including, without limitation, in the term persons, members of the public, employees and agents of the Board of County Road Commissioners of Allegan County, Contractor's employees, Contractor's subcontractors and their respective employees, other contractors, their subcontractors and respective employees) on, about or adjacent to the location where the work is being performed, and will comply with all applicable provisions of safety rules, ordinances, codes, regulations, and orders of duly-constituted public authorities including, but not limited to, the Michigan Manual of Uniform Traffic Control Devices.

H. Responsibility of Subcontractors. The Contractor will require any subcontractor hired by the Contractor for the purpose of performing any of the work described by the Contract documents to be bound by all of the terms and conditions of the Contract documents and to perform the work in accordance with the Contract documents. Each and every condition of the Contract documents, including without limitation, the RESPONSIBILITIES OF THE CONTRACTOR, will be made a condition of each subcontract entered into by the Contractor in conjunction with the performance of the work.

## INDEMNIFICATION

To the fullest extent permitted by law, the Contractor will indemnify, defend, and hold harmless The Board of County Road Commissioners of Allegan County, its officers, employees, representatives and agents from and against any and all claims, damages, demands, payments, suits, actions, recoveries, judgments, losses and expenses, including attorney fees, interest, and court costs, which are made, brought or recovered against the Board of County Road Commissioners of Allegan County, arising out of or resulting from performance of the Contractor's work under this Contract, provided that such claims, damages, losses, demands, payments, suits, actions, recoveries, judgments and/or expenses are attributable to bodily injury, sickness, disease or death, or to injury to or destruction of tangible property (other than the work itself) including loss of use resulting there from, but only if caused in whole or in part, by the act, omission, fault, negligence or breach of the conditions of this Contract by negligent acts or omissions of the Contractor, the Contractor's sub-subcontractors, anyone directly or indirectly employed by them or anyone for whose acts they may be liable, regardless of whether or not such claim, damage, loss or expense is caused in part by a party indemnified hereunder. The Contractor will not, however, be obligated to indemnify the Board of County Road Commissioners of Allegan County, for any damage or injuries caused by or resulting from the sole negligence of the Board of County Road Commissioners of Allegan County. Such obligation will not be construed to negate, abridge or otherwise reduce other rights or obligations of indemnity which would otherwise exist as a party or person described in this paragraph.

In claims against any person or entity indemnified under this Agreement by an employee of the Contractor, the Contractor's sub-subcontractors, anyone directly or indirectly employed by them or anyone for whose acts they may be liable, the indemnification obligation under this paragraph will not be limited by a limitation on amount or type of damages, compensation or benefits payable by or for the Contractor or the Contractor's sub-subcontractors under workers' or workmen's compensation acts, disability benefit acts or other employee benefit acts.

## INSURANCE

A. Contractor's Insurance. Prior to start of the Contractor's work, the Contractor will procure for the Contractor's work and maintain in force until the completion of the work, workers' compensation insurance, employer's liability insurance, comprehensive general liability insurance and all insurance required of the contract under the contract documents.

The Board of County Road Commissioners of Allegan County will be named as an additional insured on each of these policies except for worker's compensation.

The insurance will include contractual liability insurance covering the Contractor's obligations under its agreement of indemnification as set forth herein.

B. Minimum Limits of Liability. The Contractor's comprehensive general and automobile liability insurance as required herein, will be written with limits of liability not less than the following:



a. Comprehensive general liability including completed operations

(1) \$ 500,000 each occurrence

b. Property damage

(1) \$ 500,000 each occurrence

C. Number of Policies. Comprehensive general liability insurance and other liability insurance may be arranged under a single policy for the full limit required or by combination of underlying policies with the balance provided by an excess or umbrella liability policy.

D. Cancellation, Renewal or Modification. The Contractor will maintain in effect all insurance coverage required under this Agreement at the Contractor's sole expense and with insurance companies acceptable to the Board of County Road Commissioners of Allegan County.

All insurance policies will contain a provision that the coverage afforded thereunder will not be cancelled or not renewed nor restrictive modifications added at any time after a certificate of insurance required under agreement has been issued and before the work; as defined herein, has been completed, until at least thirty (30) days prior thereto written notice has been given to the Board of County Road Commissioners of Allegan County unless otherwise specifically required in the Contract Documents.

Certificates of insurance or certified copies of policies acceptable to the Board of County Road Commissioners of Allegan County will be filed with the Board of County Road Commissioners of Allegan County prior to the commencement of the Contractor's work.

In the event that the Contractor fails to obtain or maintain any insurance coverage required under this agreement, the Board of County Road Commissioners of Allegan County may:

1. Purchase such coverage and charge the expense thereof to the Contractor, and
2. Withhold from any payment due or to become due to the Contractor an amount sufficient to protect the Board of County Road Commissioners of Allegan County from such claims, damages, demands, payments, suits, actions, recoveries, judgments, losses and expenses, including attorney fees, interest and court costs, and
3. Terminate this agreement.

Nothing contained in this Agreement, nor the Board of County Road Commissioners of Allegan County's compliance therewith, will relieve the Contractor from its obligations under the Contract to purchase and maintain required insurance or to indemnify the Board of County Road Commissioners of Allegan County.

## PROGRESS CLAUSE

The successful bidder will be required to submit a Progress Schedule, giving an outline of his proposed order of work and to indicate the dates for completion of the work. This outline, when approved by the Road Commission, will become a part of the contract.

## PROSECUTION OF THE WORK

The Contractor will begin the work within five (5) days after being notified by the Road Commission of the award of the contract, unless this is inconsistent with the Progress Schedule, in which case the Progress Schedule will govern. He will prosecute the work in the order given in the Progress Schedule, with force and equipment adequate to complete the sections within the time limit therein fixed for completion. In case of failure to proceed with the work as rapidly as is provided in the Progress Schedule, or if it appears at any time that such work is not being prosecuted in such a manner as to insure its completion within time specified, the Road Commission will have the right to require the contractor to furnish and place in operation such additional force and equipment as the Road Commission will deem necessary to bring the work up to the Progress Schedule; and in case of the Contractor's neglect to do so, the Road Commission may place such working force and equipment on the work and charge the Contractor the cost of the labor and such rental and depreciation rates for the plan and equipment as in its judgment is reasonable, and for such time as the plant and equipment are in service.

## ESTIMATED QUANTITIES

The quantities listed in the proposal are the estimated quantities. Increases or decreases in quantities will not be considered as a basis for adjustment in unit prices and Articles 1.03.02 of Standard Specifications will not apply in this regard.

## FINAL PAYMENT

Final payment will not be made until the contractor will have filed with the Board of County Road Commissioners the consent of the Surety of the payment of the final estimate and satisfactory evidence by affidavit or otherwise that all his indebtedness by reason of the contract has been fully paid or satisfactorily secured. In case such evidence is not furnished, the Road Commission may retain out of any amount due said contractor sums sufficient to cover all lienable claims unpaid.

## AFFIRMATIVE ACTION POLICY (EQUAL EMPLOYMENT OPPORTUNITY EMPLOYER)

The Allegan County Road Commission will require the Contractor to submit an Affirmative Action Policy stating that they are an equal employment opportunity employer and will recruit, hire and promote in all job classifications without regard to race, color, religion, sex or national origin, except where sex is a bona fide occupational qualification. The Affirmative Action Policy will be signed by the Contractor or one of the Company's Authorized Officers.

### CONTRACT BONDS

The Successful Bidder will furnish satisfactory performance and lien bonds, each in the amount of not less than one hundred (100) per cent of the total contract price. Such bonds will be on forms provided and will meet the regulations of the Allegan County Road Commission and the requirements specified in the laws of Michigan.

No Bonds will be required for contracts of less than \$70,000.00.

### M.D.O.T. – PREQUALIFICATION

Contractors bidding on this work must be prequalified by the Michigan Department of Transportation to do similar work on State or Federal-aid Secondary projects.

1. LH 4971 – CASCO TOWNSHIP – On 107<sup>th</sup> Avenue, 66<sup>th</sup> to 64<sup>th</sup> Street – 1.00 mile

BID AND AWARD

Date: \_\_\_\_\_

Board of County Road Commissioners  
of Allegan County  
1308 Lincoln Road  
Allegan, MI 49010

Gentlemen:

The undersigned has examined the plans, specifications, and location of the work described herein and is fully informed as to the nature of the work and the conditions relating to its performance and understands that the quantities shown in the estimate are approximate only and are subject to either increase or decrease; and hereby proposes to furnish all necessary machinery, tools, apparatus, and other means of doing the work, do all the work, furnish all the materials except as otherwise specified herein, and, for the unit prices named in the accompanying unit price schedule, to complete work in strict accordance with the plans and specifications therefore.

The undersigned further proposes to do such extra work as may be ordered by you, prices for which are not included in the itemized bid, compensation therefore to be made on the basis agreed upon before such extra work is begun.

The undersigned agrees to complete all items of work on or before **November 1, 2019.**

**No work for this project will be allowed June 7 & June 8, 2019 and the road will remain open to traffic during these dates.**

The undersigned encloses a certified check, cashier's check, or Bid Bond representing 5% of the bid, in the amount of \$ \_\_\_\_\_, payable to the Allegan County Road Commission as a guarantee of good faith. If the contract is awarded to the undersigned and the undersigned fails to furnish satisfactory bonds to the Road Commission within fifteen (15) days after being given notice of award, said check will be forfeited to the Allegan County Road Commission as liquidated damage.

ALLEGAN COUNTY ROAD COMMISSION

SPECIAL PROVISIONS

FOR

1. LH 4971 – CASCO TOWNSHIP – On 107<sup>th</sup> Avenue, 66<sup>th</sup> to 64<sup>th</sup> Street – 1.00 mile

SCOPE OF THE WORK

The work will consist of preparing the existing surface including adding an “Aggregate Surface Cse” and then “HMA Base Crushing and Shaping” the existing HMA, then placing a HMA 13A, Mod (64-28) leveling course at 22’ wide with an average yield of 165 lbs/syd, followed by a HMA 13A, Mod (64-28) top course at 22’ wide with an average yield of 165 lbs/syd. A 2’ wide gravel shoulder will then be placed from the POB to POE.

HMA Widths:

<u>Station</u>	<u>Pavement Width</u>	<u>Gravel Shoulder Width</u>
POB to POE	22’ HMA	2’ Rt & Lt

Miscellaneous Items of Work Quantity

<u>Station</u>	<u>Description</u>
0+00	Intersection of 66 <sup>th</sup> Avenue (Reference)
0+45	POB, “Pavement for Butt Joints, Rem” (30’ x 12’) 40 Syd
9+62 Lt	HMA drive, “Pavement for Butt Joints, Rem” (18’ x 6’) 12 Syd
12+50 Rt	Begin HMA Valley Gutter
15+79 Lt	HMA millings driveway (ACRC will add millings after paving)
16+09 Rt	HMA millings driveway (ACRC will add millings after paving)
16+30 Rt	End HMA Valley Gutter
26+29	“Monument Box, Adj”
27+15 Rt	Begin HMA Valley Gutter
30+13 Rt	HMA drive, “Pavement for Butt Joints, Rem” (18’ x 6’) 12 Syd
31+60 Rt	End HMA Valley Gutter
34+05 Rt & Lt	Begin HMA Valley Gutter
36+78 Lt	End HMA Valley Gutter
37+45 Rt	End HMA Valley Gutter
52+65	“Monument Box, Adj”
52+70 Rt & Lt	Intersection of 64 <sup>th</sup> Street, “Pavement for Butt Joints, Rem” (24’ x 12’) (24’ x 12’) 64 Syd
52+70	POE, continue paving east to 62 <sup>nd</sup> Street on LH 4973

2. LH 4973 – CASCO TOWNSHIP – On 107<sup>th</sup> Avenue, 64<sup>th</sup> to 62<sup>nd</sup> Street – 1.00 mile

BID AND AWARD

Date: \_\_\_\_\_

Board of County Road Commissioners  
of Allegan County  
1308 Lincoln Road  
Allegan, MI 49010

Gentlemen:

The undersigned has examined the plans, specifications, and location of the work described herein and is fully informed as to the nature of the work and the conditions relating to its performance and understands that the quantities shown in the estimate are approximate only and are subject to either increase or decrease; and hereby proposes to furnish all necessary machinery, tools, apparatus, and other means of doing the work, do all the work, furnish all the materials except as otherwise specified herein, and, for the unit prices named in the accompanying unit price schedule, to complete work in strict accordance with the plans and specifications therefore.

The undersigned further proposes to do such extra work as may be ordered by you, prices for which are not included in the itemized bid, compensation therefore to be made on the basis agreed upon before such extra work is begun.

The undersigned agrees to complete all items of work on or before **November 1, 2019.**

The undersigned encloses a certified check, cashier's check, or Bid Bond representing 5% of the bid, in the amount of \$ \_\_\_\_\_, payable to the Allegan County Road Commission as a guarantee of good faith. If the contract is awarded to the undersigned and the undersigned fails to furnish satisfactory bonds to the Road Commission within fifteen (15) days after being given notice of award, said check will be forfeited to the Allegan County Road Commission as liquidated damage.

ALLEGAN COUNTY ROAD COMMISSION

SPECIAL PROVISIONS

FOR

2. LH 4973 – CASCO TOWNSHIP – On 107<sup>th</sup> Avenue, 64<sup>th</sup> to 62<sup>nd</sup> Street – 1.00 mile

SCOPE OF THE WORK

The work will consist of preparing the existing surface including adding an “Aggregate Surface Cse” and then “HMA Base Crushing and Shaping” the existing HMA, then placing a HMA 13A, Mod (64-28) leveling course at 22’ wide with an average yield of 165 lbs/syd, followed by a HMA 13A, Mod (64-28) top course at 22’ wide with an average yield of 165 lbs/syd. A 2’ wide gravel shoulder will then be placed from the POB to POE.

HMA Widths:

<u>Station</u>	<u>Pavement Width</u>	<u>Gravel Shoulder Width</u>
POB to POE	22’ HMA	2’ Rt & Lt

Miscellaneous Items of Work Quantity

<u>Station</u>	<u>Description</u>
0+00	Intersection of 64 <sup>th</sup> Street, continue paving from LH 4971
1+00	Being 22’ wide road
1+90 Rt	Gravel Drive, “Approach CI II, LM”
2+19 Rt	Gravel Drive, “Approach CI II, LM”
2+19 Lt	Gravel Drive, “Approach CI II, LM”
2+25 Rt & Lt	Begin HMA Valley Gutter
3+55 Lt	Gravel Drive, “Approach CI II, LM”
3+70 Rt & Lt	End HMA Valley Gutter
4+50 Lt	Gravel Drive, “Approach CI II, LM”
4+90 Rt	Gravel Drive, “Approach CI II, LM”
7+82 Rt	Gravel Drive, “Approach CI II, LM”
9+55 Rt	Field Drive, “Approach CI II, LM”
10+00 Lt	Gravel Drive, “Approach CI II, LM”
13+00 Rt	Gravel Drive, “Approach CI II, LM”
16+50 Lt	Gravel Drive, “Approach CI II, LM”

Miscellaneous Items of Work Quantity (Con't)

<u>Station</u>	<u>Description</u>
19+23 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
19+90 Lt	Gravel Drive, Approach CI II, LM
23+50 Rt	Gravel Drive, Approach CI II, LM
25+45 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
28+56 Rt	Gravel Drive, "Approach CI II, LM"
31+00 Rt	Begin HMA Valley Gutter
32+57 Lt	Gravel Drive, "Approach CI II, LM"
34+40 Lt	Gravel Drive, "Approach CI II, LM"
34+60 Rt	End HMA Valley Gutter
36+00 Rt	Gravel Drive, "Approach CI II, LM"
37+00 Rt	Gravel Drive, "Approach CI II, LM"
40+13 Rt	Gravel Drive, "Approach CI II, LM"
44+60 Rt	Gravel Drive, "Approach CI II, LM"
45+74 Rt	Gravel Drive, "Approach CI II, LM"
45+94 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (22' x 6') 15 Syd
49+90 Lt	Gravel Drive, "Approach CI II, LM"
50+70	POE, "Pavement for Butt Joints, Rem" (24' x 15') 40 Syd
51+22	Intersection of 62 <sup>nd</sup> Street (Reference)



**CASCO TOWNSHIP PROJECTS BID SCHEDULE:**

<b>1. LH 4971 – On 107<sup>th</sup> Avenue, 66<sup>th</sup> to 64<sup>th</sup> Street – 1.00 mile</b>			
<b>ITEM OF WORK</b>	<b>QUANTITY</b>	<b>UNIT PRICE</b>	<b>TOTAL</b>
Aggregate Surface Cse	1,200 Ton		
HMA Base Crushing and Shaping	13,000 Syd		
Pavement for Butt Joints, Rem	100 Syd		
HMA, 13A, Mod (64-28)	2,600 Ton		
Shoulder Prep	1 LS		
Shoulder CI II, LM	250 Cyd		
Approach, CI II, LM	100 Cyd		
Flag Control	1 LS		
Traffic Control Devices	1 LS		
Sign, Type B, Temp, Modified	89 Sft		
Barricade, Type III, High Intensity, Double Sided, Lighted, Modified	2 Ea		
Pavement Marking, Temporary	53 Sta		
Pavement Marking, Waterborne, 4-inch, Yellow	6,000 Ft		
Monument Box, Adj.	2 Ea		

<b>2. LH 4973 – On 107<sup>th</sup> Avenue, 64<sup>th</sup> to 62<sup>nd</sup> Street – 1.00 mile</b>			
<b>ITEM OF WORK</b>	<b>QUANTITY</b>	<b>UNIT PRICE</b>	<b>TOTAL</b>
Aggregate Surface Cse	1,200 Ton		
HMA Base Crushing and Shaping	13,000 Syd		
Pavement for Butt Joints, Rem	100 Syd		
HMA, 13A, Mod (64-28)	2,600 Ton		
Shoulder Prep	1 LS		
Shoulder CI II, LM	250 Cyd		
Approach, CI II, LM	100 Cyd		
Flag Control	1 LS		
Traffic Control Devices	1 LS		
Sign, Type B, Temp, Modified	89 Sft		
Barricade, Type III, High Intensity, Double Sided, Lighted, Modified	2 Ea		
Pavement Marking, Temporary	53 Sta		
Pavement Marking, Waterborne, 4-inch, Yellow	2,200 Ft		

**CASCO TOWNSHIP PROJECTS BID SCHEDULE (CON'T):**

TOTAL OF BID – CASCO TOWNSHIP \$ \_\_\_\_\_

SIGNED: \_\_\_\_\_ DATE: \_\_\_\_\_

3. LH 4000 – DORR TOWNSHIP – On Century Drive, 142<sup>nd</sup> Avenue north to dead end – 0.41 miles

BID AND AWARD

Date: \_\_\_\_\_

Board of County Road Commissioners  
of Allegan County  
1308 Lincoln Road  
Allegan, MI 49010

Gentlemen:

The undersigned has examined the plans, specifications, and location of the work described herein and is fully informed as to the nature of the work and the conditions relating to its performance and understands that the quantities shown in the estimate are approximate only and are subject to either increase or decrease; and hereby proposes to furnish all necessary machinery, tools, apparatus, and other means of doing the work, do all the work, furnish all the materials except as otherwise specified herein, and, for the unit prices named in the accompanying unit price schedule, to complete work in strict accordance with the plans and specifications therefore.

The undersigned further proposes to do such extra work as may be ordered by you, prices for which are not included in the itemized bid, compensation therefore to be made on the basis agreed upon before such extra work is begun.

The undersigned agrees to complete all items of work on or before **November 1, 2019.**

The undersigned encloses a certified check, cashier's check, or Bid Bond representing 5% of the bid, in the amount of \$ \_\_\_\_\_, payable to the Allegan County Road Commission as a guarantee of good faith. If the contract is awarded to the undersigned and the undersigned fails to furnish satisfactory bonds to the Road Commission within fifteen (15) days after being given notice of award, said check will be forfeited to the Allegan County Road Commission as liquidated damage.

ALLEGAN COUNTY ROAD COMMISSION

SPECIAL PROVISIONS

FOR

3. LH 4000 – DORR TOWNSHIP – On Century Drive, 142<sup>nd</sup> Avenue north to dead end – 0.41 miles

SCOPE OF THE WORK

The work will consist of preparing the existing surface then placing an HMA 4E1 Mod course of 22' wide at an average yield of 220 lb/syd. Cover the existing HMA surface. A 2-3' wide gravel shoulder will then be placed from the POB to POE.

HMA Widths:

<u>Station</u>	<u>Pavement Width</u>	<u>Gravel Shoulder Width</u>
POB to POE	22' HMA	2-3' Rt & Lt

Miscellaneous Items of Work Quantity

<u>Station</u>	<u>Description</u>
0+00	Intersection of 142 <sup>nd</sup> Avenue (Reference)
0+22	POB, Begin HMA paved road (Feather Joint)
0+29 Rt	Concrete Sidewalk, "Pavement Rem, Mod" (4' x 6') 3 Syd
0+32 Lt	HMA Sidewalk, "Pavement for Butt Joints, Rem" (4' x 6') 3 Syd
0+78 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (40' x 6') 27 Syd
3+15 Lt	Gravel Drive, "Approach CI II, LM"
3+33 Rt	Concrete Drive, "Pavement Rem, Mod" (25' x 6') 17 Syd
3+70 Rt	Gravel Drive, "Approach CI II, LM (50' wide)
4+45 Rt	HMA Drive, Pavement for Butt Joints, Rem (18' x 6') 12 Syd
6+10 Rt	Concrete Drive, "Pavement Rem, Mod" (18' x 6') 12 Syd
6+71 Lt	Concrete Drive, "Pavement Rem, Mod" (18' x 6') 12 Syd
7+33 Rt	Concrete Drive, "Pavement Rem, Mod" (18' x 6') 12 Syd
8+31 Lt	Gravel Drive, "Approach CI II, LM"
8+86 Rt	Gravel Drive, "Approach CI II, LM"
9+95 Lt	Concrete Drive, "Pavement Rem, Mod" (18' x 6') 12 Syd
10+25 Rt	Gravel Drive, "Approach CI II, LM"
11+48 Rt	Concrete Drive, "Pavement Rem, Mod" (18' x 6') 12 Syd
12+05 Lt	Concrete Drive, "Pavement Rem, Mod" (18' x 6') 12 Syd
12+94 Rt	Concrete Drive, "Pavement Rem, Mod" (18' x 6') 12 Syd
13+39 Lt	Concrete Drive, "Pavement Rem, Mod" (18' x 6') 12 Syd
14+30 Lt	Concrete Drive, "Pavement Rem, Mod" (18' x 6') 12 Syd

Miscellaneous Items of Work Quantity (Con't)

<u>Station</u>	<u>Description</u>
14+58 Rt	Concrete Drive, "Pavement Rem, Mod" (18' x 6') 12 Syd
15+90 Lt	Concrete Drive, "Pavement Rem, Mod" (18' x 6') 12 Syd
15+90 Rt	Concrete Drive, "Pavement Rem, Mod" (18' x 6') 12 Syd
16+94 Rt	Concrete Drive, "Pavement Rem, Mod" (18' x 6') 12 Syd
17+81 Lt	Concrete Drive, "Pavement Rem, Mod" (18' x 6') 12 Syd
18+47 Lt	Concrete Drive, "Pavement Rem, Mod" (18' x 6') 12 Syd
18+94 Rt	Concrete Drive, "Pavement Rem, Mod" (18' x 6') 12 Syd
19+76 Rt	Concrete Drive, "Pavement Rem, Mod" (18' x 6') 12 Syd
20+25	Begin Cul-de-sac, 65' diameter
20+66 Rt	Concrete Drive, "Pavement Rem, Mod" (25' x 6') 17 Syd
21+45 Lt	Concrete Drive, "Pavement Rem, Mod" (18' x 6') 12 Syd
21+45	POE, end Cul-de-sac

4. LH 4001 – DORR TOWNSHIP – On Prairie Court, 18<sup>th</sup> Street to dead end – 0.15 miles

BID AND AWARD

Date: \_\_\_\_\_

Board of County Road Commissioners  
of Allegan County  
1308 Lincoln Road  
Allegan, MI 49010

Gentlemen:

The undersigned has examined the plans, specifications, and location of the work described herein and is fully informed as to the nature of the work and the conditions relating to its performance and understands that the quantities shown in the estimate are approximate only and are subject to either increase or decrease; and hereby proposes to furnish all necessary machinery, tools, apparatus, and other means of doing the work, do all the work, furnish all the materials except as otherwise specified herein, and, for the unit prices named in the accompanying unit price schedule, to complete work in strict accordance with the plans and specifications therefore.

The undersigned further proposes to do such extra work as may be ordered by you, prices for which are not included in the itemized bid, compensation therefore to be made on the basis agreed upon before such extra work is begun.

The undersigned agrees to complete all items of work on or before **November 1, 2019.**

The undersigned encloses a certified check, cashier's check, or Bid Bond representing 5% of the bid, in the amount of \$ \_\_\_\_\_, payable to the Allegan County Road Commission as a guarantee of good faith. If the contract is awarded to the undersigned and the undersigned fails to furnish satisfactory bonds to the Road Commission within fifteen (15) days after being given notice of award, said check will be forfeited to the Allegan County Road Commission as liquidated damage.

ALLEGAN COUNTY ROAD COMMISSION

SPECIAL PROVISIONS

FOR

4. LH 4001 – DORR TOWNSHIP – On Prairie Court, 18<sup>th</sup> Street to dead end – 0.15 miles

SCOPE OF THE WORK

The work will consist of preparing the existing surface then placing an HMA 4E1, Mod course of 30' wide at an average yield of 220 lb/syd. A 1' wide topsoil shoulder and restoration will then be placed from the POB to POE.

HMA Widths:

<u>Station</u>	<u>Pavement Width</u>	<u>Topsoil Shoulder Width</u>
POB to POE	30' HMA	1' Rt & Lt

Miscellaneous Items of Work Quantity

<u>Station</u>	<u>Description</u>
0+00	East edge of 18th (Reference)
0+27	POB, "Pavement for Butt Joints, Rem" (28' x 12') 38 Syd
0+27 Rt & Lt	Being HMA Valley Gutter
3+03	Concrete Drive, "Pavement Rem, Mod" (30' x 4') 14 Syd
3+23 Rt	Catch basin, "Pavement for Butt Joints, Rem" (12' x 8') 11 Syd
3+25 Lt	Catch basin, "Pavement for Butt Joints, Rem" (12' x 8') 11 Syd
4+08 Lt	Concrete Drive, "Pavement Rem, Mod" (30' x 4') 14 Syd
4+08 Rt	Concrete Drive, "Pavement Rem, Mod" (30' x 4') 14 Syd
5+33 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (30' x 4') 14 Syd
5+94 Lt	Concrete Drive, "Pavement Rem, Mod" (30' x 4') 14 Syd
6+86 Rt	Concrete Drive, "Pavement Rem, Mod" (30' x 4') 14 Syd
6+95	Begin Cul-de-sac (70' diameter)
7+30 Lt	Concrete Drive, "Pavement Rem, Mod" (30' x 4') 14 Syd
7+66 Lt	Concrete Drive, "Pavement Rem, Mod" (30' x 4') 14 Syd
7+66 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (30' x 4') 14 Syd
7+66	POE, End HMA Valley Gutter

5. LH 4988 – DORR TOWNSHIP – On 143<sup>rd</sup> Avenue, 18<sup>th</sup> to 17<sup>th</sup> Street, & 17<sup>th</sup> Street, 143<sup>rd</sup> to 144<sup>th</sup> Avenue – 1.00 mile

BID AND AWARD

Date: \_\_\_\_\_

Board of County Road Commissioners  
of Allegan County  
1308 Lincoln Road  
Allegan, MI 49010  
Gentlemen:

The undersigned has examined the plans, specifications, and location of the work described herein and is fully informed as to the nature of the work and the conditions relating to its performance and understands that the quantities shown in the estimate are approximate only and are subject to either increase or decrease; and hereby proposes to furnish all necessary machinery, tools, apparatus, and other means of doing the work, do all the work, furnish all the materials except as otherwise specified herein, and, for the unit prices named in the accompanying unit price schedule, to complete work in strict accordance with the plans and specifications therefore.

The undersigned further proposes to do such extra work as may be ordered by you, prices for which are not included in the itemized bid, compensation therefore to be made on the basis agreed upon before such extra work is begun.

The undersigned agrees to complete all items of work on or before **November 1, 2019.**

The undersigned encloses a certified check, cashier's check, or Bid Bond representing 5% of the bid, in the amount of \$ \_\_\_\_\_, payable to the Allegan County Road Commission as a guarantee of good faith. If the contract is awarded to the undersigned and the undersigned fails to furnish satisfactory bonds to the Road Commission within fifteen (15) days after being given notice of award, said check will be forfeited to the Allegan County Road Commission as liquidated damage.



ALLEGAN COUNTY ROAD COMMISSION

SPECIAL PROVISIONS

FOR

5. LH 4988 – DORR TOWNSHIP – On 143<sup>rd</sup> Avenue, 18<sup>th</sup> to 17<sup>th</sup> Street, & 17<sup>th</sup> Street, 143<sup>rd</sup> to 144<sup>th</sup> Avenue – 1.00 mile

SCOPE OF THE WORK

The work will consist of preparing the existing HMA surface, then placing a HMA 4E1, Mod 22'-33' wide at an average yield of 220 lb/syd. A 2-3' wide gravel shoulder will then be placed from the POB to POE.

HMA Widths:

<u>Station</u>	<u>Pavement Width</u>	<u>Gravel Shoulder Width</u>
POB to 14+58	22' HMA	2-3' Rt & Lt
14+58 to 16+98	33' HMA	2-3' Rt & Lt
16+98 to POE	22' HMA	2-3' Rt & Lt

Miscellaneous Items of Work Quantity

<u>Station</u>	<u>Description</u>
0+00	East edge of 18 <sup>th</sup> Street (Reference)
0+37	POB, "Pavement for Butt Joints, Rem" (22' x 15') 37 Syd
1+23 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (22' x 6') 15 Syd
2+10 Rt	Gravel Drive, "Approach CI II, LM"
2+98 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (15' x 6') 10 Syd
3+81 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
5+91 Lt	Concrete Drive, "Pavement Rem, Mod" (24' x 6') 16 Syd
6+96 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (24' x 6') 16 Syd
7+06 Rt	Concrete Drive, "Pavement Rem, Mod" (18' x 6') 12 Syd
8+11 Rt	Concrete Drive, "Pavement Rem, Mod" (24' x 6') 16 Syd
9+36 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (24' x 6') 16 Syd
10+33 Lt	Intersection of Deerfield Run, "Pavement for Butt Joints, Rem" (50' x 10') 56 Syd
10+65 Lt	Spillway, cover w/ HMA
10+69 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (Feather)
11+49 Lt	Concrete Drive, "Pavement Rem, Mod" (22' x 6') 15 Syd
12+48 Rt	Gravel Drive, "Approach CI II, LM"
12+75 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (20' x 6') 14 Syd
13+29 Rt	Gravel Drive, "Approach CI II, LM"

## Miscellaneous Items of Work Quantity (Con't)

<u>Station</u>	<u>Description</u>
13+36 Lt	Field Drive, "Approach CI II, LM"
14+58 Rt	Begin Taper to 33' wide road
15+10 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
15+35 Rt	Gravel Drive, "Approach CI II, LM"
15+60 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (20' x 6') 14 Syd
15+91 Rt	Intersection of Cheetah Run (pvt), "Pavement for Butt Joints, Rem" (40' x 6') 27 Syd
16+65 Lt	Intersection of Alpine Dr, "Pavement for Butt Joints, Rem" (40' x 6') 27 Syd
16+80 Rt	Gravel Drive, "Approach CI II, LM"
16+98 Rt	End 33' wide road
18+83 Rt	Gravel Drive, "Approach CI II, LM"
18+91 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
19+66 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (Feather)
19+74 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
20+80 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (15' x 6') 10 Syd
21+65 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (24' x 6') 16 Syd
21+79 Lt	Concrete Drive, "Pavement Rem, Mod" (20 x 8') 18 Syd
22+66 Rt	Concrete Drive, "Pavement Rem, Mod" (18' x 8') 16 Syd
23+17 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (30' x 6') 20 Syd
23+49 Rt	Gravel Drive, "Approach CI II, LM"
25+90 Lt	HMA Sidewalk, "Pavement for Butt Joints, Rem" (6' x 4') 3 Syd
26+01 Rt	Intersection of 17 <sup>th</sup> St south, "Pavement for Butt Joints, Rem" (28' x 12') 38 Syd
26+20 Rt	Begin Concrete Curb & Gutter, "Pavement for Butt Joints, Rem" (25' x 6') 17 Syd
26+30 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (22' x 6') 15 Syd
26+30	"Monument Box, Adj"
26+70	Begin 17 <sup>th</sup> Street north, continue HMA paving
27+46 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
27+57 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (24' x 6') 16 Syd
28+56 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (12' x 6') 8 Syd
29+55 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (24' x 6') 16 Syd
29+87 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (15' x 6') 10 Syd
30+67 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (20' x 6') 14 Syd
30+98 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (12' x 6') 8 Syd
31+46 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
32+03 Lt	Gravel Drive, "Approach CI II, LM"
32+44 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (12' x 6') 8 Syd
33+25 Lt	Concrete Drive (Feather)

### Miscellaneous Items of Work Quantity (Con't)

<u>Station</u>	<u>Description</u>
33+30 Rt	Intersection of Slater Ave & 17 <sup>th</sup> St, "Pavement for Butt Joints, Rem" (45' x 6') 30 Syd
34+66 Lt	Concrete Drive, "Pavement Rem, Mod" (22' x 6') 15 Syd
35+89 Rt	Concrete Drive, "Pavement Rem, Mod" (20' x 8') 18 Syd
36+00 Lt	Concrete Drive, "Pavement Rem, Mod" (24' x 6') 16 Syd
36+41 Lt	Concrete Drive, "Pavement Rem, Mod" (22' x 8') 20 Syd
37+00 Lt	Gravel Drive, "Approach CI II, LM"
37+44 Rt	Intersection of Karen Dr & 17 <sup>th</sup> St, "Pavement for Butt Joints, Rem" (45' x 6') 30 Syd
37+88 Lt	Concrete Drive, "Pavement Rem, Mod" (18' x 8') 16 Syd
38+80 Lt	Concrete Drive, (Pave HMA Approach) (22' x 6') 15 Syd
39+35 Rt	Field Drive, "Approach CI II, LM"
39+99 Rt	Concrete Path, "Pavement Rem, Mod" (3' x 6') 2 Syd
40+21 Lt	Concrete Drive, (Pave HMA Approach) (20' x 10') 23 Syd
40+80 Rt	Gravel Drive, "Approach CI II, LM"
41+18 Lt	Field Drive, "Approach CI II, LM"
41+53 Rt	Concrete Drive, (Pave HMA Approach) (18' x 8') 16 Syd
42+42 Lt	Concrete Drive, "Pavement Rem, Mod" (30' x 6') 20 Syd
44+30 Rt	Intersection of Nelson Ct (pvt), "Pavement for Butt Joints, Rem" (30' x 6') 20 Syd
44+55 Lt	Gravel Drive, "Approach CI II, LM"
45+40 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (20' x 6') 14 Syd
45+69 Lt	Concrete Drive, "Pavement Rem, Mod" (22' x 6') 15 Syd
46+50 Lt	Gravel Drive, "Approach CI II, LM"
46+93 Rt	Gravel Drive, "Approach CI II, LM"
47+52 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (22' x 6') 15 Syd
48+80 Rt	Gravel Drive, "Approach CI II, LM"
50+92 Rt	Gravel Drive, "Approach CI II, LM"
52+45	POE, "Pavement for Butt Joints, Rem" (50' x 15') 84 Syd
52+60	South edge of 144 <sup>th</sup> Avenue (Reference)

6. LH 4989 – DORR TOWNSHIP – On Joan Drive, Joan Court to 142<sup>nd</sup> Avenue, & Janet Drive, Joan Drive south to dead end – 1.15 miles

BID AND AWARD

Date: \_\_\_\_\_

Board of County Road Commissioners  
of Allegan County  
1308 Lincoln Road  
Allegan, MI 49010  
Gentlemen:

The undersigned has examined the plans, specifications, and location of the work described herein and is fully informed as to the nature of the work and the conditions relating to its performance and understands that the quantities shown in the estimate are approximate only and are subject to either increase or decrease; and hereby proposes to furnish all necessary machinery, tools, apparatus, and other means of doing the work, do all the work, furnish all the materials except as otherwise specified herein, and, for the unit prices named in the accompanying unit price schedule, to complete work in strict accordance with the plans and specifications therefore.

The undersigned further proposes to do such extra work as may be ordered by you, prices for which are not included in the itemized bid, compensation therefore to be made on the basis agreed upon before such extra work is begun.

The undersigned agrees to complete all items of work on or before **November 1, 2019**

The undersigned encloses a certified check, cashier's check, or Bid Bond representing 5% of the bid, in the amount of \$ \_\_\_\_\_, payable to the Allegan County Road Commission as a guarantee of good faith. If the contract is awarded to the undersigned and the undersigned fails to furnish satisfactory bonds to the Road Commission within fifteen (15) days after being given notice of award, said check will be forfeited to the Allegan County Road Commission as liquidated damage.

6. LH 4989 – DORR TOWNSHIP – On Joan Drive, Joan Court to 142<sup>nd</sup> Avenue, & Janet Drive, Joan Drive south to dead end – 1.15 miles

SCOPE OF THE WORK

The work will consist of preparing the existing HMA surface, then placing a HMA 5E1 Mod course, 22' wide at an average yield of **165 lb/syd** on Joan Drive, from Joan Court to where it turns into Janet Drive and T's into Joan Drive and also pave on Janet Drive from the dead end to the intersection of Joan Drive. For the north 0.27 miles of Joan Drive, place a HMA 5E1 Mod course, 22' wide at an average yield of **220 lb/syd**. A 2-3' wide gravel shoulder will then be placed from the POB to POE.

HMA Widths:

<u>Station</u>	<u>Pavement Width</u>	<u>Gravel Shoulder Width</u>
POB to POE	22' HMA	2-3' Rt & Lt

Miscellaneous Items of Work Quantity

Joan Drive turns into Janet Drive (South to North)

<u>Station</u>	<u>Description</u>
0+00	North Edge of Joan Court (Reference)
0+18	POB, "Pavement for Butt Joints, Rem" (28' x 12') 38 Syd
0+70 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
1+95 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
2+04 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (24' x 6') 16 Syd
3+02 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (24' x 6') 16 Syd
3+17 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (30' x 6') 20 Syd
4+21 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (20' x 6') 14 Syd
4+45 Rt	Concrete Drive w/ Gravel Approach, Pave HMA Approach (14' x 10') 16 Syd
5+31 Lt	Gravel Drive, "Approach CI II, LM"
5+45 Rt	Concrete Drive, "Pavement Rem, Mod" (12' x 6') 8 Syd
6+38 Lt	Concrete Drive, "Pavement Rem, Mod" (14' x 8') 13 Syd
6+59 Rt	Concrete Drive, "Pavement Rem, Mod" (17' x 2') 4 Syd, Pave HMA Approach (17' x 20') 38 Syd
7+49 Lt	Concrete Drive, "Pavement Rem, Mod" (27' x 6') 18 Syd
7+62 Rt	Concrete Drive, "Pavement Rem, Mod" (22' x 8') 20 Syd
8+59 Lt	Gravel Drive, "Approach CI II, LM"
8+90 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (24' x 6') 16 Syd
9+70 Rt	Gravel Drive, "Approach CI II, LM"
10+65 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (26' x 6') 18 Syd
11+96	Intersection of Janet Dr (SW) & Joan Dr (NE), Match New HMA
11+96	<b>Begin Janet Dr (skip intersection)</b>

Miscellaneous Items of Work Quantity (Con't)

Joan Drive turns into Janet Drive (South to North) (Cont)'

<u>Station</u>	<u>Description</u>
13+32 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (24' x 6') 16 Syd
13+92 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (30' x 6') 20 Syd
14+63 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (22' x 6') 15 Syd
15+54 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (24' x 6') 16 Syd
15+79 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (30' x 6') 20 Syd
16+71 Rt	Concrete Drive, "Pavement Rem, Mod" (15' x 6') 10 Syd
16+94 Lt	Concrete Drive, "Pavement Rem, Mod" (22' x 4') 10 Syd
17+89 Rt	Gravel Drive, "Approach CI II, LM"
18+13 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (24' x 6') 16 Syd
18+93 Rt	Concrete Drive, "Pavement Rem, Mod" (22' x 8') 20 Syd
19+21 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
19+91 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (22' x 6') 15 Syd
20+29 Lt	Gravel Drive, "Approach CI II, LM"
20+95 Lt	Gravel Drive, "Approach CI II, LM"
21+33 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (15' x 6') 10 Syd
21+94 Lt	Gravel Drive, "Approach CI II, LM"
22+75 Rt	Concrete Drive, "Pavement Rem, Mod" (20' x 8') 18 Syd
23+10 Lt	Gravel Drive, "Approach CI II, LM"
23+80	POE, West Edge of Joan Drive, Match New HMA

Janet Drive turns into Joan Drive (South to North)

<u>Station</u>	<u>Description</u>
0+00	POB, south end of Janet Dr, Pave cul-de-sac (52' x 60' oval) 1,090 Syd
0+42 Rt	Gravel Drive, "Approach CI II, LM"
0+51 Lt	Concrete Drive, "Pavement Rem, Mod" (20' x 8') 18 Syd
0+85 Rt	Concrete Drive, "Pavement Rem, Mod" (22' x 8') 20 Syd
1+56 Lt	Gravel Drive, "Approach CI II, LM"
2+64 Lt	Concrete Drive, "Pavement Rem, Mod" (18' x 8') 16 Syd
3+03 Rt	Intersection of Rhonda Dr & Janet Dr, "Pavement for Butt Joints, Rem" (30' x 12') 40 Syd
3+79 Rt	Concrete Drive w/ Gravel Approach, Pave HMA Approach (13' x 12') 18 Syd
3+79 Lt	Concrete Drive w/ Gravel Approach, Pave HMA Approach (24' x 14') 38 Syd
4+88 Lt	Gravel Drive, "Approach CI II, LM"
4+95 Rt	Concrete Drive w/ Gravel Approach, Pave HMA Approach (18' x 14') 28 Syd
5+99 Rt	Gravel Drive, "Approach CI II, LM"
5+99 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (24' x 8') 22 Syd
7+10 Lt	Concrete Drive, "Pavement Rem, Mod" (18' x 8') 16 Syd

Miscellaneous Items of Work Quantity (Con't)

Janet Drive turns into Joan Drive (South to North) (Con't)

<u>Station</u>	<u>Description</u>
7+59 Rt	HMA Millings Drive (ACRC will add millings after paving)
8+17 Lt	Gravel Drive, "Approach CI II, LM"
8+29 Rt	Intersection of Margaret Dr and Janet Dr, "Pavement for Butt Joints, Rem" (24' x 12') 32 Syd
9+27 Lt	Concrete Drive, "Pavement Rem, Mod" (16' x 8') 15 Syd
9+41 Rt	Concrete Drive, "Pavement Rem, Mod" (20' x 8') 18 Syd
10+27 Lt	Concrete Drive, "Pavement Rem, Mod" (16' x 6') 11 Syd
11+51 Lt	Gravel Drive, "Approach CI II, LM"
11+59 Rt	Intersection of Joan Ct and Janet Dr, "Pavement for Butt Joints, Rem" (24' x 12') 32 Syd
12+81 Lt	Concrete Drive, "Pavement Rem, Mod" (27' x 7') 21 Syd
13+45 Rt	Concrete Drive, "Pavement Rem, Mod" (18' x 8') 16 Syd
13+72 Lt	Concrete Drive, "Pavement Rem, Mod" (20' x 4') 9 Syd, Pave HMA Approach (20' x 15') 32 Syd
14+55 Rt	Concrete Drive, "Pavement Rem, Mod" (20' x 8') 18 Syd
15+02 Lt	Concrete Drive w/ Gravel Approach, Pave HMA Approach (16' x 8') 15 Syd
15+64 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (22' x 6') 15 Syd
16+12 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (20' x 6') 14 Syd
17+12 Rt	Concrete Drive, "Pavement Rem, Mod" (20' x 8') 18 Syd
17+20 Lt	Concrete Drive, "Pavement Rem, Mod" (22' x 4') 10 Syd
17+74 Rt	Gravel Drive, "Approach CI II, LM"
18+30 Lt	Concrete Drive, "Pavement Rem, Mod" (22' x 10') 25 Syd
18+99 Rt	Concrete Drive w/ Gravel Approach, Pave HMA Approach (20' x 19') 43 Syd
19+44 Lt	Concrete Drive, "Pavement Rem, Mod" (30' x 8') 27 Syd
20+01 Rt	Gravel Drive, "Approach CI II, LM"
20+65 Lt	Gravel Drive, "Approach CI II, LM"
21+42 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (20' x 6') 14 Syd
22+16 Rt	Gravel Drive, "Approach CI II, LM"
22+16 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
23+47	Intersection of Joan Dr (SE) & Janet Dr (NW), match new HMA
23+47	<b>Begin Joan Drive (start yield of 220 lbs/syd)</b>
24+43 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
24+99 Lt	Gravel Drive, "Approach CI II, LM"
25+29 Rt	Concrete Drive, "Pavement Rem, Mod" (24' x 6') 16 Syd
26+40 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (12' x 6') 8 Syd
26+93 Lt	Concrete Drive w/ Gravel Approach, Pave HMA Approach (22' x 12') 30 Syd
27+47 Rt	Gravel Drive, "Approach CI II, LM"

Miscellaneous Items of Work Quantity (Con't)

Janet Drive turns into Joan Drive (South to North) (Con't)

<u>Station</u>	<u>Description</u>
28+05 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (30' x 6') 20 Syd
28+63 Rt	Gravel Drive, "Approach CI II, LM"
29+41 Lt	Concrete Drive w/ Gravel Approach, Pave HMA Approach (11' x 18') 22 Syd
29+80 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (24' x 6') 16 Syd
30+47 Lt	Concrete Drive w/ Gravel Approach, Pave HMA Approach (20' x 16') 36 Syd
30+95 Rt	Gravel Drive, "Approach CI II, LM"
32+04 Rt	Gravel Drive, "Approach CI II, LM"
32+66 Lt	Intersection of Janet Drive (W), match new HMA
32+88 Rt	Gravel Drive, "Approach CI II, LM"
34+56 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (20' x 6') 14 Syd
34+96 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
35+61 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
35+91 Rt	Gravel Drive, "Approach CI II, LM"
36+14 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (40' x 6') 27 Syd
36+37 Rt	Gravel Drive, "Approach CI II, LM"
37+12	POE, "Pavement for Butt Joints, Rem" (22' x 12') 30 Syd
37+40	South Edge of 142nd Avenue (Reference)



**DORR TOWNSHIP PROJECTS BID SCHEDULE:**

<b>3. LH 4000 – On Century Drive, 142<sup>nd</sup> Avenue north to dead end – 0.41 miles</b>			
<b>ITEM OF WORK</b>	<b>QUANTITY</b>	<b>UNIT PRICE</b>	<b>TOTAL</b>
HMA 4E1, Mod	650 Ton		
Pavement for Butt Joints, Rem	270 Syd		
Pavement Rem, Mod	100 Syd		
Shoulder, CI II, LM	150 Cyd		
Approach, CI II, LM	100 Cyd		
Shoulder Prep	1 LS		
Flag Control	1 LS		
Traffic Control Devices	1 LS		

<b>4. LH 4001 – On Prairie Court, 18<sup>th</sup> Street to dead end – 0.15 miles</b>			
<b>ITEM OF WORK</b>	<b>QUANTITY</b>	<b>UNIT PRICE</b>	<b>TOTAL</b>
HMA 4E1, Mod	350 Ton		
Pavement for Butt Joints, Rem	100 Syd		
Pavement Rem, Mod	100 Syd		
Topsoil Shoulder, LM	30 Cyd		
Restoration	200 Syd		
Flag Control	1 LS		
Traffic Control Devices	1 LS		

<b>5. LH 4988 – On 143<sup>rd</sup> Avenue, 18<sup>th</sup> to 17<sup>th</sup> Street, &amp; 17<sup>th</sup> Street, 143<sup>rd</sup> to 144<sup>th</sup> Avenue – 1.00 mile</b>			
<b>ITEM OF WORK</b>	<b>QUANTITY</b>	<b>UNIT PRICE</b>	<b>TOTAL</b>
HMA 4E1, Mod	1,600 Ton		
Pavement for Butt Joints, Rem	700 Syd		
Pavement Rem, Mod	270 Syd		
Shoulder Prep	1 LS		
Shoulder CI II, LM	250 Cyd		
Approach, CI II, LM	100 Cyd		
Flag Control	1 LS		
Traffic Control Devices	1 LS		
Pavement Marking, Temporary	53 Sta		
Pavement Marking, Waterborne, 4-inch, Yellow	5,100 Ft		
Monument Box, Adj.	1 Ea		

<b>6. LH 4989 – On Joan Drive, Joan Court to 142<sup>nd</sup> Avenue, &amp; Janet Drive, Joan Drive south to dead end – 1.15 miles</b>			
<b>ITEM OF WORK</b>	<b>QUANTITY</b>	<b>UNIT PRICE</b>	<b>TOTAL</b>
HMA, 5E1, Mod	1,500 Tons		
Pavement for Butt Joints, Rem	650 Syd		
Pavement Rem, Mod	400 Syd		
Shoulder Prep	1 LS		
Shoulder CI II, LM	250 Cyd		
Approach, CI II, LM	150 Syd		
Flag Control	1 LS		
Traffic Control Devices	1 LS		

TOTAL OF BID – DORR TOWNSHIP \$ \_\_\_\_\_

SIGNED: \_\_\_\_\_ DATE: \_\_\_\_\_

7. LH 4996 - FILLMORE TOWNSHIP – On 50<sup>th</sup> Street, 136<sup>th</sup> to 144<sup>th</sup> Avenue – 4.00 miles

BID AND AWARD

Date: \_\_\_\_\_

Board of County Road Commissioners  
of Allegan County  
1308 Lincoln Road  
Allegan, MI 49010

Gentlemen:

The undersigned has examined the plans, specifications, and location of the work described herein and is fully informed as to the nature of the work and the conditions relating to its performance and understands that the quantities shown in the estimate are approximate only and are subject to either increase or decrease; and hereby proposes to furnish all necessary machinery, tools, apparatus, and other means of doing the work, do all the work, furnish all the materials except as otherwise specified herein, and, for the unit prices named in the accompanying unit price schedule, to complete work in strict accordance with the plans and specifications therefore.

The undersigned further proposes to do such extra work as may be ordered by you, prices for which are not included in the itemized bid, compensation therefore to be made on the basis agreed upon before such extra work is begun.

The undersigned agrees to complete all items of work on or before **November 1, 2019.**

The undersigned encloses a certified check, cashier's check, or Bid Bond representing 5% of the bid, in the amount of \$ \_\_\_\_\_, payable to the Allegan County Road Commission as a guarantee of good faith. If the contract is awarded to the undersigned and the undersigned fails to furnish satisfactory bonds to the Road Commission within fifteen (15) days after being given notice of award, said check will be forfeited to the Allegan County Road Commission as liquidated damage.

7. LH 4996 - FILLMORE TOWNSHIP – On 50<sup>th</sup> Street, 136<sup>th</sup> to 144<sup>th</sup> Avenue – 4.00 miles

SCOPE OF THE WORK

The work will consist of preparing the existing surface then placing a HMA 13A, Mod course, 22'-28' wide at an average yield of 220 lb/syd. A 4'-5' wide gravel shoulder will then be placed from the POB to POE.

HMA Widths:

<u>Station</u>	<u>Pavement Width</u>	<u>Gravel Shoulder Width</u>
POB to 153+93	22' HMA	5' Rt & LT
153+93 to 174+21	24' HMA	4' Rt & Lt
174+21 to 176+54	28' HMA	4' Rt & Lt
176+54 to POE	24' HMA	4' Rt & Lt

Miscellaneous Items of Work Quantity

<u>Station</u>	<u>Description</u>
0+00	Monument Box, 50th St & 136th Ave (Reference)
0+27	POB, "Pavement for Butt Joints, Rem" (35' x 15') 60 Syd
0+30 Rt	Concrete Sidewalk, "Pavement Rem, Mod" (4' x 6') 3 Syd
1+71 Rt	Concrete Drive, "Pavement Rem, Mod" (18' x 8') 16 Syd
2+60 Lt	Gravel Drive, "Approach CI II, LM"
2+80 Rt	Concrete Drive w/ Gravel Approach (Pave HMA Approach) (18' x 6') 12 Syd
5+00 Rt	Concrete Drive, "Pavement Rem, Mod" (18' x 6') 12 Syd
5+94 Rt	Field Drive, "Approach CI II, LM"
6+88 Rt	Concrete Drive, "Pavement Rem, Mod" (18' x 8') 16 Syd
9+81 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (20' x 6') 14 Syd
11+11 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
13+55 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
13+74 Lt	Field Drive, "Approach CI II, LM"
23+48 Lt	Field Drive, "Approach CI II, LM"
24+21 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
25+09 Rt	Field Drive, "Approach CI II, LM"
26+55	"Monument Box, Adj"
31+24 Rt	Field Drive, "Approach CI II, LM"
35+46 Lt	Gravel Drive, "Approach CI II, LM"
36+78 Lt	Gravel Drive, "Approach CI II, LM"
37+01 Rt	Gravel Drive, Approach CI II, LM
39+82 Lt	Field Drive, "Approach CI II, LM"
47+61 Lt	Field Drive, "Approach CI II, LM"
52+64	South Side of 138th Ave, "Pavement for Butt Joints, Rem" (26' x 12') 35 Syd

## Miscellaneous Items of Work Quantity (Con't)

<u>Station</u>	<u>Description</u>
52+64	South Side of 138 <sup>th</sup> Ave, "Pavement for Butt Joints, Rem" (26' x 12') 35 Syd
53+10	Monument Box, 138 <sup>th</sup> Ave & 50 <sup>th</sup> St (Reference)
53+40	North Side of 138 <sup>th</sup> Ave, "Pavement for Butt Joints, Rem" (26' x 12') 35 Syd
55+20 Rt	Field Drive, "Approach CI II, LM"
62+85 Rt	Field Drive, "Approach CI II, LM"
64+96 Rt	Crushed Concrete Drive, (ACRC will add material after paving)
70+82 Rt	Field Drive, "Approach CI II, LM"
71+02 Lt	Gravel Drive, "Approach CI II, LM"
72+47 Lt	Crushed Concrete Drive, (ACRC will add material after paving)
73+57 Lt	Crushed Concrete Drive, (ACRC will add material after paving)
77+96 Rt	Gravel Drive, "Approach CI II, LM"
78+73 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (20' x 8') 18 Syd
79+62	"Monument Box, Adj"
81+46 Rt	Field Drive, "Approach CI II, LM"
83+04 Lt	Gravel Drive, "Approach CI II, LM"
89+35	South Side of M-40, "Pavement for Butt Joints, Rem" (40' x 12') 54 Syd
89+99	Intersection of 50 <sup>th</sup> St & M-40 (Reference)
90+84	North Side of M-40, "Pavement for Butt Joints, Rem" (40' x 12') 54 Syd
93+07 Rt	Field Drive, "Approach CI II, LM"
99+38 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (420' x 6') 280 Syd
101+92 Lt	Field Drive, "Approach CI II, LM"
105+80	South side of 140 <sup>th</sup> Ave, "Pavement for Butt Joints, Rem" (35' x 12') 34 Syd
106+15	Monument Box, 140 <sup>th</sup> Ave & 50 <sup>th</sup> St (Reference)
106+53	North side of 140 <sup>th</sup> Ave, "Pavement for Butt Joints, Rem" (35' x 12') 34 Syd
108+68 Lt	Field Drive, "Approach CI II, LM"
110+12 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
110+42 Rt	Gravel Drive, "Approach CI II, LM"
111+43 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
115+17 Lt	Gravel Drive, "Approach CI II, LM"
116+51 Lt	Field Drive, "Approach CI II, LM"
116+97 Rt	Field Drive, "Approach CI II, LM"
118+50 Rt	Concrete Drive, "Pavement Rem, Mod" (18' x 8') 16 Syd
118+75	South side of RR X-ing, "Pavement for Butt Joint, Rem" (24' x 15') 40 Syd
118+88	Centerline of RR X-ing (Reference)
118+97	North side of RR X-ing, "Pavement for Butt Joint, Rem" (24' x 15') 40 Syd
120+25 Rt	Gravel Drive, "Approach CI II, LM"
121+68 Rt	Gravel Drive, "Approach CI II, LM"
123+32 Rt	Field Drive, "Approach CI II, LM"
128+51 Rt	Field Drive, "Approach CI II, LM"

## Miscellaneous Items of Work Quantity (Con't)

<u>Station</u>	<u>Description</u>
132+42	"Monument Box, Adj"
132+98 Lt	Field Drive, "Approach CI II, LM"
147+71 Rt	Gravel Drive, "Approach CI II, LM"
148+72 Rt	Gravel Drive, "Approach CI II, LM"
153+21	South side of Fillmore Rd, "Pavement for Butt Joints, Rem" (40' x 12') 54 Syd
153+56	Centerline of Fillmore Rd (Reference)
153+93	North side of Fillmore Rd, "Pavement for Butt Joints, Rem" (40' x 12') 54 Syd
153+93	<b>Begin 24' wide road</b>
156+81 Lt	Concrete Drive, "Pavement Rem, Mod" (12' x 8') 11 Syd
157+74 Lt	Gravel Drive, "Approach CI II, LM"
158+89	"Monument Box, Adj"
163+63 Rt	Field Drive, "Approach CI II, LM"
165+48 Lt	Intersection of Nature View Ln (Pvt), "Pavement for Butt Joints, Rem" (70' x 6') 47 Syd
172+33 Lt	Gravel Drive, "Approach CI II, LM"
174+21 Lt	Begin HMA Valley Gutter
174+21	<b>Begin Taper to 28' wide road</b>
175+02 Rt	Field Drive, "Approach CI II, LM"
175+28 Lt	Gravel Drive, "Approach CI II, LM"
176+54 Lt	End HMA Valley Gutter
176+54	<b>End 28' wide road</b>
176+76 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (40' x 6') 27 Syd
177+10 L	Field Drive, "Approach CI II, LM"
185+31	"Monument Box, Adj"
185+31 Lt	Intersection of 143 <sup>rd</sup> Ave, "Pavement for Butt Joints, Rem" (35' x 12') 47 Syd
186+06	South Side of Russcher Rd, "Pavement for Butt Joints, Rem" (70' x 12') 94 Syd
186+37	Monument Box, Russcher Rd (Reference)
186+63	North side of Russcher Rd, "Pavement for Butt Joints, Rem" (70' x 12') 94 Syd
188+37 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (30' x 6') 20 Syd
189+58 Rt	Field Drive, "Approach CI II, LM"
194+63 Lt	Field Drive, Approach CI II, LM
198+70 Lt & Rt	Field Drive, "Approach CI II, LM"
206+32 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
208+34 Lt	Gravel Drive, "Approach CI II, LM"
211+25	POE, "Pavement for Butt Joint, Rem" (30' x 12') 40 Syd
211+68	Monument Box, 144 <sup>th</sup> Ave & 50 <sup>th</sup> St (Reference)

8. LH 4997 - FILLMORE TOWNSHIP – On Church Street, 60<sup>th</sup> Street to 146<sup>th</sup> Avenue –  
0.30 miles

BID AND AWARD

Date: \_\_\_\_\_

Board of County Road Commissioners  
of Allegan County  
1308 Lincoln Road  
Allegan, MI 49010

Gentlemen:

The undersigned has examined the plans, specifications, and location of the work described herein and is fully informed as to the nature of the work and the conditions relating to its performance and understands that the quantities shown in the estimate are approximate only and are subject to either increase or decrease; and hereby proposes to furnish all necessary machinery, tools, apparatus, and other means of doing the work, do all the work, furnish all the materials except as otherwise specified herein, and, for the unit prices named in the accompanying unit price schedule, to complete work in strict accordance with the plans and specifications therefore.

The undersigned further proposes to do such extra work as may be ordered by you, prices for which are not included in the itemized bid, compensation therefore to be made on the basis agreed upon before such extra work is begun.

The undersigned agrees to complete all items of work on or before **November 1, 2019.**

The undersigned encloses a certified check, cashier's check, or Bid Bond representing 5% of the bid, in the amount of \$ \_\_\_\_\_, payable to the Allegan County Road Commission as a guarantee of good faith. If the contract is awarded to the undersigned and the undersigned fails to furnish satisfactory bonds to the Road Commission within fifteen (15) days after being given notice of award, said check will be forfeited to the Allegan County Road Commission as liquidated damage.

ALLEGAN COUNTY ROAD COMMISSION

SPECIAL PROVISIONS

FOR

8. LH 4997 - FILLMORE TOWNSHIP – On Church Street, 60<sup>th</sup> Street to 146<sup>th</sup> Avenue – 0.30 miles

SCOPE OF THE WORK

The work will consist of preparing the existing HMA surface, then placing a HMA 13A, Mod surface course 22' – 55' wide (cover existing HMA) at an average yield of 220 lb/syd. A 1' wide gravel shoulder will then be placed from the POB to POE.

HMA Widths:

<u>Station</u>	<u>Pavement Width</u>	<u>Gravel Shoulder Width</u>
POB to 6+81	22' HMA	1' Rt & Lt
6+81 to 8+01	28' HMA	1' Rt & Lt
8+01 to 9+72	55' HMA	1' Rt & Lt
9+72 to 10+69	40' HMA	1' Rt & Lt
10+69 to POE	22' HMA	1' Rt & Lt

Miscellaneous Items of Work Quantity

<u>Station</u>	<u>Description</u>
0+00	Intersection of Church St & 60th St (Reference)
0+23	POB, "Pavement for Butt Joints, Rem" (24' x 12') 32 Syd
1+78 Rt	Concrete Drive, "Pavement Rem, Mod" (22' x 6') 15 Syd
1+99 Lt	Concrete Drive, "Pavement Rem, Mod" (13' x 6') 9 Syd
2+56 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (24' x 8') 22 Syd
3+22 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (13' x 8') 12 Syd
3+29 Rt	Gravel Drive, "Approach CI II, LM"
3+57 Rt	Gravel Drive, "Approach CI II, LM"
3+71 Rt	"Manhole, Adj"
4+04 Lt	Concrete Sidewalk, "Pavement Remove, Mod" (4' x 3') 2 Syd
4+33 Lt	Concrete Drive, "Pavement Rem, Mod" (15' x 8') 14 Syd
4+82 Lt	Concrete Drive, "Pavement Rem, Mod" (16' x 12') 22 Syd
5+72 Lt	Catch Basin, "Pavement for Butt Joints, Rem" (6' x 6') 4 Syd
5+78 Lt	Begin Concrete Curb & Gutter, "Pavement for Butt Joints, Rem" (192' x 6') 128 Syd
6+04 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (15' x 6') 10 Syd
6+41 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (15' x 6') 10 Syd
6+81 Lt	"Monument Box, Adj"



Miscellaneous Items of Work Quantity (Con't)

<u>Station</u>	<u>Description</u>
6+97 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (28' x 6') 19 Syd
7+33 Rt	Concrete Sidewalk, "Pavement Remove, Mod" (3' x 3') 1 Syd
7+47 Rt	"Manhole, Adj"
7+78 Rt	Concrete Drive, "Pavement Rem, Mod" (28' x 6') 19 Syd
8+22 Lt	End Concrete Curb & Gutter
8+22 Lt	Begin HMA Valley Gutter
9+19 Rt	Wood Path, "Pavement for Butt Joints, Rem" (4' x 3') 2 Syd
9+50 Lt	Concrete Sidewalk, "Pavement for Butt Joints, Rem" (15' x 4') 7 Syd
10+50 Rt	Gravel Drive, "Approach CI II, LM"
10+69 Lt	End HMA Valley Gutter
12+00 Lt	"Manhole, Adj"
12+68 Rt	Field Drive, "Approach CI II, LM"
13+27 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (40' x 8') 36 Syd
13+32 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (15' x 8') 14 Syd
14+04 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (12' x 7') 10 Syd
14+08 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (12' x 7') 10 Syd
14+14 Lt	Gravel Drive, "Approach CI II, LM"
14+71 Lt	Concrete Drive, "Pavement Rem, Mod" (24' x 8') 22 Syd
14+90 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (34' x 6') 23 Syd
15+63	POE, "Pavement for Butt Joints Rem" (24' x 12') 32 Syd
15+87	South Edge of 146th Ave (Reference)

**FILLMORE TOWNSHIP PROJECTS BID SCHEDULE:**

<b>7. LH 4996 – On 50<sup>th</sup> Street, 136<sup>th</sup> to 144<sup>th</sup> Avenue – 4.00 miles</b>			
<b>ITEM OF WORK</b>	<b>QUANTITY</b>	<b>UNIT PRICE</b>	<b>TOTAL</b>
HMA 13A, Mod	6,300 Tons		
Pavement for Butt Joints, Rem	1,300 Syd		
Pavement Rem, Mod	100 Syd		
Shoulder Prep	1 LS		
Shoulder CI II, LM	1,200 Cyd		
Approach, CI II, LM	300 Cyd		
Flag Control	1 LS		
Traffic Control Devices	1 LS		
Pavement Marking, Temporary	212 Sta		
Pavement Marking, Waterborne, 4-inch, Yellow	14,200 Ft		
Monument Box, Adj.	5 Ea		

<b>8. LH 4997 – On Church Street, 60<sup>th</sup> Street to 146<sup>th</sup> Avenue – 0.30 miles</b>			
<b>ITEM OF WORK</b>	<b>QUANTITY</b>	<b>UNIT PRICE</b>	<b>TOTAL</b>
HMA 13A, Mod	600 Tons		
Pavement for Butt Joints, Rem	360 Syd		
Pavement Rem, Mod	110 Syd		
Shoulder Prep	1 LS		
Shoulder CI II, LM	60 Cyd		
Approach, CI II, LM	30 Cyd		
Flag Control	1 LS		
Traffic Control Devices	1 LS		
Pavement Marking, Temporary	16 Sta		
Pavement Marking, Waterborne, 4-inch, Yellow	380 Ft		
Monument Box, Adj.	1 Ea		
Manhole, Adj.	3 Ea		

TOTAL OF BID – FILLMORE TOWNSHIP \$ \_\_\_\_\_

SIGNED: \_\_\_\_\_ DATE: \_\_\_\_\_

9. LH 4980 – HEATH TOWNSHIP – On 41<sup>st</sup> Street, 134<sup>th</sup> to 136<sup>th</sup> Avenue – 1.33 miles

BID AND AWARD

Date: \_\_\_\_\_

Board of County Road Commissioners  
of Allegan County  
1308 Lincoln Road  
Allegan, MI 49010

Gentlemen:

The undersigned has examined the plans, specifications, and location of the work described herein and is fully informed as to the nature of the work and the conditions relating to its performance and understands that the quantities shown in the estimate are approximate only and are subject to either increase or decrease; and hereby proposes to furnish all necessary machinery, tools, apparatus, and other means of doing the work, do all the work, furnish all the materials except as otherwise specified herein, and, for the unit prices named in the accompanying unit price schedule, to complete work in strict accordance with the plans and specifications therefore.

The undersigned further proposes to do such extra work as may be ordered by you, prices for which are not included in the itemized bid, compensation therefore to be made on the basis agreed upon before such extra work is begun.

The undersigned agrees to complete all items of work on or before **November 1, 2019.**

The undersigned encloses a certified check, cashier's check, or Bid Bond representing 5% of the bid, in the amount of \$ \_\_\_\_\_, payable to the Allegan County Road Commission as a guarantee of good faith. If the contract is awarded to the undersigned and the undersigned fails to furnish satisfactory bonds to the Road Commission within fifteen (15) days after being given notice of award, said check will be forfeited to the Allegan County Road Commission as liquidated damage.

ALLEGAN COUNTY ROAD COMMISSION

SPECIAL PROVISIONS

FOR

9. LH 4980 – HEATH TOWNSHIP – On 41<sup>st</sup> Street, 134<sup>th</sup> to 136<sup>th</sup> Avenue – 1.33 miles

SCOPE OF THE WORK

The work will consist of preparing the existing HMA surface, then placing a HMA 13A, Mod surface course 28' wide at an average yield of 220 lb/syd. A 1' – 2' wide gravel shoulder will then be placed from the POB to POE.

HMA Widths:

<u>Station</u>	<u>Pavement Width</u>	<u>Gravel Shoulder Width</u>
POB to POE	28' HMA	1' – 2' Rt & Lt

Miscellaneous Items of Work Quantity

<u>Station</u>	<u>Description</u>
0+00	Monument Box, Intersection of 134 <sup>th</sup> Ave (Reference)
0+29	POB, "Pavement for Butt Joints, Rem" (32' x 15') 54 Syd
3+41 Rt	Concrete Drive, "Pavement Rem, Mod" (22' x 12') 30 Syd
6+59 Rt	Gravel Drive, "Approach CI II, LM"
8+82 Lt	Field Drive, "Approach CI II, LM"
10+54 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
11+77 Rt	Concrete Drive, "Pavement Rem, Mod" (24' x 6') 16 Syd
14+91 Rt	Concrete Drive, "Pavement Rem, Mod" (15' x 10') 17 Syd
16+60 Lt	Gravel Drive, "Approach CI II, LM"
16+71 Rt	<b>Begin 10' Widening for Pine Trail Lane</b>
17+47 Rt	Intersection of Pine Trail Ln (Match new HMA)
17+50 Lt	HMA Millings Drive (ACRC will add millings after paving)
18+15 Rt	<b>End 10' Widening for Pine Trail Lane</b>
19+07 Lt	Concrete Drive, "Pavement Rem, Mod" (24' x 10') 27 Syd
22+26 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (20' x 6') 14 Syd
23+02 Lt	Gravel Drive, "Approach CI II, LM"
23+91 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (36' x 6') 24 Syd
26+20	Intersection of 41 <sup>st</sup> St & 135 <sup>th</sup> Ave, Continue HMA paving east on 135 <sup>th</sup> Ave
26+49 Lt	Gravel Drive, "Approach CI II, LM"
28+35 Lt	Gravel Drive, "Approach CI II, LM" (60' wide)
29+63 Lt	Gravel Drive, "Approach CI II, LM"

## Miscellaneous Items of Work Quantity (Con't)

<u>Station</u>	<u>Description</u>
30+17 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
31+15 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (20' x 6') 14 Syd
34+58 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (30' x 6') 20 Syd
34+58 Lt	HMA Millings Drive (ACRC will add millings after paving)
35+67 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
37+51 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (24' x 6') 16 Syd
38+59 Rt	Gravel Drive, "Approach CI II, LM"
39+08	Intersection of 135 <sup>th</sup> Ave & 41 <sup>st</sup> St, Continue HMA paving north on 41 <sup>st</sup> St
41+14 Rt	HMA Millings Drive (ACRC will add millings after paving)
41+67 Lt	Gravel Drive, "Approach CI II, LM"
43+21 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (24' x 6') 16 Syd
45+58 Lt	Gravel Drive, "Approach CI II, LM"
47+63 Lt	Gravel Drive, "Approach CI II, LM"
51+84 Rt	Field Drive, "Approach CI II, LM"
52+93 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (30' x 6') 20 Syd
53+68 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (30' x 6') 20 Syd
55+52 Lt	Concrete Drive, "Pavement Rem, Mod" (15' x 8') 14 Syd
57+04 Lt	Field Drive, "Approach CI II, LM"
58+24 Lt	Concrete Drive, "Pavement Rem, Mod" (18' x 9') 18 Syd
60+64 Lt	Concrete Drive, "Pavement Rem, Mod" (30' x 6') 20 Syd
63+05 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (30' x 6') 20 Syd
63+58 Rt	Field Drive, "Approach CI II, LM"
68+04 Lt	Gravel Drive, "Approach CI II, LM"
69+85 Lt	Intersection of Rabbit River Dr (Pvt), "Pavement for Butt Joints, Rem" (55' x 6') 37 Syd
70+25	POE, "Pavement for Butt Joints, Rem" (28' x 15') 47 Syd

10. LH 4981 – HEATH TOWNSHIP – On Pine Trail Lane, 41<sup>st</sup> Street east to dead end – 0.20 miles

BID AND AWARD

Date: \_\_\_\_\_

Board of County Road Commissioners  
of Allegan County  
1308 Lincoln Road  
Allegan, MI 49010

Gentlemen:

The undersigned has examined the plans, specifications, and location of the work described herein and is fully informed as to the nature of the work and the conditions relating to its performance and understands that the quantities shown in the estimate are approximate only and are subject to either increase or decrease; and hereby proposes to furnish all necessary machinery, tools, apparatus, and other means of doing the work, do all the work, furnish all the materials except as otherwise specified herein, and, for the unit prices named in the accompanying unit price schedule, to complete work in strict accordance with the plans and specifications therefore.

The undersigned further proposes to do such extra work as may be ordered by you, prices for which are not included in the itemized bid, compensation therefore to be made on the basis agreed upon before such extra work is begun.

The undersigned agrees to complete all items of work on or before **November 1, 2019.**

The undersigned encloses a certified check, cashier's check, or Bid Bond representing 5% of the bid, in the amount of \$ \_\_\_\_\_, payable to the Allegan County Road Commission as a guarantee of good faith. If the contract is awarded to the undersigned and the undersigned fails to furnish satisfactory bonds to the Road Commission within fifteen (15) days after being given notice of award, said check will be forfeited to the Allegan County Road Commission as liquidated damage.

ALLEGAN COUNTY ROAD COMMISSION

SPECIAL PROVISIONS

FOR

10. LH 4981 – HEATH TOWNSHIP – On Pine Trail Lane, 41<sup>st</sup> Street east to dead end – 0.20 miles

SCOPE OF THE WORK

The work will consist of preparing the existing surface then placing a HMA 13A, Mod surface course 30' wide at an average yield of 220 lb/syd. A 1' wide topsoil shoulder and restoration will then be placed from the POB to POE. HMA valley gutter existing from POB to POE except where concrete curb & gutter is noted.

HMA Widths:

<u>Station</u>	<u>Pavement Width</u>	<u>Topsoil Shoulder Width</u>
POB to POE	30' HMA	1' Rt & Lt

Miscellaneous Items of Work Quantity

<u>Station</u>	<u>Description</u>
0+00	East edge of 41 <sup>st</sup> Street (Reference)
0+10	POB, Match New HMA
0+10 Rt & Lt	Begin Concrete Curb & Gutter, "Pavement for Butt Joints, Rem" (43' x 6' each side) 58 Syd
0+40 Rt & Lt	End Concrete Curb & Gutter
0+40 Rt & Lt	Begin HMA Valley Gutter
2+22 Lt	Concrete Drive, "Pavement Rem, Mod" (24' x 2') 6 Syd
2+59 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (30' x 2') 7 Syd
2+84 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (30' x 2') 7 Syd
5+07 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (30' x 2') 7 Syd
5+40 Rt & Lt	Catch Basin (2x), "Pavement for Butt Joints, Rem" (6' x 6' each) 8 Syd
5+74 Lt	HMA Drive, Pavement for Butt Joints, Rem
7+90 Rt & Lt	Catch Basin (2x), "Pavement for Butt Joints, Rem" (6' x 6' each) 8 Syd
8+62 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (35' x 2') 8 Syd
8+79 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (30' x 2') 7 Syd
9+30 Rt & Lt	End HMA Valley Gutter
9+30 Rt & Lt	Begin Concrete Curb & Gutter, "Pavement for Butt Joints, Rem" (260' x 6') 174 Syd
9+30	Begin cul-de-sac (80' diameter)
10+28	POE

11. LH 4982 - HEATH TOWNSHIP – On 126<sup>th</sup> Avenue, 43<sup>rd</sup> Street to M-40 – 0.92 miles

BID AND AWARD

Date: \_\_\_\_\_

Board of County Road Commissioners  
of Allegan County  
1308 Lincoln Road  
Allegan, MI 49010

Gentlemen:

The undersigned has examined the plans, specifications, and location of the work described herein and is fully informed as to the nature of the work and the conditions relating to its performance and understands that the quantities shown in the estimate are approximate only and are subject to either increase or decrease; and hereby proposes to furnish all necessary machinery, tools, apparatus, and other means of doing the work, do all the work, furnish all the materials except as otherwise specified herein, and, for the unit prices named in the accompanying unit price schedule, to complete work in strict accordance with the plans and specifications therefore.

The undersigned further proposes to do such extra work as may be ordered by you, prices for which are not included in the itemized bid, compensation therefore to be made on the basis agreed upon before such extra work is begun.

The undersigned agrees to complete all items of work on or before **November 1, 2019.**

The undersigned encloses a certified check, cashier's check, or Bid Bond representing 5% of the bid, in the amount of \$ \_\_\_\_\_, payable to the Allegan County Road Commission as a guarantee of good faith. If the contract is awarded to the undersigned and the undersigned fails to furnish satisfactory bonds to the Road Commission within fifteen (15) days after being given notice of award, said check will be forfeited to the Allegan County Road Commission as liquidated damage.



ALLEGAN COUNTY ROAD COMMISSION

SPECIAL PROVISIONS

FOR

11. LH 4982 – HEATH TOWNSHIP – On 126<sup>th</sup> Avenue, 43<sup>rd</sup> Street to M-40 – 0.92 miles

SCOPE OF THE WORK

The work will consist of preparing the existing surface then placing a HMA 13A, Mod surface course 28' wide at an average yield of 220 lb/syd. A 1'-2' wide gravel shoulder will then be placed from the POB to POE.

HMA Widths:

<u>Station</u>	<u>Pavement Width</u>	<u>Gravel Shoulder Width</u>
POB to POE	28' HMA	1'-2' Rt & Lt

Miscellaneous Items of Work Quantity

<u>Station</u>	<u>Description</u>
0+00	Intersection of 43 <sup>rd</sup> Street (Gravel) (Reference)
0+65	POB, Begin HMA Paved Road
5+60 Lt	Gravel Drive, "Approach CI II, LM"
7+88 Lt	Gravel Drive, "Approach CI II, LM"
8+62 Rt	Gravel Drive, "Approach CI II, LM"
10+88 Rt	Gravel Drive, "Approach CI II, LM"
11+22 Lt	Gravel Drive, "Approach CI II, LM"
12+53 Rt	Field Drive, "Approach CI II, LM"
14+25 Rt	HMA Millings Drive (ACRC will add millings after paving)
15+51 Lt	Gravel Drive, "Approach CI II, LM"
16+81 Rt	Gravel Drive, "Approach CI II, LM"
18+07 Rt	Gravel Drive, "Approach CI II, LM"
18+37 Lt	Gravel Drive, "Approach CI II, LM"
18+92 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (32' x 6') 22 Syd
19+34 Rt	HMA Millings Drive (ACRC will add millings after paving)
20+30 Rt	HMA Millings Drive (ACRC will add millings after paving)
22+12 Lt	Gravel Drive, "Approach CI II, LM"
22+78 Lt	Gravel Drive, "Approach CI II, LM"
24+91 Rt	Gravel Drive, "Approach CI II, LM"
25+07 Lt	Gravel Drive, "Approach CI II, LM"
25+85 Rt	Gravel Drive, "Approach CI II, LM"
27+65 Lt	Gravel Drive, "Approach CI II, LM"

Miscellaneous Items of Work Quantity (Con't)

<u>Station</u>	<u>Description</u>
29+94 Lt	Gravel Drive, "Approach CI II, LM"
30+15 Lt	Gravel Drive, "Approach CI II, LM"
31+96 Lt	Field Drive, "Approach CI II, LM"
35+22 Lt	HMA Millings Drive (ACRC will add millings after paving)
40+50 Rt	Field Drive, "Approach CI II, LM"
45+60 Lt	Gravel Drive, "Approach CI II, LM"
49+30	POE, "Pavement for Butt Joints, Rem" (40' x 15') 54 Syd
49+45	West edge of M-40 (Reference)

**HEATH TOWNSHIP PROJECTS BID SCHEDULE:**

<b>9. LH 4980 – On 41<sup>st</sup> Street, 134<sup>th</sup> to 136<sup>th</sup> Avenue – 1.33 miles</b>			
<b>ITEM OF WORK</b>	<b>QUANTITY</b>	<b>UNIT PRICE</b>	<b>TOTAL</b>
HMA 13A, Mod	2,600 Tons		
Pavement for Butt Joints, Rem	340 Syd		
Pavement Rem, Mod	150 Syd		
Shoulder Prep	1 LS		
Shoulder CI II, LM	200 Cyd		
Approach, CI II, LM	150 Cyd		
Flag Control	1 LS		
Traffic Control Devices	1 LS		
Pavement Marking, Temporary	70 Sta		
Pavement Marking, Waterborne, 4-inch, Yellow	9,700 Ft		
Pavement Marking, Waterborne, 4-inch, White	14,000 Ft		
Monument Box, Adj.	2 Ea		

<b>10. LH 4981 – On Pine Trail Lane, 41<sup>st</sup> Street east to dead end – 0.20 miles</b>			
<b>ITEM OF WORK</b>	<b>QUANTITY</b>	<b>UNIT PRICE</b>	<b>TOTAL</b>
HMA 13A, Mod	450 Tons		
Pavement for Butt Joints, Rem	300 Syd		
Pavement Rem, Mod	20 Syd		
Topsoil Shoulder, LM	50 Cyd		
Restoration	250 Syd		
Flag Control	1 LS		
Traffic Control Devices	1 LS		

**11. LH 4982 – On 126<sup>th</sup> Avenue, 43<sup>rd</sup> Street to M-40 – 0.92 miles**

<b>ITEM OF WORK</b>	<b>QUANTITY</b>	<b>UNIT PRICE</b>	<b>TOTAL</b>
HMA 13A, Mod	1,800 Tons		
Pavement for Butt Joints, Rem	100 Syd		
Shoulder Prep	1 LS		
Shoulder CI II, LM	200 Cyd		
Approach, CI II, LM	120 Cyd		
Flag Control	1 LS		
Traffic Control Devices	1 LS		
Pavement Marking, Temporary	49 Sta		
Pavement Marking, Waterborne, 4-inch, Yellow	1,300 Ft		
Pavement Marking, Waterborne, 4-inch, White	9,800 Ft		
Monument Box, Adj.	2 Ea		

TOTAL OF BID – HEATH TOWNSHIP \$ \_\_\_\_\_

SIGNED: \_\_\_\_\_ DATE: \_\_\_\_\_

12. LH 4007 – HOPKINS TOWNSHIP – On 13<sup>th</sup> Street, 133<sup>rd</sup> to 135<sup>th</sup> Avenue – 0.74 miles

BID AND AWARD

Date: \_\_\_\_\_

Board of County Road Commissioners  
of Allegan County  
1308 Lincoln Road  
Allegan, MI 49010

Gentlemen:

The undersigned has examined the plans, specifications, and location of the work described herein and is fully informed as to the nature of the work and the conditions relating to its performance and understands that the quantities shown in the estimate are approximate only and are subject to either increase or decrease; and hereby proposes to furnish all necessary machinery, tools, apparatus, and other means of doing the work, do all the work, furnish all the materials except as otherwise specified herein, and, for the unit prices named in the accompanying unit price schedule, to complete work in strict accordance with the plans and specifications therefore.

The undersigned further proposes to do such extra work as may be ordered by you, prices for which are not included in the itemized bid, compensation therefore to be made on the basis agreed upon before such extra work is begun.

The undersigned agrees to complete all items of work on or before **November 1, 2019.**

The undersigned encloses a certified check, cashier's check, or Bid Bond representing 5% of the bid, in the amount of \$ \_\_\_\_\_, payable to the Allegan County Road Commission as a guarantee of good faith. If the contract is awarded to the undersigned and the undersigned fails to furnish satisfactory bonds to the Road Commission within fifteen (15) days after being given notice of award, said check will be forfeited to the Allegan County Road Commission as liquidated damage.

ALLEGAN COUNTY ROAD COMMISSION

SPECIAL PROVISIONS

FOR

12. LH 4922 – HOPKINS TOWNSHIP – On 13<sup>th</sup> Street, 133<sup>rd</sup> to 135<sup>th</sup> Avenue – 0.74 miles

SCOPE OF THE WORK

The work will consist of preparing the existing surface then placing a HMA 13A, Mod surface course 22' wide at an average yield of 220 lb/syd. A 4' – 5' wide gravel shoulder will then be placed from the POB to POE.

HMA Widths:

<u>Station</u>	<u>Pavement Width</u>	<u>Gravel Shoulder Width</u>
POB to POE	22' HMA	4' – 5' Rt & Lt

Miscellaneous Items of Work Quantity

<u>Station</u>	<u>Description</u>
0+00	Intersection of 133 <sup>rd</sup> Avenue (Reference)
0+31	POB, Begin paved road
0+99 Rt	Gravel Drive, "Approach CI II, LM"
3+27 Lt	Gravel Drive, "Approach CI II, LM"
3+90 Lt	Gravel Drive, "Approach CI II, LM"
5+07 Rt	HMA Drive, Feather
7+21 Rt	Gravel Drive, "Approach CI II, LM"
8+03 Rt	Gravel Drive, "Approach CI II, LM"
9+99 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (22' x 6') 15 Syd
11+85 Rt	Concrete Drive, "Pavement Rem, Mod" (20' x 6') 14 Syd
13+27	"Monument Box, Adj"
13+72 Rt	Concrete Drive, "Pavement Rem, Mod" (18' x 6') 12 Syd
14+03 Lt	Gravel Drive, "Approach CI II, LM"
14+57 Lt	Gravel Drive, "Approach CI II, LM"
15+63 Rt	P-stone Drive (ACRC will add material after paving)
18+39 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (30' x 6') 20 Syd
19+31 Rt	Field Drive, "Approach CI II, LM"
20+36 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (24' x 6') 16 Syd
21+41 Lt	Gravel Drive, "Approach CI II, LM"
21+58 Rt	HMA Millings Drive (ACRC will add millings after paving)
24+16 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (22' x 6') 15 Syd
24+74 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd

Miscellaneous Items of Work Quantity (Con't)

<u>Station</u>	<u>Description</u>
25+80 Lt	Gravel Drive, "Approach CI II, LM"
29+57 Rt	Gravel Drive, "Approach CI II, LM"
29+57 Lt	Field Drive, "Approach CI II, LM"
30+05 Lt	Field Drive, "Approach CI II, LM"
32+65 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (22' x 6') 15 Syd
34+74 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (24' x 6') 16 Syd
35+19 Rt	Gravel Drive, "Approach CI II, LM"
36+04 Lt	Gravel Drive, "Approach CI II, LM"
37+94 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (20' x 6') 14 Syd
39+45	POE, "Pavement for Butt Joints, Rem" (24' x 15') 40 Syd
39+65	South edge of 135 <sup>th</sup> Avenue (Reference)

**HOPKINS TOWNSHIP PROJECTS BID SCHEDULE:**

<b>12. LH 4007 – On 13<sup>th</sup> Street, 133<sup>rd</sup> to 135<sup>th</sup> Avenue – 0.74 miles</b>			
<b>ITEM OF WORK</b>	<b>QUANTITY</b>	<b>UNIT PRICE</b>	<b>TOTAL</b>
HMA 13A, Mod	1,100 Tons		
Pavement for Butt Joints, Rem	180 Syd		
Pavement Rem, Mod	30 Syd		
Shoulder Prep	1 LS		
Shoulder CI II, LM	250 Cyd		
Approach, CI II, LM	100 Cyd		
Flag Control	1 LS		
Traffic Control Devices	1 LS		
Pavement Marking, Temporary	40 Sta		
Pavement Marking, Waterborne, 4-inch, Yellow	2,900 Ft		
Monument Box, Adj.	1 Ea		

TOTAL OF BID – HOPKINS TOWNSHIP \$ \_\_\_\_\_

SIGNED: \_\_\_\_\_ DATE: \_\_\_\_\_



13. LH 4002 - LAKETOWN TOWNSHIP – On 144<sup>th</sup> Avenue, 60<sup>th</sup> to 64<sup>th</sup> Street – 2.06 miles

BID AND AWARD

Date: \_\_\_\_\_

Board of County Road Commissioners  
of Allegan County  
1308 Lincoln Road  
Allegan, MI 49010

Gentlemen:

The undersigned has examined the plans, specifications, and location of the work described herein and is fully informed as to the nature of the work and the conditions relating to its performance and understands that the quantities shown in the estimate are approximate only and are subject to either increase or decrease; and hereby proposes to furnish all necessary machinery, tools, apparatus, and other means of doing the work, do all the work, furnish all the materials except as otherwise specified herein, and, for the unit prices named in the accompanying unit price schedule, to complete work in strict accordance with the plans and specifications therefore.

The undersigned further proposes to do such extra work as may be ordered by you, prices for which are not included in the itemized bid, compensation therefore to be made on the basis agreed upon before such extra work is begun.

The undersigned agrees to complete all items of work on or before **November 1, 2019.**

The undersigned encloses a certified check, cashier's check, or Bid Bond representing 5% of the bid, in the amount of \$ \_\_\_\_\_, payable to the Allegan County Road Commission as a guarantee of good faith. If the contract is awarded to the undersigned and the undersigned fails to furnish satisfactory bonds to the Road Commission within fifteen (15) days after being given notice of award, said check will be forfeited to the Allegan County Road Commission as liquidated damage.

ALLEGAN COUNTY ROAD COMMISSION

SPECIAL PROVISIONS

FOR

13. LH 4002 - LAKETOWN TOWNSHIP – On 144<sup>th</sup> Avenue, 60<sup>th</sup> to 64<sup>th</sup> Street – 2.06 miles

SCOPE OF THE WORK

The work will consist of preparing the existing surface then placing a HMA 13A, Mod surface course 28' wide at an average yield of 220 lb/syd. A 1' wide gravel shoulder will then be placed from the POB to POE.

HMA Widths:

<u>Station</u>	<u>Pavement Width</u>	<u>Gravel Shoulder Width</u>
POB to POE	28'	1' Rt & Lt

Miscellaneous Items of Work Quantity

<u>Station</u>	<u>Description</u>
0+00	Intersection of 64 <sup>th</sup> Street (Reference)
0+29	POB, "Pavement for Butt Joints, Rem" (28' x 15') 47 Syd
4+09 Rt	Gravel Drive, "Approach CI II, LM"
4+11 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (40' x 6') 27 Syd
4+50 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (16' x 6') 11 Syd
4+98 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (16' x 6') 11 Syd
6+30 Lt	Field Drive, "Approach CI II, LM"
7+73 Lt	Concrete Drive, "Pavement Rem, Mod" (20' x 8') 18 Syd
8+39 Rt	Gravel Drive, "Approach CI II, LM"
8+79 Rt	Gravel Drive, "Approach CI II, LM"
9+03 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (20' x 6') 14 Syd
11+27 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (15' x 6') 10 Syd
12+90 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (20' x 6') 14 Syd
13+85 Lt	Gravel Drive, "Approach CI II, LM"
14+59 Rt	Gravel Drive, "Approach CI II, LM"
15+04 Lt	Gravel Drive, "Approach CI II, LM"
16+15 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (22' x 7') 17 Syd
16+67 Lt	Field Drive, "Approach CI II, LM"
18+49 Rt	Gravel Drive, "Approach CI II, LM"
19+22 Lt	Gravel Drive, "Approach CI II, LM"
19+32 Rt	Concrete Drive, Feather

## Miscellaneous Items of Work Quantity (Con't)

<u>Station</u>	<u>Description</u>
20+53 Lt	HMA Millings Drive (ACRC will add millings after paving)
21+41 Rt	Field Drive, "Approach CI II, LM"
21+53 Lt	HMA Millings Drive (ACRC will add millings after paving)
24+54 Lt	Gravel Drive, "Approach CI II, LM"
25+30 Lt	Gravel Drive, "Approach CI II, LM"
25+67 Rt	Gravel Drive, "Approach CI II, LM"
26+53 Rt	Gravel Drive, "Approach CI II, LM"
26+75 Rt	"Monument Box, Adj"
28+42 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (16' x 6') 11 Syd
28+77 Lt	Crushed Concrete Drive (ACRC will add material after paving)
29+91 Rt	Concrete Drive (feather)
32+32 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
33+23 Rt	Field Drive, "Approach CI II, LM"
33+69 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (13' x 6') 9 Syd
33+69 Lt	Field Drive, "Approach CI II, LM"
34+23 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (13' x 6') 9 Syd
34+59 Lt	Gravel Drive, "Approach CI II, LM"
35+55 Rt	Intersection of Meadow Ln, "Pavement for Butt Joints, Rem" (35' x 6') 24 Syd
36+13 Lt	Gravel Drive, "Approach CI II, LM"
36+21 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
39+94 Lt	Gravel Drive, "Approach CI II, LM"
41+90 Lt	Concrete Drive w/ gravel approach
42+01 Rt	Concrete Drive, "Pavement Rem, Mod" (22' x 8') 20 Syd
42+93 Rt	Gravel Drive, "Approach CI II, LM"
44+14 Lt	HMA Millings Drive (ACRC will add millings after paving)
44+63 Rt	HMA Millings Drive (ACRC will add millings after paving)
45+64 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (30' x 6') 20 Syd
45+87 Rt	Gravel Drive, "Approach CI II, LM"
47+11 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (30' x 6') 20 Syd
48+70 Rt	Gravel Drive, "Approach CI II, LM"
49+51 Rt	Gravel Drive, "Approach CI II, LM"
50+83 Lt	Concrete Drive, "Pavement Rem, Mod" (26' x 9') 26 Syd
51+65 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (24' x 6') 16 Syd
53+46 Rt	Intersection of Beeline Rd, "Pavement for Butt Joints, Rem" (35' x 12') 47 Syd
53+46 Lt	Intersection of 62 <sup>nd</sup> St, "Pavement for Butt Joints, Rem" (35' x 12') 47 Syd
53+46	"Monument Box, Adj"
66+68 Rt	Field Drive, "Approach CI II, LM"
66+74 Lt	Gravel Drive, "Approach CI II, LM"

Miscellaneous Items of Work Quantity (Con't)

<u>Station</u>	<u>Description</u>
72+45 Lt	Gravel Drive, "Approach CI II, LM"
75+78 Lt	Field Drive, "Approach CI II, LM"
79+99 Rt & Lt	Intersection of 61 <sup>st</sup> St, "Pavement for Butt Joints, Rem" (45' x 12' each side) 120 Syd
86+91 Lt	Field Drive, "Approach CI II, LM"
95+05 Lt	Field Drive, "Approach CI II, LM"
100+96 Rt	HMA Millings Drive (ACRC will add millings after paving)
102+31 Lt	Field Drive, "Approach CI II, LM"
109+30	POE, "Pavement for Butt Joints, Rem" (60' x 15') 100 Syd
109+44	West edge of 60 <sup>th</sup> Street (Reference)

14. LH 4003 – LAKETOWN TOWNSHIP – On State Park Drive, 138<sup>th</sup> Avenue NW to park entrance – 0.28 miles

BID AND AWARD

Date: \_\_\_\_\_

Board of County Road Commissioners  
of Allegan County  
1308 Lincoln Road  
Allegan, MI 49010

Gentlemen:

The undersigned has examined the plans, specifications, and location of the work described herein and is fully informed as to the nature of the work and the conditions relating to its performance and understands that the quantities shown in the estimate are approximate only and are subject to either increase or decrease; and hereby proposes to furnish all necessary machinery, tools, apparatus, and other means of doing the work, do all the work, furnish all the materials except as otherwise specified herein, and, for the unit prices named in the accompanying unit price schedule, to complete work in strict accordance with the plans and specifications therefore.

The undersigned further proposes to do such extra work as may be ordered by you, prices for which are not included in the itemized bid, compensation therefore to be made on the basis agreed upon before such extra work is begun.

The undersigned agrees to complete all items of work on or before **November 1, 2018**

The undersigned encloses a certified check, cashier's check, or Bid Bond representing 5% of the bid, in the amount of \$ \_\_\_\_\_, payable to the Allegan County Road Commission as a guarantee of good faith. If the contract is awarded to the undersigned and the undersigned fails to furnish satisfactory bonds to the Road Commission within fifteen (15) days after being given notice of award, said check will be forfeited to the Allegan County Road Commission as liquidated damage.

ALLEGAN COUNTY ROAD COMMISSION

SPECIAL PROVISIONS

FOR

14. LH 4003 – LAKETOWN TOWNSHIP – On State Park Drive, 138<sup>th</sup> Avenue NW to park entrance – 0.28 miles

SCOPE OF THE WORK

The work will consist of preparing the existing surface then placing a HMA 13A, Mod surface course 30' wide at an average yield of 220 lb/syd. A 1' wide gravel shoulder will then be placed from the POB to POE.

HMA Widths:

<u>Station</u>	<u>Pavement Width</u>	<u>Gravel Shoulder Width</u>
POB to POE	30' HMA	1' Rt & Lt

Miscellaneous Items of Work Quantity

<u>Station</u>	<u>Description</u>
0+00	Intersection of 138 <sup>th</sup> Avenue (Reference)
0+54	POB, "Pavement for Butt Joints, Rem" (28' x 15') 47 Syd
14+76 Lt	Saugatuck Dunes State Park Entrance, "Pavement for Butt Joints, Rem" (30' x 6') 20 Syd
15+19	POE, "Pavement for Butt Joints, Rem" (24' x 15') 40 Syd

15. LH 4004 – LAKETOWN TOWNSHIP – On 138<sup>th</sup> Avenue, State Park Drive west to dead end – 0.22 miles

BID AND AWARD

Date: \_\_\_\_\_

Board of County Road Commissioners  
of Allegan County  
1308 Lincoln Road  
Allegan, MI 49010

Gentlemen:

The undersigned has examined the plans, specifications, and location of the work described herein and is fully informed as to the nature of the work and the conditions relating to its performance and understands that the quantities shown in the estimate are approximate only and are subject to either increase or decrease; and hereby proposes to furnish all necessary machinery, tools, apparatus, and other means of doing the work, do all the work, furnish all the materials except as otherwise specified herein, and, for the unit prices named in the accompanying unit price schedule, to complete work in strict accordance with the plans and specifications therefore.

The undersigned further proposes to do such extra work as may be ordered by you, prices for which are not included in the itemized bid, compensation therefore to be made on the basis agreed upon before such extra work is begun.

The undersigned agrees to complete all items of work on or before **November 1, 2019.**

The undersigned encloses a certified check, cashier's check, or Bid Bond representing 5% of the bid, in the amount of \$ \_\_\_\_\_, payable to the Allegan County Road Commission as a guarantee of good faith. If the contract is awarded to the undersigned and the undersigned fails to furnish satisfactory bonds to the Road Commission within fifteen (15) days after being given notice of award, said check will be forfeited to the Allegan County Road Commission as liquidated damage.

ALLEGAN COUNTY ROAD COMMISSION

SPECIAL PROVISIONS

FOR

15. LH 4004 – LAKETOWN TOWNSHIP – On 138<sup>th</sup> Avenue, State Park Drive west to dead end – 0.22 miles

SCOPE OF THE WORK

The work will consist of preparing the existing surface then placing a HMA 13A, Mod surface course 22'-24' wide at an average yield of 220 lb/syd. A 1' wide gravel shoulder will then be placed from the POB to POE.

HMA Widths:

<u>Station</u>	<u>Pavement Width</u>	<u>Gravel Shoulder Width</u>
POB to POE	22'-24' HMA	1' Rt & Lt

Miscellaneous Items of Work Quantity

<u>Station</u>	<u>Description</u>
0+00	Intersection of State Park Drive (Reference)
0+31	POB, "Pavement for Butt Joints, Rem" (40' x 15') 67 Syd
3+41 Rt	Gravel Drive, "Approach CI II, LM"
6+55 Rt	Gravel Drive, "Approach CI II, LM"
10+22 Lt	Gravel Drive, "Approach CI II, LM" (Shorewood Dunes Trail) (100' wide)
10+95	Begin cul-de-sac (60' wide)
11+39 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (50' x 6') 34 Syd
11+91	POE, "Pavement for Butt Joints, Rem" (20' x 12') 27 Syd



16. LH 4005 – LAKETOWN TOWNSHIP – On 139<sup>th</sup> Avenue, 62<sup>nd</sup> Street west to dead end – 0.32 miles

BID AND AWARD

Date: \_\_\_\_\_

Board of County Road Commissioners  
of Allegan County  
1308 Lincoln Road  
Allegan, MI 49010

Gentlemen:

The undersigned has examined the plans, specifications, and location of the work described herein and is fully informed as to the nature of the work and the conditions relating to its performance and understands that the quantities shown in the estimate are approximate only and are subject to either increase or decrease; and hereby proposes to furnish all necessary machinery, tools, apparatus, and other means of doing the work, do all the work, furnish all the materials except as otherwise specified herein, and, for the unit prices named in the accompanying unit price schedule, to complete work in strict accordance with the plans and specifications therefore.

The undersigned further proposes to do such extra work as may be ordered by you, prices for which are not included in the itemized bid, compensation therefore to be made on the basis agreed upon before such extra work is begun.

The undersigned agrees to complete all items of work on or before **November 1, 2019.**

This project will be ready to pave on or about May 1, 2018.

The undersigned encloses a certified check, cashier's check, or Bid Bond representing 5% of the bid, in the amount of \$ \_\_\_\_\_, payable to the Allegan County Road Commission as a guarantee of good faith. If the contract is awarded to the undersigned and the undersigned fails to furnish satisfactory bonds to the Road Commission within fifteen (15) days after being given notice of award, said check will be forfeited to the Allegan County Road Commission as liquidated damage.

ALLEGAN COUNTY ROAD COMMISSION

SPECIAL PROVISIONS

FOR

16. LH 4005 – LAKETOWN TOWNSHIP – On 139<sup>th</sup> Avenue, 62<sup>nd</sup> Street west to dead end – 0.32 miles

SCOPE OF THE WORK

The work will consist of preparing the existing surface then placing a HMA 13A, Mod surface course 22' wide at an average yield of 220 lb/syd. A 4-5' wide gravel shoulder will then be placed from the POB to POE.

HMA Widths:

<u>Station</u>	<u>Pavement Width</u>	<u>Gravel Shoulder Width</u>
POB to POE	22' HMA	4-5' Rt & Lt

Miscellaneous Items of Work Quantity

<u>Station</u>	<u>Description</u>
0+00	Monument Box at Intersection of 62 <sup>nd</sup> Street (Reference)
0+30	POB, "Pavement for Butt Joints, Rem" (28' x 12') 38 Syd
0+80 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (24' x 6') 16 Syd
1+53 Rt	Field Drive, "Approach CI II, LM"
3+75 Lt	Concrete Drive, "Pavement Rem, Mod" (26' x 7') 21 Syd
4+64 Lt	Field Drive, "Approach CI II, LM"
7+04 Lt	Field Drive, "Approach CI II, LM"
13+31 Rt	Field Drive, "Approach CI II, LM"
17+06 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (30' x 6') 20 Syd
17+14 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (20' x 6') 14 Syd
17+24	POE

**LAKETOWN TOWNSHIP PROJECTS BID SCHEDULE:**

<b>13. LH 4002 – On 144<sup>th</sup> Avenue, 60<sup>th</sup> to 64<sup>th</sup> Street – 2.06 miles</b>			
<b>ITEM OF WORK</b>	<b>QUANTITY</b>	<b>UNIT PRICE</b>	<b>TOTAL</b>
HMA 13A, Mod	4,000 Tons		
Pavement for Butt Joints, Rem	600 Syd		
Pavement Rem, Mod	70 Syd		
Shoulder Prep	1 LS		
Shoulder, CI II, LM	300 Cyd		
Approach, CI II, LM	200 Cyd		
Flag Control	1 LS		
Traffic Control Devices	1 LS		
Pavement Marking, Temporary	109 Sta		
Pavement Marking, Waterborne, 4-inch, Yellow	5,000 Ft		
Pavement Marking, Waterborne, 4 inch, White	22,000 Ft		
Monument Box, Adj	2 Ea		

<b>14. LH 4003 – On State Park Drive, 138<sup>th</sup> Avenue northwest to park entrance – 0.28 miles</b>			
<b>ITEM OF WORK</b>	<b>QUANTITY</b>	<b>UNIT PRICE</b>	<b>TOTAL</b>
HMA 13A, Mod	580 Tons		
Pavement for Butt Joints, Rem	100 Syd		
Shoulder Prep	1 LS		
Shoulder, CI II, LM	30 Cyd		
Flag Control	1 LS		
Traffic Control Devices	1 LS		
Pavement Marking, Temporary	15 Sta		
Pavement Marking, Waterborne, 4 inch, Yellow	2,900 Ft		
Pavement Marking, Waterborne, 4 inch, White	2,900 Ft		

**15. LH 4004 – On 138<sup>th</sup> Avenue, State Park Drive west to dead end – 0.22 miles**

ITEM OF WORK	QUANTITY	UNIT PRICE	TOTAL
HMA 13A, Mod	450 Tons		
Pavement for Butt Joints, Rem	150 Syd		
Shoulder Prep	1 LS		
Shoulder, CI II, LM	30 Cyd		
Approach, CI II, LM	50 Cyd		
Flag Control	1 LS		
Traffic Control Devices	1 LS		
Pavement Marking, Temporary	11 Sta		
Pavement Marking, Waterborne, 4-inch, Yellow	2,400 Ft		

**16. LH 4005 – On 139<sup>th</sup> Avenue, 62<sup>nd</sup> Street west to dead end – 0.32 miles**

ITEM OF WORK	QUANTITY	UNIT PRICE	TOTAL
HMA 13A, Mod	500 Tons		
Pavement for Butt Joints, Rem	100 Syd		
Pavement Rem, Mod	50 Syd		
Shoulder Prep	1 LS		
Shoulder, CI II, LM	100 Cyd		
Approach, CI II, LM	50 Cyd		
Flag Control	1 LS		
Traffic Control Devices	1 LS		
Pavement Marking, Temporary	17 Sta		
Pavement Marking, Waterborne, 4-inch, Yellow	500 Ft		

TOTAL OF BID – LAKETOWN TOWNSHIP \$ \_\_\_\_\_

SIGNED: \_\_\_\_\_ DATE: \_\_\_\_\_

17. LH 4011 – LEE TOWNSHIP – On 58<sup>th</sup> Street, 106<sup>th</sup> to 109<sup>th</sup> Avenue – 1.50 mile

BID AND AWARD

Date: \_\_\_\_\_

Board of County Road Commissioners  
of Allegan County  
1308 Lincoln Road  
Allegan, MI 49010

Gentlemen:

The undersigned has examined the plans, specifications, and location of the work described herein and is fully informed as to the nature of the work and the conditions relating to its performance and understands that the quantities shown in the estimate are approximate only and are subject to either increase or decrease; and hereby proposes to furnish all necessary machinery, tools, apparatus, and other means of doing the work, do all the work, furnish all the materials except as otherwise specified herein, and, for the unit prices named in the accompanying unit price schedule, to complete work in strict accordance with the plans and specifications therefore.

The undersigned further proposes to do such extra work as may be ordered by you, prices for which are not included in the itemized bid, compensation therefore to be made on the basis agreed upon before such extra work is begun.

The undersigned agrees to complete all items of work on or before **November 1, 2019.**

The undersigned encloses a certified check, cashier's check, or Bid Bond representing 5% of the bid, in the amount of \$ \_\_\_\_\_, payable to the Allegan County Road Commission as a guarantee of good faith. If the contract is awarded to the undersigned and the undersigned fails to furnish satisfactory bonds to the Road Commission within fifteen (15) days after being given notice of award, said check will be forfeited to the Allegan County Road Commission as liquidated damage.

ALLEGAN COUNTY ROAD COMMISSION

SPECIAL PROVISIONS

FOR

17. LH 4011 – LEE TOWNSHIP – On 58<sup>th</sup> Street, 106<sup>th</sup> to 109<sup>th</sup> Avenue – 1.5n 0 mile

SCOPE OF THE WORK

The work will consist of preparing the existing surface then placing a HMA 13A, Mod surface course 22' wide at an average yield of 165 lb/syd. A 5' wide gravel shoulder will then be placed from the POB to POE.

HMA Widths:

<u>Station</u>	<u>Pavement Width</u>	<u>Gravel Shoulder Width</u>
POB to POE	22' HMA	5' Rt & Lt

Miscellaneous Items of Work Quantity

<u>Station</u>	<u>Description</u>
0+00	Intersection of 106 <sup>th</sup> Avenue (Reference)
0+41	POB, "Pavement for Butt Joints, Rem" (22' x 15') 37 Syd
1+08 Rt	Field Drive, "Approach CI II, LM"
2+01 Rt	Field Drive, "Approach CI II, LM"
4+57 Rt	Gravel Drive, "Approach CI II, LM"
8+65 Rt	Gravel Drive, "Approach CI II, LM"
10+63 Lt	Gravel Drive, "Approach CI II, LM"
11+81 Rt	Field Drive, "Approach CI II, LM"
11+88 Lt	Gravel Drive, "Approach CI II, LM"
12+82 Rt	Gravel Drive, "Approach CI II, LM"
19+45 Lt	Gravel Drive, "Approach CI II, LM"
20+43 Lt	Gravel Drive, "Approach CI II, LM"
25+00 Lt	Gravel Drive, "Approach CI II, LM"
26+31 Rt & Lt	Intersection of 107 <sup>th</sup> Avenue, cover both approaches w/ HMA
26+31	"Monument Box, Adj"
28+53 Lt	Gravel Drive, "Approach CI II, LM"
30+08 Lt	Gravel Drive, "Approach CI II, LM"
32+21 Lt	Gravel Drive, "Approach CI II, LM"
33+02 Lt	Field Drive, "Approach CI II, LM"
34+15 Lt	Gravel Drive, "Approach CI II, LM"

## Miscellaneous Items of Work Quantity (Con't)

<u>Station</u>	<u>Description</u>
36+00 Lt	Gravel Drive, "Approach CI II, LM"
36+97 Rt	Field Drive, "Approach CI II, LM"
38+44 Rt	Gravel Drive, "Approach CI II, LM"
38+82 Rt	Gravel Drive, "Approach CI II, LM"
40+32 Lt	Gravel Drive, "Approach CI II, LM"
40+69 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (16' x 6') 11 Syd
42+94 Rt	Gravel Drive, "Approach CI II, LM"
46+42 Lt	Field Drive, "Approach CI II, LM"
46+93 Rt	Field Drive, "Approach CI II, LM"
52+81 Rt & Lt	Intersection of 108 <sup>th</sup> Avenue, cover both approaches w/ HMA
52+81	"Monument Box, Adj"
53+33 Lt	Field Drive, "Approach CI II, LM"
58+61 Rt	Field Drive, "Approach CI II, LM"
59+66 Rt	Gravel Drive, "Approach CI II, LM"
60+72 Lt	Gravel Drive, "Approach CI II, LM"
60+72 Rt	Gravel Drive, "Approach CI II, LM"
62+30 Rt	Gravel Drive, "Approach CI II, LM"
62+80 Lt	Gravel Drive, "Approach CI II, LM"
63+36 Lt	Gravel Drive, "Approach CI II, LM"
63+36 Rt	Gravel Drive, "Approach CI II, LM"
65+47 Rt	Gravel Drive, "Approach CI II, LM"
67+05 Lt	Gravel Drive, "Approach CI II, LM"
67+58 Lt	Field Drive, "Approach CI II, LM"
68+64 Rt	Field Drive, "Approach CI II, LM"
69+16 Lt	Gravel Drive, "Approach CI II, LM"
70+22 Lt	Field Drive, "Approach CI II, LM"
73+39 Lt	Gravel Drive, "Approach CI II, LM"
79+20	POE, "Pavement for Butt Joints, Rem" (72' x 15') 120 Syd
79+38	Intersection of 109 <sup>th</sup> Avenue (for reference)

**LEE TOWNSHIP PROJECTS BID SCHEDULE:**

17. LH 4011 – On 58 <sup>th</sup> Street, 106 <sup>th</sup> to 109 <sup>th</sup> Avenue – 1.50 mile			
ITEM OF WORK	QUANTITY	UNIT PRICE	TOTAL
HMA 13A, Mod	1,150 Tons		
Pavement for Butt Joints, Rem	50 Syd		
Shoulder Prep	1 LS		
Shoulder, CI II, LM	980 Cyd		
Approach, CI II, LM	160 Cyd		
Flag Control	1 LS		
Traffic Control Devices	1 LS		
Pavement Marking, Temporary	53 Sta		
Pavement Marking, Waterborne, 4-inch, Yellow	2,900 Ft		
Monument Box, Adj	2 Ea		

TOTAL OF BID – LEE TOWNSHIP \$ \_\_\_\_\_

SIGNED: \_\_\_\_\_ DATE: \_\_\_\_\_



18. LH 4010 – LEIGHTON TOWNSHIP – On West Shore Drive, 145<sup>th</sup> Avenue to 6<sup>th</sup> Street – 0.55 miles

BID AND AWARD

Date: \_\_\_\_\_

Board of County Road Commissioners  
of Allegan County  
1308 Lincoln Road  
Allegan, MI 49010

Gentlemen:

The undersigned has examined the plans, specifications, and location of the work described herein and is fully informed as to the nature of the work and the conditions relating to its performance and understands that the quantities shown in the estimate are approximate only and are subject to either increase or decrease; and hereby proposes to furnish all necessary machinery, tools, apparatus, and other means of doing the work, do all the work, furnish all the materials except as otherwise specified herein, and, for the unit prices named in the accompanying unit price schedule, to complete work in strict accordance with the plans and specifications therefore.

The undersigned further proposes to do such extra work as may be ordered by you, prices for which are not included in the itemized bid, compensation therefore to be made on the basis agreed upon before such extra work is begun.

The undersigned agrees to complete all items of work on or before **November 1, 2019.**

The undersigned encloses a certified check, cashier's check, or Bid Bond representing 5% of the bid, in the amount of \$ \_\_\_\_\_, payable to the Allegan County Road Commission as a guarantee of good faith. If the contract is awarded to the undersigned and the undersigned fails to furnish satisfactory bonds to the Road Commission within fifteen (15) days after being given notice of award, said check will be forfeited to the Allegan County Road Commission as liquidated damage.

ALLEGAN COUNTY ROAD COMMISSION

SPECIAL PROVISIONS

FOR

18. LH 4010 – LEIGHTON TOWNSHIP – On West Shore Drive, 145<sup>th</sup> Avenue to 6<sup>th</sup> Street – 0.55 miles

SCOPE OF THE WORK

The work will consist of “Cold Milling HMA Surface” at an average depth of 2” then placing a surface course HMA 13A, Mod 22’ wide at an average yield of 220 lb/syd. A 1’ – 2’ wide gravel shoulder will then be placed from the POB to POE.

HMA Widths:

<u>Station</u>	<u>Pavement Width</u>	<u>Gravel Shoulder Width</u>
POB to POE	22’ HMA	1’ – 2’ Rt & Lt

Miscellaneous Items of Work Quantity

<u>Station</u>	<u>Description</u>
0+00	Intersection of 145 <sup>th</sup> Avenue (Reference)
0+15	POB, Begin HMA Cold Milling
0+15 Rt & Lt	Begin HMA Valley Gutter
0+83 Rt	Concrete Drive, "Pavement Rem, Mod" (24' x 6') 16 Syd
1+87 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (35' x 2') 8 Syd
2+21 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (30' x 2') 7 Syd
2+53	"Manhole, Adj"
2+58 Lt	End HMA Valley Gutter
2+84 Rt	Concrete Drive, "Pavement Rem, Mod" (15' x 6') 10 Syd
2+84 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (40' x 3') 14 Syd
3+37 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 3') 6 Syd
3+42 Lt	Concrete Drive, "Pavement Rem, Mod" (45' x 6') 30 Syd
4+03 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (30' x 2') 7 Syd
4+44 Rt	End HMA Valley Gutter
4+99 Lt	Concrete Drive, "Pavement Rem, Mod" (12' x 6') 8 Syd
5+11 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 2') 4 Syd
5+48 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 2') 4 Syd
5+80	"Manhole, Adj"
5+92 Rt	Concrete Drive, "Pavement Rem, Mod" (18' x 6') 12 Syd
6+02 Rt	Begin HMA Valley Gutter
6+81	"Manhole, Adj"
7+39 Rt	Concrete Drive, "Pavement Rem, Mod" (85' x 6') 57 Syd

## Miscellaneous Items of Work Quantity (Con't)

<u>Station</u>	<u>Description</u>
8+00 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (16' x 3') 6 Syd
8+58 Rt	Concrete Drive, "Pavement Rem, Mod" (16' x 6') 11 Syd
9+02 Rt	Concrete Drive, "Pavement Rem, Mod" (18' x 6') 12 Syd
9+49 Lt	Begin HMA Valley Gutter
9+77 Rt	Concrete Drive, "Pavement Rem, Mod" (60' x 6') 40 Syd
10+24 Rt	Concrete Drive, "Pavement Rem, Mod" (16' x 6') 11 Syd
11+05 Rt	End HMA Valley Gutter
11+41 Rt	Gravel Drive, "Approach CI II, LM" (60' wide)
11+52 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 2') 4 Syd
12+15 Rt	Concrete Drive, "Pavement Rem, Mod" (16' x 6') 11 Syd
12+51 Rt	Concrete Drive, "Pavement Rem, Mod" (15' x 6') 10 Syd
13+14 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (20' x 2') 5 Syd
13+36 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (12' x 3') 4 Syd
13+65 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (40' x 3') 14 Syd
14+05 Rt	Begin HMA Valley Gutter
14+19 Rt	Concrete Drive, "Pavement Rem, Mod" (22' x 6') 15 Syd
14+34 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (16' x 2') 4 Syd
14+66 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 2') 4 Syd
15+07 Rt	Stone Drive (ACRC will add material after paving)
15+73 Rt	Concrete Drive, "Pavement Rem, Mod" (22' x 6') 15 Syd
15+82 Lt	End HMA Valley Gutter
15+90 Lt	Concrete Drive, "Pavement Rem, Mod" (18' x 6') 12 Syd
16+02 Rt	Concrete Drive, "Pavement Rem, Mod" (14' x 6') 10 Syd
16+16 Lt	Concrete Drive, "Pavement Rem, Mod" (22' x 5') 13 Syd
16+48 Rt	Concrete Drive, "Pavement Rem, Mod" (18' x 6') 12 Syd
16+79 Lt	Concrete Drive, "Pavement Rem, Mod" (30' x 6') 20 Syd
17+46 Rt	Concrete Drive, "Pavement Rem, Mod" (35' x 6') 24 Syd
17+63 Rt	End HMA Valley Gutter
17+63 Rt	"Manhole, Adj"
17+75 Rt	Concrete Drive, "Pavement Rem, Mod" (14' x 6') 10 Syd
18+44 Rt	HMA Sidewalk, "Pavement for Butt Joints, Rem" (3' x 3') 1 Syd
18+51 Lt	Concrete Drive, "Pavement Rem, Mod" (26' x 6') 18 Syd
18+63 Rt	Concrete Drive, "Pavement Rem, Mod" (22' x 6') 15 Syd
18+72 Rt	Begin HMA Valley Gutter
18+79 Lt	Gravel Drive, "Approach CI II, LM"
19+40 Rt	Concrete Drive, "Pavement Rem, Mod" (30' x 6') 20 Syd
20+00 Lt	Begin HMA Valley Gutter
20+11 Lt	HMA Spillway, cover w/ HMA
20+41 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 3') 6 Syd
20+52 Rt	End HMA Valley Gutter

Miscellaneous Items of Work Quantity (Con't)

<u>Station</u>	<u>Description</u>
21+68 Rt	Gravel Drive, "Approach CI II, LM"
21+88 Rt	Gravel Drive, "Approach CI II, LM"
21+95 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (20' x 3') 7 Syd
22+10 Lt	End HMA Valley Gutter
22+87 Lt	Concrete Drive, "Pavement Rem, Mod" (24' x 6') 16 Syd
23+23	"Manhole, Adj"
23+31 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 3') 6 Syd
24+45 Lt	Concrete Drive, "Pavement Rem, Mod" (18' x 6') 12 Syd
26+11 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (24' x 6') 16 Syd
26+28	Intersection of 146th Ave, continue Milling and Paving to the west
26+29 Rt	Begin HMA Valley Gutter
28+60 Rt	End HMA Valley Gutter
28+77 Rt	Intersection of 6 <sup>th</sup> Street (north), "Pavement for Butt Joints, Rem" (40' x 12') 54 Syd
28+77	"Monument Box, Adj"
29+37	POE, End HMA Cold Milling

**LEIGHTON TOWNSHIP PROJECTS BID SCHEDULE:**

<b>18. LH 4010 – On West Shore Drive, 145<sup>th</sup> Avenue to 6<sup>th</sup> Street – 0.55 miles</b>			
<b>ITEM OF WORK</b>	<b>QUANTITY</b>	<b>UNIT PRICE</b>	<b>TOTAL</b>
Cold Milling HMA Surface	7,200 Syd		
HMA 13A, Mod	950 Tons		
Pavement for Butt Joints, Rem	200 Syd		
Pavement Rem, Mod	450 Syd		
Shoulder Prep	1 LS		
Shoulder, CI II, LM	100 Cyd		
Approach, CI II, LM	50 Cyd		
Flag Control	1 LS		
Traffic Control Devices	1 LS		
Pavement Marking, Temporary	29 Sta		
Pavement Marking, Waterborne, 4-inch, Yellow	6,100 Ft		
Monument Box, Adj	1 Ea		
Manhole, Adj	5 Ea		

TOTAL OF BID – LEIGHTON TOWNSHIP \$ \_\_\_\_\_

SIGNED: \_\_\_\_\_ DATE: \_\_\_\_\_

19. LH 4991 – MONTEREY TOWNSHIP – On 127<sup>th</sup> Avenue, 32<sup>nd</sup> to 30<sup>th</sup> Street – 0.94 miles

BID AND AWARD

Date: \_\_\_\_\_

Board of County Road Commissioners  
of Allegan County  
1308 Lincoln Road  
Allegan, MI 49010

Gentlemen:

The undersigned has examined the plans, specifications, and location of the work described herein and is fully informed as to the nature of the work and the conditions relating to its performance and understands that the quantities shown in the estimate are approximate only and are subject to either increase or decrease; and hereby proposes to furnish all necessary machinery, tools, apparatus, and other means of doing the work, do all the work, furnish all the materials except as otherwise specified herein, and, for the unit prices named in the accompanying unit price schedule, to complete work in strict accordance with the plans and specifications therefore.

The undersigned further proposes to do such extra work as may be ordered by you, prices for which are not included in the itemized bid, compensation therefore to be made on the basis agreed upon before such extra work is begun.

The undersigned agrees to complete all items of work on or before **November 1, 2019.**

The undersigned encloses a certified check, cashier's check, or Bid Bond representing 5% of the bid, in the amount of \$ \_\_\_\_\_, payable to the Allegan County Road Commission as a guarantee of good faith. If the contract is awarded to the undersigned and the undersigned fails to furnish satisfactory bonds to the Road Commission within fifteen (15) days after being given notice of award, said check will be forfeited to the Allegan County Road Commission as liquidated damage.

ALLEGAN COUNTY ROAD COMMISSION

SPECIAL PROVISIONS

FOR

19. LH 4991 – MONTEREY TOWNSHIP – On 127<sup>th</sup> Avenue, 32<sup>nd</sup> to 30<sup>th</sup> Street – 0.94 miles

SCOPE OF THE WORK

The work will consist preparing the existing surface then placing a surface course HMA 13A, Mod 30'-32' wide at an average yield of 220 lb/syd. A 1' wide gravel shoulder will then be placed from the POB to POE.

HMA Widths:

<u>Station</u>	<u>Pavement Width</u>	<u>Gravel Shoulder Width</u>
POB to 5+78	30' HMA	1' Rt & Lt
5+78 to 8+38	31' HMA	1' Rt & Lt
8+38 to 26+78	32' HMA	1' Rt & Lt
26+78 to 29+84	31' HMA	1' Rt & Lt
29+84 to 45+96	30' HMA	1' Rt & Lt
45+96 to POE	32' HMA	1' Rt & Lt

Miscellaneous Items of Work Quantity

<u>Station</u>	<u>Description</u>
0+00	POB, East edge of 32 <sup>nd</sup> Street, "Pavement for Butt Joints, Rem" on 32 <sup>nd</sup> St north of 127 <sup>th</sup> Ave (Pave Intersection) (32' x 15') 54 Syd
0+00	"Monument Box, Adj"
0+00 Rt	32 <sup>nd</sup> Street (seasonal), "Approach CI II, LM"
3+07 Rt	Gravel Drive, "Approach CI II, LM"
3+32 Rt	Gravel Drive, "Approach CI II, LM"
5+78 Rt	Begin HMA Valley Gutter
6+02 Rt	HMA Millings Drive (ACRC will add millings after paving)
7+00 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (65' x 6') 44 Syd
8+38 Lt	Begin HMA Valley Gutter
9+38 Rt	Gravel Drive, "Approach CI II, LM"
12+62 Rt	Gravel Drive, "Approach CI II, LM"
15+08 Lt	Field Drive, "Approach CI II, LM"
16+07 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (20' x 6') 14 Syd
17+04 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (20' x 6') 14 Syd
20+68 Rt	Gravel Drive, "Approach CI II, LM"
22+39 Lt	Begin Guardrail (pave to face)
22+93 Rt	Gravel Drive, "Approach CI II, LM"

### Miscellaneous Items of Work Quantity (Con't)

<u>Station</u>	<u>Description</u>
23+10 Rt	Begin Guardrail (pave to face)
24+59 Rt & Lt	Spillways, cover w/ HMA
25+15 Rt & Lt	Spillways, cover w/ HMA
25+15 Rt	End Guardrail
25+15 Rt	End HMA Valley Gutter
25+27 Rt	Gravel Drive, "Approach CI II, LM"
26+01 Rt	"Monument Box, Adj"
26+78 Lt	End Guardrail
26+78 Lt	End HMA Valley Gutter
26+78 Rt	Begin HMA Valley Gutter
29+02 Lt	Field Drive, "Approach CI II, LM"
29+11 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
29+84 Rt	End HMA Valley Gutter
30+81 Rt	Gravel Drive, "Approach CI II, LM"
34+29 Rt	Gravel Drive, "Approach CI II, LM"
35+85 Rt	Field Drive, "Approach CI II, LM"
41+97 Rt	Gravel Drive, "Approach CI II, LM"
42+87 Lt	Gravel Drive, "Approach CI II, LM"
43+02 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (24' x 6') 16 Syd
45+65 Lt	Gravel Drive, "Approach CI II, LM"
45+96 Rt & Lt	Begin HMA Valley Gutter
48+31 Lt	Gravel Drive, "Approach CI II, LM"
48+77 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (24' x 6') 16 Syd
49+18 Lt	Pave Spillway
49+38 Rt & Lt	End HMA Valley Gutter
49+38	POE, West edge of 30 <sup>th</sup> Street, "Pavement for Butt Joints, Rem" (70' x 15') 117 Syd



**MONTEREY TOWNSHIP PROJECTS BID SCHEDULE:**

<b>19. LH 4991 – On 127<sup>th</sup> Avenue, 32<sup>nd</sup> to 30<sup>th</sup> Street – 0.94 miles</b>			
<b>ITEM OF WORK</b>	<b>QUANTITY</b>	<b>UNIT PRICE</b>	<b>TOTAL</b>
HMA 13A, Mod	2,000 Tons		
Pavement for Butt Joints, Rem	300 Syd		
Shoulder Prep	1 LS		
Shoulder, CI II, LM	100 Cyd		
Approach, CI II, LM	100 Cyd		
Flag Control	1 LS		
Traffic Control Devices	1 LS		
Pavement Marking, Temporary	50 Sta		
Pavement Marking, Waterborne, 4-inch, Yellow	5,400 Ft		
Pavement Marking, Waterborne, 4-inch, White	10,000 Ft		
Monument Box, Adj	2 Ea		

TOTAL OF BID – MONTEREY TOWNSHIP \$ \_\_\_\_\_

SIGNED: \_\_\_\_\_ DATE: \_\_\_\_\_

20. LH 4022 – OTSEGO TOWNSHIP – On 104<sup>th</sup> Avenue, 19<sup>th</sup> to 18<sup>th</sup> Street; 18<sup>th</sup> Street, 104<sup>th</sup> Avenue to Jefferson Road, & 104<sup>th</sup> Avenue, 18<sup>th</sup> Street to Otsego City Limits – 1.27 miles

BID AND AWARD

Date: \_\_\_\_\_

Board of County Road Commissioners  
of Allegan County  
1308 Lincoln Road  
Allegan, MI 49010

Gentlemen:

The undersigned has examined the plans, specifications, and location of the work described herein and is fully informed as to the nature of the work and the conditions relating to its performance and understands that the quantities shown in the estimate are approximate only and are subject to either increase or decrease; and hereby proposes to furnish all necessary machinery, tools, apparatus, and other means of doing the work, do all the work, furnish all the materials except as otherwise specified herein, and, for the unit prices named in the accompanying unit price schedule, to complete work in strict accordance with the plans and specifications therefore.

The undersigned further proposes to do such extra work as may be ordered by you, prices for which are not included in the itemized bid, compensation therefore to be made on the basis agreed upon before such extra work is begun.

The undersigned agrees to complete all items of work on or before **November 1, 2019.**

The undersigned encloses a certified check, cashier's check, or Bid Bond representing 5% of the bid, in the amount of \$ \_\_\_\_\_, payable to the Allegan County Road Commission as a guarantee of good faith. If the contract is awarded to the undersigned and the undersigned fails to furnish satisfactory bonds to the Road Commission within fifteen (15) days after being given notice of award, said check will be forfeited to the Allegan County Road Commission as liquidated damage.

ALLEGAN COUNTY ROAD COMMISSION

SPECIAL PROVISIONS

FOR

20. LH 4022 – OTSEGO TOWNSHIP – On 104<sup>th</sup> Avenue, 19<sup>th</sup> to 18<sup>th</sup> Street; 18<sup>th</sup> Street, 104<sup>th</sup> Avenue to Jefferson Road, & 104<sup>th</sup> Avenue, 18<sup>th</sup> Street to Otsego City Limits – 1.27 miles

SCOPE OF THE WORK

The work will consist of preparing the existing surface, then placing a HMA 13A, Mod surface course 22' wide at an average yield of 220 lb/syd. A 4' - 5' wide gravel shoulder will then be placed from the POB to POE.

HMA Widths:

<u>Station</u>	<u>Pavement Width</u>	<u>Gravel Shoulder Width</u>
POB to POE	22' HMA	4' – 5' Rt & Lt

Miscellaneous Items of Work Quantity

104<sup>th</sup> Avenue (West) & 18<sup>th</sup> Street

<u>Station</u>	<u>Description</u>
0+00	Centerline of 19 <sup>th</sup> Street (Reference)
0+11	POB, Match new HMA on 19 <sup>th</sup> Street (LH 4023)
2+42 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
3+19 Lt	Concrete Drive, "Pavement Rem, Mod" (20' x 10') 23 Syd
4+37 Lt	Concrete Drive, "Pavement Rem, Mod" (22' x 6') 15 Syd
5+60 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
6+88 Lt	Gravel Drive, "Approach CI II, LM"
8+08 Lt	Gravel Drive, "Approach CI II, LM"
9+33 Lt	Concrete Drive, "Pavement Rem, Mod" (18' x 6') 12 Syd
10+34 Rt	Gravel Drive, "Approach CI II, LM"
10+51 Lt	Intersection of Glendale Dr (pvt), "Pavement for Butt Joints, Rem" (20' x 6') 23 Syd
10+79 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (20' x 6') 23 Syd
13+03 Rt	Gravel Drive, "Approach CI II, LM"
13+71 Rt	Gravel Drive, "Approach CI II, LM"
21+18 Rt	Concrete Drive, "Pavement Rem, Mod" (22' x 6') 15 Syd
22+12 Rt	Concrete Drive, "Pavement Rem, Mod" (22' x 6') 15 Syd
23+59 Rt	Intersection of 18 <sup>th</sup> Street (South), "Approach CI II, LM"
24+04 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
25+79 Rt	Concrete Drive, "Pavement Rem, Mod" (18' x 6') 12 Syd

Miscellaneous Items of Work Quantity (Con't)

104<sup>th</sup> Avenue (West) & 18<sup>th</sup> Street (Con't)

<u>Station</u>	<u>Description</u>
26+74 Rt	Intersection of Prairiewood Dr (pvt), "Pavement for Butt Joints, Rem" (50' x 12') 67 Syd
27+03	Begin 18th St, Continue Paving
29+10	Intersection of Ariel Dr (pvt), "Pavement for Butt Joints, Rem" (35' x 6') 24 Syd
29+88 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (12' x 6') 8 Syd
32+07 Rt	Concrete Drive, "Pavement Rem, Mod" (20' x 6') 14 Syd
32+33 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (16' x 6') 11 Syd
33+48 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (20' x 6') 23 Syd
34+34 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
35+48 Rt	Gravel Drive, "Approach CI II, LM"
36+09 Rt	Gravel Drive, "Approach CI II, LM"
37+02 Lt	Gravel Drive, "Approach CI II, LM" (50' wide)
37+32 Rt	Gravel Drive, "Approach CI II, LM"
38+71 Rt	Gravel Drive, "Approach CI II, LM"
39+54 Lt	Gravel Drive, "Approach CI II, LM"
39+71	"Monument Box, Adjust"
39+76 Rt	Intersection of 104 <sup>th</sup> Avenue (East), match new HMA
41+19 Rt	Gravel Drive, "Approach CI II, LM"
42+47 Rt	Gravel Drive, "Approach CI II, LM"
43+08 Lt	Gravel Drive, "Approach CI II, LM"
44+56 Lt	Gravel Drive, "Approach CI II, LM"
45+16 Lt	Concrete Drive, "Pavement Rem, Mod" (18' x 6') 12 Syd
46+82 Rt	Gravel Drive, "Approach CI II, LM"
47+16 Lt	Gravel Drive, "Approach CI II, LM"
48+91 Lt	Concrete Drive, "Pavement Rem, Mod" (16' x 6') 11 Syd
50+64 Lt	Concrete Drive, "Pavement Rem, Mod" (16' x 8') 15 Syd
51+03 Rt	Gravel Drive, "Approach CI II, LM"
51+85 Lt	Concrete Drive, "Pavement Rem, Mod" (16' x 8') 15 Syd
52+36 Lt	Concrete Drive, "Pavement Rem, Mod" (16' x 6') 11 Syd
52+53 Rt	Gravel Drive, "Approach CI II, LM"
53+85 Rt	Concrete Drive, "Pavement Rem, Mod" (18' x 6') 12 Syd
54+61 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
56+16 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
56+56 Rt	Concrete Drive, "Pavement Rem, Mod" (18' x 6') 12 Syd
57+70	POE, "Pavement for Butt Joints, Rem" (40' x 12') 54 Syd
57+96	Centerline of Jefferson Road (Reference)

Miscellaneous Items of Work Quantity (Con't)

104<sup>th</sup> Avenue (East), 18<sup>th</sup> Street to Otsego City Limits

<u>Station</u>	<u>Description</u>
0+00	POB, East edge of 18 <sup>th</sup> Street, Match new HMA
1+33 Lt	Gravel Drive, "Approach CI II, LM"
1+58 Rt	Gravel Drive, "Approach CI II, LM"
2+25 Lt	Gravel Drive, Approach CI II, LM
3+19 Rt	Concrete Drive, "Pavement Rem, Mod" (24' x 6') 16 Syd
3+94 Rt	Gravel Drive, "Approach CI II, LM"
4+14 Lt	Gravel Drive, "Approach CI II, LM"
5+06 Lt	Gravel Drive, "Approach CI II, LM"
5+15 Rt	Gravel Drive, "Approach CI II, LM"
6+29 Rt	Gravel Drive, "Approach CI II, LM"
6+76 Rt	Gravel Drive, "Approach CI II, LM"
7+77 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
9+37	POE, Otsego City Limits, "Pavement for Butt Joints, Rem" (30' x 12') 40 Syd

21. LH 4023 – OTSEGO TOWNSHIP – On 102<sup>nd</sup> Avenue, 19<sup>th</sup> Street, & 103<sup>rd</sup> Avenue, from 21<sup>st</sup> Street to Jefferson Road – 2.44 miles

BID AND AWARD

Date: \_\_\_\_\_

Board of County Road Commissioners  
of Allegan County  
1308 Lincoln Road  
Allegan, MI 49010

Gentlemen:

The undersigned has examined the plans, specifications, and location of the work described herein and is fully informed as to the nature of the work and the conditions relating to its performance and understands that the quantities shown in the estimate are approximate only and are subject to either increase or decrease; and hereby proposes to furnish all necessary machinery, tools, apparatus, and other means of doing the work, do all the work, furnish all the materials except as otherwise specified herein, and, for the unit prices named in the accompanying unit price schedule, to complete work in strict accordance with the plans and specifications therefore.

The undersigned further proposes to do such extra work as may be ordered by you, prices for which are not included in the itemized bid, compensation therefore to be made on the basis agreed upon before such extra work is begun.

The undersigned agrees to complete all items of work on or before **November 1, 2019**

The undersigned encloses a certified check, cashier's check, or Bid Bond representing 5% of the bid, in the amount of \$ \_\_\_\_\_, payable to the Allegan County Road Commission as a guarantee of good faith. If the contract is awarded to the undersigned and the undersigned fails to furnish satisfactory bonds to the Road Commission within fifteen (15) days after being given notice of award, said check will be forfeited to the Allegan County Road Commission as liquidated damage.

ALLEGAN COUNTY ROAD COMMISSION

SPECIAL PROVISIONS

FOR

21. LH 4022 – OTSEGO TOWNSHIP – On 102<sup>nd</sup> Avenue, 19<sup>th</sup> Street, & 103<sup>rd</sup> Avenue, from 21<sup>st</sup> Street to Jefferson Road – 2.44 miles

SCOPE OF THE WORK

The work will consist of preparing the existing surface, then placing a HMA 13A, Mod surface course 22' wide at an average yield of 220 lb/syd. A 4' - 5' wide gravel shoulder will then be placed from the POB to POE.

HMA Widths:

<u>Station</u>	<u>Pavement Width</u>	<u>Gravel Shoulder Width</u>
POB to POE	22' HMA	4' – 5' Rt & Lt

Miscellaneous Items of Work Quantity

<u>Station</u>	<u>Description</u>
0+00	Centerline of 21 <sup>st</sup> Street (Reference)
1+10	POB, "Pavement for Butt Joints, Rem" (22' x 15') 37 Syd
7+30 Rt	Concrete Drive, "Pavement Rem, Mod" (16' x 6') 11 Syd
7+49 Lt	Gravel Drive, "Approach CI II, LM"
8+84 Lt	Concrete Drive w/ Gravel Approach, Pave HMA Approach
10+24 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
10+74 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (22' x 6') 15 Syd
13+83 Lt	Gravel Drive, "Approach CI II, LM"
14+16 Lt	Gravel Drive, "Approach CI II, LM"
14+44 Lt	Gravel Drive, "Approach CI II, LM"
15+74 Rt	Intersection of 20 <sup>th</sup> Street, Cover existing HMA Approach
15+74	"Monument Box, Adj"
15+91 Lt	Gravel Drive, "Approach CI II, LM"
20+65 Lt	Gravel Drive, "Approach CI II, LM"
22+95 Rt	Concrete Drive, "Pavement Rem, Mod" (18' x 6') 12 Syd
29+06	Begin 19 <sup>th</sup> Street, Continue paving North
37+92 Rt	Gravel Drive, "Approach CI II, LM"
40+83 Rt	Gravel Drive, "Approach CI II, LM"
41+53 Lt	Gravel Drive, "Approach CI II, LM"
41+58 Rt	Gravel Drive, "Approach CI II, LM"
44+84 Lt	Gravel Drive, "Approach CI II, LM"
46+00 Rt	Concrete Drive, "Pavement Rem, Mod" (18' x6') 12 Syd

## Miscellaneous Items of Work Quantity (Con't)

<u>Station</u>	<u>Description</u>
46+68 Lt	Gravel Drive, "Approach CI II, LM"
50+12 Rt	Gravel Drive, "Approach CI II, LM"
50+50 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (22' x 6') 15 Syd
51+18 Lt	Gravel Drive, "Approach CI II, LM"
51+95 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (30' x 6') 20 Syd
53+88 Lt	Gravel Drive, "Approach CI II, LM"
55+60 Lt	Concrete Drive, "Pavement Rem, Mod" (24' x 6') 16 Syd
55+92 Rt	Gravel Drive, "Approach CI II, LM"
57+36 Rt	Gravel Drive, "Approach CI II, LM"
59+57 Lt	Gravel Drive, "Approach CI II, LM"
64+70 Lt	Gravel Drive, "Approach CI II, LM"
65+25	Begin 103 <sup>rd</sup> Avenue, Continue paving East
66+73 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (16' x 6') 11 Syd
67+13 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (16' x 6') 11 Syd
72+44 Rt	Gravel Drive, "Approach CI II, LM"
73+84 Lt	Gravel Drive, "Approach CI II, LM"
77+50 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (65' x 6') 44 Syd
77+95	Begin 19 <sup>th</sup> St, Continue paving North
79+30 Rt	Gravel Drive, "Approach CI II, LM"
80+44 Lt	Concrete Drive, "Pavement Rem, Mod" (20' x 6') 14 Syd
81+77 Rt	Gravel Drive, "Approach CI II, LM"
82+55 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
84+67 Lt	Gravel Drive, "Approach CI II, LM"
85+68 Lt	Gravel Drive, "Approach CI II, LM"
87+52 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (22' x 6') 15 Syd
88+01 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (16' x 6') 11 Syd
89+05 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (16' x 6') 11 Syd
89+81 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (32' x 6') 22 Syd
89+93 Lt	Gravel Drive, "Approach CI II, LM"
90+04 Rt	Concrete Drive, "Pavement Rem, Mod" (18' x 6') 21 Syd
90+54 Lt	Gravel Drive, "Approach CI II, LM"
91+44 Rt	Concrete Drive, "Pavement Rem, Mod" (30' x 6') 20 Syd
92+27 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (16' x 6') 11 Syd
92+36 Lt	Gravel Drive, "Approach CI II, LM"
97+26 Lt	Intersection of Ashland Dr, "Pavement for Butt Joints, Rem" (35' x 12') 47 Syd
98+59 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (16' x 6') 11 Syd
99+47 Lt	Gravel Drive, "Approach CI II, LM"
99+68 Rt	Concrete Drive, "Pavement Rem, Mod" (22' x 6') 15 Syd
101+94 Lt	Intersection Poplar Ridge Dr, "Pavement for Butt Joints, Rem" (40' x 12') 54 Syd
103+94 Rt	Intersection of 104 <sup>th</sup> Avenue, Match new HMA from LH 4022



## Miscellaneous Items of Work Quantity (Con't)

<u>Station</u>	<u>Description</u>
103+94	"Monument Box, Adj"
104+77 Lt	Concrete Drive, "Pavement Rem, Mod" (22' x 6') 15 Syd
105+22 Rt	Concrete Drive, "Pavement Rem, Mod" (24' x 6') 16 Syd
105+90 Rt	Gravel Drive, "Approach CI II, LM"
106+55 Lt	Concrete Drive, "Pavement Rem, Mod" (30' x 6') 20 Syd
108+49 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (16' x 6') 11 Syd
110+36 Lt	Gravel Drive, "Approach CI II, LM"
111+11 Lt	Concrete Drive, "Pavement Rem, Mod" (22' x 8') 20 Syd
111+69 Lt	Intersection of Thoreau Ct, "Pavement for Butt Joints, Rem" (35' x 12') 47 Syd
112+60 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (34' x 6') 23 Syd
113+56 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (22' x 6') 15 Syd
114+00 Lt	Concrete Drive, "Pavement Rem, Mod" (22' x 6') 15 Syd
115+50 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
116+16 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (20' x 6') 14 Syd
117+36 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
118+90 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
119+62 Lt	Intersection of Walden Dr, "Pavement for Butt Joints, Rem" (45' x 12') 60 Syd
120+48 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (22' x 6') 15 Syd
121+99 Lt	Gravel Drive, "Approach CI II, LM"
122+63 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
122+95 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (24' x 6') 16 Syd
123+49 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (35' x 6') 24 Syd
123+77 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (16' x 6') 11 Syd
124+54 Lt	Gravel Drive, "Approach CI II, LM"
126+32 Lt	Gravel Drive, "Approach CI II, LM"
126+70 Lt	Gravel Drive, "Approach CI II, LM"
127+43 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (16' x 6') 11 Syd
127+46 Rt	Gravel Drive, "Approach CI II, LM"
128+88	POE, "Pavement for Butt Joints, Rem" (50' x 12') 67 Syd
129+03	Centerline of Jefferson Road (Reference)

**OTSEGO TOWNSHIP PROJECTS BID SCHEDULE:**

<b>20. LH 4022 – On 104<sup>th</sup> Avenue, 19<sup>th</sup> to 18<sup>th</sup> Street; 18<sup>th</sup> Street, 104<sup>th</sup> Avenue to Jefferson Road, &amp; 104<sup>th</sup> Avenue, 18<sup>th</sup> Street to Otsego City Limits – 1.27 miles</b>			
<b>ITEM OF WORK</b>	<b>QUANTITY</b>	<b>UNIT PRICE</b>	<b>TOTAL</b>
HMA 13A, Mod	1,900 Ton		
Pavement for Butt Joints, Rem	360 Syd		
Pavement Rem, Mod	200 Syd		
Shoulder Prep	1 LS		
Shoulder, CI II, LM	350 Cyd		
Approach, CI II, LM	150 Cyd		
Flag Control	1 LS		
Traffic Control Devices	1 LS		
Pavement Marking, Temporary	67 Sta		
Pavement Marking, Waterborne, 4-inch, Yellow	7,600 Ft		
Monument Box, Adj	1 Ea		

<b>21. LH 4023 – On 102<sup>nd</sup> Avenue, 19<sup>th</sup> Street, &amp; 103<sup>rd</sup> Avenue, from 21<sup>st</sup> Street to Jefferson Road – 2.44 miles</b>			
<b>ITEM OF WORK</b>	<b>QUANTITY</b>	<b>UNIT PRICE</b>	<b>TOTAL</b>
HMA 13A, Mod	3,700 Ton		
Pavement for Butt Joints, Rem	700 Syd		
Pavement Rem, Mod	200 Syd		
Shoulder Prep	1 LS		
Shoulder, CI II, LM	650 Cyd		
Approach, CI II, LM	200 Cyd		
Flag Control	1 LS		
Traffic Control Devices	1 LS		
Pavement Marking, Temporary	129 Sta		
Pavement Marking, Waterborne, 4-inch, Yellow	16,100 Ft		
Monument Box, Adj	2 Ea		

TOTAL OF BID – OTSEGO TOWNSHIP \$ \_\_\_\_\_

SIGNED: \_\_\_\_\_ DATE: \_\_\_\_\_

22. LH 4994 – OVERISEL TOWNSHIP - On 45<sup>th</sup> Street, 140<sup>th</sup> to 142<sup>nd</sup> Avenue – 1.00 mile

BID AND AWARD

Date: \_\_\_\_\_

Board of County Road Commissioners  
of Allegan County  
1308 Lincoln Road  
Allegan, MI 49010

Gentlemen:

The undersigned has examined the plans, specifications, and location of the work described herein and is fully informed as to the nature of the work and the conditions relating to its performance and understands that the quantities shown in the estimate are approximate only and are subject to either increase or decrease; and hereby proposes to furnish all necessary machinery, tools, apparatus, and other means of doing the work, do all the work, furnish all the materials except as otherwise specified herein, and, for the unit prices named in the accompanying unit price schedule, to complete work in strict accordance with the plans and specifications therefore.

The undersigned further proposes to do such extra work as may be ordered by you, prices for which are not included in the itemized bid, compensation therefore to be made on the basis agreed upon before such extra work is begun.

The undersigned agrees to complete all items of work on or before **November 1, 2019.**

The undersigned encloses a certified check, cashier's check, or Bid Bond representing 5% of the bid, in the amount of \$ \_\_\_\_\_, payable to the Allegan County Road Commission as a guarantee of good faith. If the contract is awarded to the undersigned and the undersigned fails to furnish satisfactory bonds to the Road Commission within fifteen (15) days after being given notice of award, said check will be forfeited to the Allegan County Road Commission as liquidated damage.

ALLEGAN COUNTY ROAD COMMISSION

SPECIAL PROVISIONS

FOR

22. LH 4994 – OVERISEL TOWNSHP - On 45<sup>th</sup> Street, 140<sup>th</sup> to 142<sup>nd</sup> Avenue – 1.00 mile

SCOPE OF THE WORK

The work will consist of preparing the existing surface then placing a HMA 13A surface course 22' wide at an average yield of 220 lb/syd. A 5' wide gravel shoulder will then be placed from the POB to POE.

HMA Widths:

<u>Station</u>	<u>Pavement Width</u>	<u>Gravel Shoulder Width</u>
POB to POE	22' HMA	5' Rt & Lt

Miscellaneous Items of Work Quantity

<u>Station</u>	<u>Description</u>
0+00	Monument Box (Reference)
0+27	POB, "Pavement for Butt Joints, Rem" (35' x 15') 59 Syd
1+96 Rt	Gravel Drive, "Approach CI II, LM"
11+88 Rt	Field Drive, "Approach CI II, LM"
16+80 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
17+12 Rt	Gravel Drive, "Approach CI II, LM"
19+01 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
24+05 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (20' x 6') 14 Syd
26+63	"Monument Box, Adj"
26+70 Rt	Intersection of 141 <sup>st</sup> Avenue (Cover HMA Approach)
27+03 Lt	Field Drive, "Approach CI II, LM"
30+36 Rt	Field Drive, "Approach CI II, LM"
36+55 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
36+55 Lt	Field Drive, "Approach CI II, LM"
38+44 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
50+80 Lt	Gravel Drive, "Approach CI II, LM"
52+16 Rt	Field Drive, "Approach CI II, LM"
52+85	POE, "Pavement for Butt Joints, Rem" (35' x 15') 59 Syd
53+06	South edge of 142 <sup>nd</sup> Avenue (Reference)

23. LH 4995 – OVERISEL TOWNSHIP – On 44<sup>th</sup> Street, 0.5 miles south of 147<sup>th</sup> Avenue to Ottogan Street – 1.02 miles

BID AND AWARD

Date: \_\_\_\_\_

Board of County Road Commissioners  
of Allegan County  
1308 Lincoln Road  
Allegan, MI 49010

Gentlemen:

The undersigned has examined the plans, specifications, and location of the work described herein and is fully informed as to the nature of the work and the conditions relating to its performance and understands that the quantities shown in the estimate are approximate only and are subject to either increase or decrease; and hereby proposes to furnish all necessary machinery, tools, apparatus, and other means of doing the work, do all the work, furnish all the materials except as otherwise specified herein, and, for the unit prices named in the accompanying unit price schedule, to complete work in strict accordance with the plans and specifications therefore.

The undersigned further proposes to do such extra work as may be ordered by you, prices for which are not included in the itemized bid, compensation therefore to be made on the basis agreed upon before such extra work is begun.

The undersigned agrees to complete all items of work on or before **November 1, 2019.**

The undersigned encloses a certified check, cashier's check, or Bid Bond representing 5% of the bid, in the amount of \$ \_\_\_\_\_, payable to the Allegan County Road Commission as a guarantee of good faith. If the contract is awarded to the undersigned and the undersigned fails to furnish satisfactory bonds to the Road Commission within fifteen (15) days after being given notice of award, said check will be forfeited to the Allegan County Road Commission as liquidated damage.

ALLEGAN COUNTY ROAD COMMISSION

SPECIAL PROVISIONS

FOR

23. LH 4995 – OVERISEL TOWNSHIP – On 44<sup>th</sup> Street, 0.5 miles south of 147<sup>th</sup> Avenue to Ottogan Street – 1.02 miles

SCOPE OF THE WORK

The work will consist of preparing the existing surface then placing a HMA 13A, Mod surface course 22' wide at an average yield of 220 lb/syd. A 5' wide gravel shoulder will then be placed from the POB to POE.

HMA Widths:

<u>Station</u>	<u>Pavement Width</u>	<u>Gravel Shoulder Width</u>
POB to POE	22' HMA	5' Rt & Lt

Miscellaneous Items of Work Quantity

<u>Station</u>	<u>Description</u>
0+00	Driveway of 4600 44 <sup>th</sup> Street (Reference)
0+36	POB, "Pavement for Butt Joints, Rem" (22' x 15') 37 Syd
0+93 Lt	Gravel Drive, "Approach CI II, LM" (50' wide)
1+66 Lt	Gravel Drive, "Approach CI II, LM"
2+45 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (20' x 6') 14 Syd
3+71 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (20' x 6') 14 Syd
4+39 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (15' x 6') 10 Syd
5+36 Rt	Gravel Drive, "Approach CI II, LM"
5+58 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
6+61 Lt	Field Drive, Approach CI II, LM
9+69 Lt	Gravel Drive, "Approach CI II, LM"
10+12 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (30' x 6') 20 Syd
10+66 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
11+10 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (30' x 6') 20 Syd
12+95 Rt	Gravel Drive, "Approach CI II, LM" (50' wide)
13+77 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
14+96 Rt	Gravel Drive, "Approach CI II, LM"
16+58 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (15' x 6') 10 Syd
16+79 Lt	Gravel Drive, "Approach CI II, LM"
18+45 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (20' x 6') 14 Syd

### Miscellaneous Items of Work Quantity (Con't)

<u>Station</u>	<u>Description</u>
19+75 Rt	Gravel Drive, "Approach CI II, LM"
21+60 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (20' x 6') 14 Syd
21+74 Rt	Gravel Drive, "Approach CI II, LM"
22+60 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (20' x 6') 14 Syd
22+98 Lt	Gravel Drive, "Approach CI II, LM"
26+44 Rt	Intersection of 147 <sup>th</sup> Ave, "Pavement for Butt Joint, Rem" (30' x 12') 40 Syd
26+44 Lt	Gravel Drive, "Approach CI II, LM"
26+44	"Monument Box, Adj"
28+04 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
32+46 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
39+42 Lt	Gravel Drive, "Approach CI II, LM"
39+64 Rt	Gravel Drive, "Approach CI II, LM"
40+76 Rt	Gravel Drive, "Approach CI II, LM"
41+33 Rt	Gravel Drive, "Approach CI II, LM"
41+98 Rt	Gravel Drive, "Approach CI II, LM"
46+38 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (35' x 6') 24 Syd
50+11 Rt	Gravel Drive, "Approach CI II, LM"
50+88 Rt	Gravel Drive, "Approach CI II, LM"
53+24 Lt	Gravel Drive, "Approach CI II, LM"
54+14	POE, "Pavement for Butt Joints, Rem" (35' x 15') 59 yd
54+35	South edge of Ottogon Street (Reference)

**OVERISEL TOWNSHIP PROJECTS BID SCHEDULE:**

<b>22. LH 4994 – On 45<sup>th</sup> Street, 140<sup>th</sup> to 142<sup>nd</sup> Avenue – 1.00 mile</b>			
<b>ITEM OF WORK</b>	<b>QUANTITY</b>	<b>UNIT PRICE</b>	<b>TOTAL</b>
HMA 13A, Mod	1,550 Tons		
Pavement for Butt Joints, Rem	200 Syd		
Shoulder Prep	1 LS		
Shoulder, CI II, LM	350 Cyd		
Approach, CI II, LM	100 Cyd		
Flag Control	1 LS		
Traffic Control Devices	1 LS		
Pavement Marking, Temporary	53 Sta		
Pavement Marking, Waterborne, 4-inch, Yellow	3,600 Ft		
Monument Box, Adj	1 Ea		

<b>23. LH 4995 – On 44<sup>th</sup> Street, 0.5 miles south of 147<sup>th</sup> Avenue to Ottogan Street – 1.02 miles</b>			
<b>ITEM OF WORK</b>	<b>QUANTITY</b>	<b>UNIT PRICE</b>	<b>TOTAL</b>
HMA 13A, Mod	1,600 Tons		
Pavement for Butt Joints, Rem	350 Syd		
Shoulder Prep	1 LS		
Shoulder, CI II, LM	350 Cyd		
Approach, CI II, LM	100 Cyd		
Flag Control	1 LS		
Traffic Control Devices	1 LS		
Pavement Marking, Temporary	54 Sta		
Pavement Marking, Waterborne, 4-inch, Yellow	1,400 Ft		
Monument Box, Adj	1 Ea		

TOTAL OF BID – OVERISEL TOWNSHIP \$ \_\_\_\_\_

SIGNED: \_\_\_\_\_ DATE: \_\_\_\_\_



24. LH 4976 - SAUGATUCK TOWNSHIP – On 63<sup>rd</sup> Street, Old Allegan Road to 136<sup>th</sup> Avenue  
– 1.65 miles

BID AND AWARD

Date: \_\_\_\_\_

Board of County Road Commissioners  
of Allegan County  
1308 Lincoln Road  
Allegan, MI 49010

Gentlemen:

The undersigned has examined the plans, specifications, and location of the work described herein and is fully informed as to the nature of the work and the conditions relating to its performance and understands that the quantities shown in the estimate are approximate only and are subject to either increase or decrease; and hereby proposes to furnish all necessary machinery, tools, apparatus, and other means of doing the work, do all the work, furnish all the materials except as otherwise specified herein, and, for the unit prices named in the accompanying unit price schedule, to complete work in strict accordance with the plans and specifications therefore.

The undersigned further proposes to do such extra work as may be ordered by you, prices for which are not included in the itemized bid, compensation therefore to be made on the basis agreed upon before such extra work is begun.

The undersigned agrees to complete all items of work on or before **November 1, 2019.**

The undersigned encloses a certified check, cashier's check, or Bid Bond representing 5% of the bid, in the amount of \$ \_\_\_\_\_, payable to the Allegan County Road Commission as a guarantee of good faith. If the contract is awarded to the undersigned and the undersigned fails to furnish satisfactory bonds to the Road Commission within fifteen (15) days after being given notice of award, said check will be forfeited to the Allegan County Road Commission as liquidated damage.

ALLEGAN COUNTY ROAD COMMISSION

SPECIAL PROVISIONS

FOR

24. LH 4976 - SAUGATUCK TOWNSHIP – On 63<sup>rd</sup> Street, Old Allegan Road to 136<sup>th</sup> Avenue  
– 1.65 miles

SCOPE OF THE WORK

The work will consist of preparing the existing surface then placing a HMA 13A, Mod surface course 28' wide at an average yield of 220 lb/syd. A 2' wide gravel shoulder will then be placed from the POB to POE.

HMA Widths:

<u>Station</u>	<u>Pavement Width</u>	<u>Gravel Shoulder Width</u>
POB to POE	28' HMA	2' Rt & Lt

Miscellaneous Items of Work Quantity

<u>Station</u>	<u>Description</u>
0+00	North edge of Old Allegan Road (Reference)
0+08	POB, "Pavement for Butt Joints, Rem" (65' x 15') 109 Syd
8+34 Rt	Intersection of Hawthorne Ct (pvt), "Pavement for Butt Joints, Rem" (145' x 6') 97 Syd
18+22 Rt & Lt	Intersection of Gleason Rd, "Pavement for Butt Joints, Rem" (65' x 12' each side) 174 Syd
23+43 Lt	Gravel Drive, "Approach CI II, LM"
29+06 Rt	Gravel Drive, "Approach CI II, LM"
29+20 Lt	"Monument Box, Adj"
29+20 Lt	Intersection of 134 <sup>th</sup> Ave, "Pavement for Butt Joints, Rem" (45' x 12') 60 Syd
30+99 Lt	Gravel Drive, "Approach CI II, LM"
31+50 Rt	Gravel Drive, "Approach CI II, LM"
34+80 Lt	Gravel Drive, "Approach CI II, LM"
36+79 Lt	HMA Drive, Feather Joint
36+99 Rt	Field Drive, "Approach CI II, LM"
37+31 Lt	Gravel Drive, "Approach CI II, LM"
38+27 Lt	Gravel Drive, "Approach CI II, LM"
39+68 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (24' x 8') 22 Syd
41+70 Lt	Gravel Drive, "Approach CI II, LM" (100' wide)
47+19 Lt	Gravel Drive, "Approach CI II, LM"
48+56 Lt	Gravel Drive, "Approach CI II, LM"

### Miscellaneous Items of Work Quantity (Con't)

<u>Station</u>	<u>Description</u>
55+27	"Monument Box, Adj"
55+47 Rt	Field Drive, "Approach CI II, LM"
56+98 Rt	Gravel Drive, "Approach CI II, LM"
58+48 Rt	Intersection of White Horse Ln (pvt), "Pavement for Butt Joints, Rem" (65' x 6') 44 Syd
61+05 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (35' x 6') 24 Syd
62+50 Lt	Gravel Drive, "Approach CI II, LM"
62+61 Rt	Field Drive, "Approach CI II, LM"
64+11 Rt	Gravel Drive, "Approach CI II, LM"
65+40 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (45' x 6') 30 Syd
66+58 Rt	Field Drive, "Approach CI II, LM"
66+79 Lt	Gravel Drive, "Approach CI II, LM"
68+31 Lt	Field Drive, "Approach CI II, LM"
69+74 Rt	Gravel Drive, "Approach CI II, LM"
79+39 Rt	Gravel Drive, "Approach CI II, LM"
81+06 Rt	Gravel Drive, "Approach CI II, LM"
82+77 Rt	Gravel Drive, "Approach CI II, LM"
86+92	POE, "Pavement for Butt Joints, Rem" (24' x 15') 40 Syd
87+28	Monument Box at Intersection of 136 <sup>th</sup> Avenue (Reference)

25. LH 4977 - SAUGATUCK TOWNSHIP – On Ototeman Trail & Wakama Way, 64<sup>th</sup> Street east to dead end – 0.30 miles

BID AND AWARD

Date: \_\_\_\_\_

Board of County Road Commissioners  
of Allegan County  
1308 Lincoln Road  
Allegan, MI 49010  
Gentlemen:

The undersigned has examined the plans, specifications, and location of the work described herein and is fully informed as to the nature of the work and the conditions relating to its performance and understands that the quantities shown in the estimate are approximate only and are subject to either increase or decrease; and hereby proposes to furnish all necessary machinery, tools, apparatus, and other means of doing the work, do all the work, furnish all the materials except as otherwise specified herein, and, for the unit prices named in the accompanying unit price schedule, to complete work in strict accordance with the plans and specifications therefore.

The undersigned further proposes to do such extra work as may be ordered by you, prices for which are not included in the itemized bid, compensation therefore to be made on the basis agreed upon before such extra work is begun.

The undersigned agrees to complete all items of work on or before **November 1, 2019.**

The undersigned encloses a certified check, cashier's check, or Bid Bond representing 5% of the bid, in the amount of \$ \_\_\_\_\_, payable to the Allegan County Road Commission as a guarantee of good faith. If the contract is awarded to the undersigned and the undersigned fails to furnish satisfactory bonds to the Road Commission within fifteen (15) days after being given notice of award, said check will be forfeited to the Allegan County Road Commission as liquidated damage.

ALLEGAN COUNTY ROAD COMMISSION

SPECIAL PROVISIONS

FOR

25. LH 4977 - SAUGATUCK TOWNSHIP – On Ototeman Trail & Wakama Way, 64<sup>th</sup> Street east to dead end – 0.30 miles

SCOPE OF THE WORK

The work will consist of preparing the existing surface then placing a HMA 13A, Mod surface course 30' wide at an average yield of 220 lb/syd. A 1' wide topsoil shoulder and restoration will then be placed from the POB to POE except where concrete curb and gutter exist. HMA valley gutter exists where concrete curb & gutter do not for Ototeman Trail only.

HMA Widths:

<u>Station</u>	<u>Pavement Width</u>	<u>Topsoil Shoulder Width</u>
POB to POE	30' HMA	1' Rt & Lt

Miscellaneous Items of Work Quantity

Ototeman Trail

<u>Station</u>	<u>Description</u>
0+00	East edge of 64 <sup>th</sup> Street (Reference)
0+14	POB, "Pavement for Butt Joints, Rem" (28' x 12') 38 Syd
0+14 Rt & Lt	Begin Concrete Curb & Gutter, "Pavement for Butt Joints, Rem" (8' x 6' both sides) 11 Syd
0+34 Rt & Lt	End Concrete Curb & Gutter
0+34 Rt & Lt	Begin HMA Valley Gutter (throughout entire job)
0+96 Rt	Concrete Drive, "Pavement for Butt Joints, Rem" (30' x 4') 14 Syd
1+23 Lt	Concrete Drive, "Pavement for Butt Joints, Rem" (30' x 4') 14 Syd
1+98 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (30' x 4') 14 Syd
2+82 Lt	Concrete Drive, "Pavement for Butt Joints, Rem" (30' x 4') 14 Syd
3+24 Rt	Concrete Drive, "Pavement for Butt Joints, Rem" (30' x 4') 14 Syd
3+71 Rt	Concrete Drive, "Pavement for Butt Joints, Rem" (30' x 4') 14 Syd
4+40 Rt	Catch Basin, "Pavement for Butt Joints, Rem" (12' x 8') 11 Syd
4+40 Lt	Catch Basin, "Pavement for Butt Joints, Rem" (12' x 8') 11 Syd
4+40 Lt	Begin Concrete Curb & Gutter, "Pavement for Butt Joints, Rem" (29' x 6') 20 Syd
4+75 Lt	Intersection of Wakama Way, match new HMA
4+82 Rt	Concrete Drive, "Pavement for Butt Joints, Rem" (30' x 4') 14 Syd
4+92 Lt	Begin Concrete Curb & Gutter, "Pavement for Butt Joints, Rem" (29' x 6') 20 Syd

Miscellaneous Items of Work Quantity (Con't)

Ototeman Trail (Con't)

<u>Station</u>	<u>Description</u>
5+69 Rt	Concrete Drive, "Pavement for Butt Joints, Rem" (30' x 4') 14 Syd
5+95 Lt	Concrete Sidewalk, "Pavement for Butt Joints, Rem" (12' x 4') 6 Syd
6+57 Rt	Concrete Drive, "Pavement for Butt Joints, Rem" (30' x 4') 14 Syd
8+05 Rt	Concrete Drive, "Pavement for Butt Joints, Rem" (30' x 4') 14 Syd
8+49 Lt	Concrete Drive, "Pavement for Butt Joints, Rem" (30' x 4') 14 Syd
8+84 Rt	Concrete Drive, "Pavement for Butt Joints, Rem" (30' x 4') 14 Syd
9+75 Rt	Concrete Drive, "Pavement for Butt Joints, Rem" (30' x 4') 14 Syd
9+86 Lt	Concrete Drive, "Pavement for Butt Joints, Rem" (30' x 4') 14 Syd
10+16 Rt	Catch Basin, "Pavement for Butt Joints, Rem" (12' x 8') 11 Syd
10+16 Lt	Catch Basin, "Pavement for Butt Joints, Rem" (12' x 8') 11 Syd
10+67 Rt & Lt	Begin Concrete Curb & Gutter cul-de-sac, "Pavement for Butt Joints, Rem" (357' x 6') 238 Syd
12+15	POE, End cul-de-sac (80' diameter)

Wakama Way

<u>Station</u>	<u>Description</u>
0+00	POB, North edge of Ototeman Trail (match new HMA)
1+04 Rt	Concrete Drive, "Pavement for Butt Joints, Rem" (30' x 4') 14 Syd
2+38 Lt	Concrete Drive, "Pavement for Butt Joints, Rem" (30' x 4') 14 Syd
2+51 Rt & Lt	Begin Concrete Curb & Gutter cul-de-sac, "Pavement for Butt Joints, Rem" (258' x 6') 172 Syd
3+50	POE, End cul-de-sac (80' diameter)

26. LH 4978 – SAUGATUCK TOWNSHIP – On Riverside Drive, Holland Street north to dead end – 0.17 miles

BID AND AWARD

Date: \_\_\_\_\_

Board of County Road Commissioners  
of Allegan County  
1308 Lincoln Road  
Allegan, MI 49010  
Gentlemen:

The undersigned has examined the plans, specifications, and location of the work described herein and is fully informed as to the nature of the work and the conditions relating to its performance and understands that the quantities shown in the estimate are approximate only and are subject to either increase or decrease; and hereby proposes to furnish all necessary machinery, tools, apparatus, and other means of doing the work, do all the work, furnish all the materials except as otherwise specified herein, and, for the unit prices named in the accompanying unit price schedule, to complete work in strict accordance with the plans and specifications therefore.

The undersigned further proposes to do such extra work as may be ordered by you, prices for which are not included in the itemized bid, compensation therefore to be made on the basis agreed upon before such extra work is begun.

The undersigned agrees to complete all items of work on or before **November 1, 2019.**

The undersigned encloses a certified check, cashier's check, or Bid Bond representing 5% of the bid, in the amount of \$ \_\_\_\_\_, payable to the Allegan County Road Commission as a guarantee of good faith. If the contract is awarded to the undersigned and the undersigned fails to furnish satisfactory bonds to the Road Commission within fifteen (15) days after being given notice of award, said check will be forfeited to the Allegan County Road Commission as liquidated damage.

ALLEGAN COUNTY ROAD COMMISSION

SPECIAL PROVISIONS

FOR

26. LH 4978 – SAUGATUCK TOWNSHIP – On Riverside Drive, Holland Street north to dead end – 0.17 miles

SCOPE OF THE WORK

The work will consist of preparing the existing surface then placing a HMA 13A, Mod surface course 20' wide at an average yield of 220 lb/syd. A 1' wide gravel shoulder will then be placed from the POB to POE.

HMA Widths:

<u>Station</u>	<u>Pavement Width</u>	<u>Gravel Shoulder Width</u>
POB to POE	20' HMA	1' Rt & Lt

Miscellaneous Items of Work Quantity

<u>Station</u>	<u>Description</u>
0+00	North edge of Holland Street (Reference)
0+27	POB, "Pavement for Butt Joints, Rem" (24' x 12') 32 Syd
0+32	"Manhole, Adj"
2+71	"Manhole, Adj"
2+90 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (30' x 6') 20 Syd
3+31 Lt	Concrete Drive, "Pavement Rem, Mod" (28' x 3') 10 Syd
3+39 Rt	Concrete Drive, "Pavement Rem, Mod" (18' x 6') 12 Syd
3+81 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
4+23 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
4+23 Rt	"Monument Box, Adj"
4+40 Rt	Intersection of Bandle St, "Pavement for Butt Joints, Rem" (30' x 6') 20 Syd
4+46 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (10' x 12') 14 Syd
5+43 Lt	Concrete Drive, "Pavement Rem, Mod" (18' x 6') 12 Syd
6+29	"Manhole, Adj"
6+31 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (15' x 6') 10 Syd
6+58 Lt	Concrete Drive, "Pavement Rem, Mod" (20' x 3') 7 Syd
7+02 Lt	Concrete Drive, "Pavement Rem, Mod" (20' x 5') 12 Syd
7+49 Rt	Gravel Drive, "Approach CI II, LM"
7+58 Lt	Concrete Drive, "Pavement Rem, Mod" (40' x 6') 27 Syd
8+99	"Manhole, Adj"
9+19	POE, End of Public Road, "Pavement for Butt Joints, Rem" (18' x 12') 24 Syd



27. LH 4979 – SAUGATUCK TOWNSHIP – On Lorrimar Lane, Old Allegan Road south to dead end – 0.37 miles

BID AND AWARD

Date: \_\_\_\_\_

Board of County Road Commissioners  
of Allegan County  
1308 Lincoln Road  
Allegan, MI 49010

Gentlemen:

The undersigned has examined the plans, specifications, and location of the work described herein and is fully informed as to the nature of the work and the conditions relating to its performance and understands that the quantities shown in the estimate are approximate only and are subject to either increase or decrease; and hereby proposes to furnish all necessary machinery, tools, apparatus, and other means of doing the work, do all the work, furnish all the materials except as otherwise specified herein, and, for the unit prices named in the accompanying unit price schedule, to complete work in strict accordance with the plans and specifications therefore.

The undersigned further proposes to do such extra work as may be ordered by you, prices for which are not included in the itemized bid, compensation therefore to be made on the basis agreed upon before such extra work is begun.

The undersigned agrees to complete all items of work on or before **November 1, 2019.**

The undersigned encloses a certified check, cashier's check, or Bid Bond representing 5% of the bid, in the amount of \$ \_\_\_\_\_, payable to the Allegan County Road Commission as a guarantee of good faith. If the contract is awarded to the undersigned and the undersigned fails to furnish satisfactory bonds to the Road Commission within fifteen (15) days after being given notice of award, said check will be forfeited to the Allegan County Road Commission as liquidated damage.

ALLEGAN COUNTY ROAD COMMISSION

SPECIAL PROVISIONS

FOR

27. LH 4979 – SAUGATUCK TOWNSHIP – On Lorrimar Lane, Old Allegan Road south to dead end – 0.37 miles

SCOPE OF THE WORK

The work will consist of preparing the existing HMA surface, then placing a HMA 13A, Mod surface course 28' wide at an average yield of 220 lb/syd. A 2' wide gravel shoulder will then be placed from the POB to POE.

HMA Widths:

<u>Station</u>	<u>Pavement Width</u>	<u>Gravel Shoulder Width</u>
POB to POE	28' HMA	2' Rt & Lt

Miscellaneous Items of Work Quantity

<u>Station</u>	<u>Description</u>
0+00	Centerline of Old Allegan Road (Reference)
0+20	POB, "Pavement for Butt Joints, Rem" (50' x 12') 67 Syd
1+53 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
3+68 Lt	Gravel Drive, "Approach CI II, LM"
3+79 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (20' x 6') 14 Syd
4+87 Lt	Crushed Concrete Drive (ACRC will add material after paving)
6+68 Rt	Concrete Drive, "Pavement Rem, Mod" (14' x 7') 11 Syd
7+01 Lt	Gravel Drive, "Approach CI II, LM"
7+67 Lt	Gravel Drive, "Approach CI II, LM"
7+86 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (22' x 6') 15 Syd
8+56 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
9+45 Lt	Gravel Drive, "Approach CI II, LM"
9+88 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
11+34 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 3') 6 Syd
11+73 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 4') 8 Syd
12+42 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
12+56 Lt	Gravel Drive, "Approach CI II, LM"
14+03 Rt	Concrete Drive, "Pavement Rem, Mod" (18' x 7') 14 Syd
14+63 Lt	Concrete Drive, "Pavement Rem, Mod" (15' x 8') 14 Syd
15+59 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (16' x 6') 11 Syd
16+37 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (22' x 6') 15 Syd

Miscellaneous Items of Work Quantity (Con't)

<u>Station</u>	<u>Description</u>
17+99 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (22' x 6') 15 Syd
18+79 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
18+79 Rt & Lt	Begin taper to 62' wide square cul-de-sac
19+56 Rt	Gravel Drive, "Approach CI II, LM"
19+56 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (30' x 6') 20 Syd
19+68 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (15' x 3') 5 Syd
19+68 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (12' x 3') 4 Syd
19+68	POE

**SAUGATUCK TOWNSHIP PROJECTS BID SCHEDULE:**

<b>24. LH 4976 – On 63<sup>rd</sup> Street, Old Allegan Road to 136<sup>th</sup> Avenue – 1.65 miles</b>			
<b>ITEM OF WORK</b>	<b>QUANTITY</b>	<b>UNIT PRICE</b>	<b>TOTAL</b>
HMA 13A, Mod	3,200 tons		
Pavement for Butt Joints, Rem	600 Syd		
Pavement Rem, Mod	20 Syd		
Shoulder Prep	1 LS		
Shoulder, CI II, LM	300 Cyd		
Approach, CI II, LM	200 Cyd		
Flag Control	1 LS		
Traffic Control Devices	1 LS		
Pavement Marking, Temporary	87 Sta		
Pavement Marking, Waterborne, 4-inch, Yellow	4,600 Ft		
Pavement Marking, Waterborne, 4-inch, White	17,000 Ft		
Monument Box, Adj	2 Ea		

<b>25. LH 4977 – On Ototeman Trail &amp; Wakama Way, 64<sup>th</sup> Street east to dead end – 0.30 miles</b>			
<b>ITEM OF WORK</b>	<b>QUANTITY</b>	<b>UNIT PRICE</b>	<b>TOTAL</b>
HMA 13A, Mod	700 Tons		
Pavement for Butt Joints, Rem	700 Syd		
Pavement Rem, Mod	20 Syd		
Shoulder Prep	1 LS		
Topsoil Shoulder, LM	40 Cyd		
Restoration	400 Syd		
Flag Control	1 LS		
Traffic Control Devices	1 LS		

**26. LH 4978 – On Riverside Drive, Holland Street north to dead end – 0.17 miles**

ITEM OF WORK	QUANTITY	UNIT PRICE	TOTAL
HMA 13A, Mod	250 Tons		
Pavement for Butt Joints, Rem	150 Syd		
Pavement Rem, Mod	100 Syd		
Shoulder Prep	1 LS		
Shoulder, CI II, LM	40 Cyd		
Approach, CI II, LM	10 Cyd		
Flag Control	1 LS		
Traffic Control Devices	1 LS		
Monument Box, Adj	1 Ea		
Manhole, Adj	4 Ea		

**27. LH 4979 – On Lorrimar Lane, Old Allegan Road south to dead end – 0.37 miles**

ITEM OF WORK	QUANTITY	UNIT PRICE	TOTAL
HMA 13A, Mod	750 Tons		
Pavement for Butt Joints, Rem	240 Syd		
Pavement Rem, Mod	40 Syd		
Shoulder Prep	1 LS		
Shoulder, CI II, LM	150 Cyd		
Approach, CI II, LM	30 Cyd		
Flag Control	1 LS		
Traffic Control Devices	1 LS		

TOTAL OF BID – SAUGATUCK TOWNSHIP \$ \_\_\_\_\_

SIGNED: \_\_\_\_\_ DATE: \_\_\_\_\_

28. LH 4006 – TROWBRIDGE TOWNSHIP – On 104<sup>th</sup> Avenue, 32<sup>nd</sup> to 30<sup>th</sup> Street – 1.26 miles

BID AND AWARD

Date: \_\_\_\_\_

Board of County Road Commissioners  
of Allegan County  
1308 Lincoln Road  
Allegan, MI 49010

Gentlemen:

The undersigned has examined the plans, specifications, and location of the work described herein and is fully informed as to the nature of the work and the conditions relating to its performance and understands that the quantities shown in the estimate are approximate only and are subject to either increase or decrease; and hereby proposes to furnish all necessary machinery, tools, apparatus, and other means of doing the work, do all the work, furnish all the materials except as otherwise specified herein, and, for the unit prices named in the accompanying unit price schedule, to complete work in strict accordance with the plans and specifications therefore.

The undersigned further proposes to do such extra work as may be ordered by you, prices for which are not included in the itemized bid, compensation therefore to be made on the basis agreed upon before such extra work is begun.

The undersigned agrees to complete all items of work on or before **November 1, 2019.**

The undersigned encloses a certified check, cashier's check, or Bid Bond representing 5% of the bid, in the amount of \$ \_\_\_\_\_, payable to the Allegan County Road Commission as a guarantee of good faith. If the contract is awarded to the undersigned and the undersigned fails to furnish satisfactory bonds to the Road Commission within fifteen (15) days after being given notice of award, said check will be forfeited to the Allegan County Road Commission as liquidated damage.

ALLEGAN COUNTY ROAD COMMISSION

SPECIAL PROVISIONS

FOR

28. LH 4006 – TROWBRIDGE TOWNSHIP – On 104<sup>th</sup> Avenue, 32<sup>nd</sup> to 30<sup>th</sup> Street – 1.26 miles

SCOPE OF THE WORK

The work will consist of preparing the existing surface, then placing a HMA 13A, Mod surface course 22' wide at an average yield of 220 lb/syd. A 4' wide gravel shoulder will then be placed from the POB to POE.

HMA Widths:

<u>Station</u>	<u>Pavement Width</u>	<u>Gravel Shoulder Width</u>
POB to POE	22' HMA	4' Rt & Lt

Miscellaneous Items of Work Quantity

<u>Station</u>	<u>Description</u>
0+00	Intersection of 32 <sup>nd</sup> Street (Reference)
0+44	POB, "Pavement for Butt Joints, Rem" (30' x 15') 50 Syd
4+30 Lt	Field Drive, "Approach CI II, LM"
9+55 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (15' x 6') 10 Syd
10+67 Rt	Gravel Drive, "Approach CI II, LM"
12+10 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (15' x 6') 10 Syd
14+40 Lt	Gravel Drive, "Approach CI II, LM"
15+01 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (20' x 6') 14 Syd
15+01 Lt	Gravel Drive, "Approach CI II, LM"
16+29 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (15' x 6') 10 Syd
17+70 Lt	Gravel Drive, "Approach CI II, LM"
18+77 Lt	HMA Drive, "Pavement for Butt Joints, Rem" (35' x 6') 24 Syd
20+80 Rt	Field Drive, "Approach CI II, LM"
22+13 Lt	Field Drive, "Approach CI II, LM"
23+25 Rt	Field Drive, "Approach CI II, LM"
24+48 Rt	Gravel Drive, "Approach CI II, LM"
24+83 Lt	Field Drive, "Approach CI II, LM"
25+77 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 8') 16 Syd
26+53 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (15' x 8') 14 Syd
27+95 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (20' x 6') 14 Syd
28+52 Lt	Field Drive, "Approach CI II, LM"
34+13 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (15' x 6') 10 Syd

Miscellaneous Items of Work Quantity (Con't)

<u>Station</u>	<u>Description</u>
34+84 Lt	Gravel Drive, "Approach CI II, LM"
35+25 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (18' x 6') 12 Syd
35+68 Rt	HMA Drive, "Pavement for Butt Joints, Rem" (15' x 6') 10 Syd
39+53 Rt	Intersection of Minkler Lake Dr, "Pavement for Butt Joints, Rem" (35' x 6') 24 Syd
41+19 Lt	Gravel Drive, "Approach CI II, LM"
41+55 Rt	Gravel Drive, "Approach CI II, LM"
42+79 Rt	Field Drive, "Approach CI II, LM"
42+89 Lt	Field Drive, "Approach CI II, LM"
46+59 Rt	Gravel Drive, "Approach CI II, LM"
46+85 Lt	Gravel Drive, "Approach CI II, LM"
50+02 Lt	Field Drive, "Approach CI II, LM"
53+63 Rt	Intersection of 30 <sup>th</sup> Street South (pave HMA approach)
53+63	"Monument Box, Adj"
53+76 Lt	Gravel Drive, "Approach CI II, LM"
56+07 Lt	Concrete Drive, "Pavement Rem, Mod" (18' x 6') 12 Syd
64+05 Rt	Gravel Drive, "Approach CI II, LM"
66+74	POE, "Pavement for Butt Joints, Rem" (28' x 15') 47 Syd



